ELSEVIER

Inorganica Chimica Acta 228 (1995) 3–9

Inorganica Chimica Acta

Cumulative Author Index of Volumes 215–227

Abad, J.-A., **222**, 1
Abarca García, M.E., **215**, 73
Abd-El-Aziz, A.S., **219**, 221
Abrahamson, H.B., **226**, 117
Abram, U., **215**, 159; **216**, 31, 223; **224**, 193
Abrams, M.J., **218**, 157
Abras, A., **218**, 139
Abruña, H.D., **225**, 285
Abuhijleh, A.L., **215**, 131
Accola, M.A., **225**, 151
Adams, H., **215**, 1
Agocs, L., **220**, 289
Aguiari, A., **219**, 135
Ainscough, E.W., **217**, 191
Albano, V.G., **222**, 267
Alberico, E., **215**, 225
Albinati, A., **227**, 5
Alcaide, B., **222**, 261
Alcock, N.W., **215**, 209
Aletras, V., **227**, 17
Ali, Md.M., **226**, 17
Ali, S., **216**, 51
Alibrandi, G., **221**, 31
Al-Juaid, S.S., **218**, 139
Alkam, H.H., **221**, 17
Al-Kouraty, A.-M., **217**, 85
Alsters, P.L., **222**, 95
Amari, C., **223**, 97
Amer, I., **216**, 97
Amoroso, A.J., **226**, 171
Anderson, B.A., **220**, 215
Anderson, F.E., **222**, 135
Anderson, J.E., **225**, 323
André, C., **222**, 275
Angelici, R.J., **220**, 21; **222**, 327
Angyalosy, Z., **222**, 131
Annan, T.A., **225**, 207
Anson, F.C., **225**, 215
Antolini, L., **216**, 125
Aoyagi, K., **220**, 319
Arai, T., **225**, 261
Arana, C., **225**, 285
Arena, C.G., **221**, 109
Armentano, S., **218**, 211
Arulsamy, N., **216**, 21
Arvanitis, G.M., **218**, 11
Asaro, M.F., **220**, 335
Ascenzi, P., **219**, 199
Athar Masood, Md., **221**, 99
Attia, A.S., **226**, 91
Atwood, J.L., **217**, 171
Avila-Rosón, J.C., **217**, 39
Awata, H., **217**, 201
Azevedo, F., **219**, 43
Azuma, N., **215**, 109; **227**, 91

Bachmann, C., **223**, 13
Bacon, P., **226**, 61
Bae Yu, H., **224**, 147
Bailey, N.A., **215**, 1; **219**, 205
Bailey, P.J., **227**, 197
Baize, M.W., **223**, 1
Bajaj, H.C., **224**, 189
Bakalbassis, E.G., **218**, 167
Baker, P.K., **219**, 99
Balahura, R.J., **225**, 245
Ballarin, B., **217**, 71
Banaszak Holl, M.M., **226**, 53
Bandoli, G., **217**, 141
Baraldo, L.M., **223**, 37
Barbaro, P., **220**, 5
Bardají, M., **215**, 215; **223**, 55
Barigelletti, F., **226**, 171
Barker, J., **220**, 137
Bartik, T., **227**, 201
Bastos, C., **218**, 185
Batlaw, R., **222**, 365
Battaglia, L.P., **215**, 85
Battiston, G.A., **217**, 71
Bayada, A., **227**, 71
Beauchamp, A.L., **216**, 131
Becker, T., **219**, 75
Beer, P.D., **225**, 137
Belchem, G., **218**, 81
Belhadj Tahar, H., **227**, 25
Belicchi Ferrari, M., **215**, 85; **223**, 77
Bellande, E., **227**, 25
Belluco, U., **220**, 21
Beltrán, D., **216**, 185
Bender, D.P., **225**, 201
Benetollo, F., **217**, 71; **220**, 21; **222**, 327
Bengtsson, L.A., **215**, 33
Bereman, R.D., **223**, 9, 187
Berin, P., **220**, 21
Berke, H., **219**, 11
Berman, H.M., **218**, 11
Bermejo González, E., **215**, 55
Bermúdez, M.D., **220**, 1
Bernardinelli, G., **221**, 173; **227**, 85, 153
Bernauer, K., **218**, 73
Bertagnolli, H., **222**, 27
Bertani, R., **220**, 21; **222**, 327
Beurskens, P.T., **216**, 1
Bhaduri, D., **221**, 41
Biagini-Cingi, M., **227**, 181
Bianchi, M., **227**, 247
Bianchini, C., **220**, 5
Birdsall, W.J., **227**, 159
Birk, U., **218**, 173
Bismondo, A., **223**, 151
Bladenopoulou, S., **217**, 61
Blaine, C.A., **226**, 61
Blanchard, J.M.B., **221**, 147
Blasco, A., **223**, 55
Bocarsly, A.B., **226**, 251
Bode, M., **224**, 185
Boeheim, F., **216**, 83
Boersma, J., **220**, 55
Bögge, H., **223**, 5
Boggia, R., **215**, 85
Bois, C., **216**, 201; **219**, 179
Bold, G., **222**, 95
Bombieri, G., **220**, 21; **222**, 327
Bonardi, A., **223**, 77
Bonaventura, C., **226**, 187
Bond, A.M., **224**, 137; **226**, 293
Boone, J.R., **222**, 365
Boot, C.E., **216**, 1
Booth, A.J., **227**, 145
Bordoni, S., **222**, 267; **223**, 31
Borgdorff, J., **224**, 73
Bosman, W.P., **216**, 1
Bott, S.G., **226**, 267
Böttcher, D., **222**, 291
Böttcher, H.-C., **217**, 29
Boudeville, P., **226**, 69
Bourassa, J., **226**, 345
Bouwman, E., **215**, 151
Bowen, L.H., **223**, 9
Boys, D., **219**, 67
Braga, D., **222**, 299
Brands, M., **220**, 175
Brandt, K., **217**, 51
Braun, S., **221**, 169
Bresadola, S., **216**, 261
Breutel, C., **222**, 213
Brewer, K.J., **221**, 55
Bridson, J.N., **219**, 55; **227**, 175
Bringmann, G., **222**, 27, 247, 255
Brodie, A.M., **217**, 191
Brook, M.A., **220**, 145
Brown, D.A., **227**, 99
Brown, J.M., **220**, 249
Brown, M.A., **225**, 207
Brücher, E., **221**, 165
Brüggeller, P., **223**, 13
Bruneau, C., **222**, 155
Bruni, S., **220**, 233
Brunner, H., **220**, 63
Bruno, G., **221**, 109; **223**, 145
Brushmiller, J.G., **226**, 117
Bullita, E., **219**, 135
Bullock, J.P., **226**, 61
Burger, K., **218**, 65
Burgess, K., **220**, 93
Burgos, M., **216**, 185
Burns, J.A., **216**, 267
Burns, J.H., **223**, 125
Busetto, L., **222**, 267
Busnot, A., **215**, 73
Bustin, D., **216**, 113
Butenschön, H., **220**, 175
Butler, I.S., **227**, 129
Buzás, N., **218**, 65
Byers-Hill, J., **216**, 267

Caldeira, M.M., **221**, 69
Campi, E.M., **220**, 187
Canale, J., **226**, 151
Caneschi, A., **217**, 7
Canty, A.J., **215**, 179; **220**, 99; **223**, 103
Cardwell, T.J., **216**, 75
Cargill Thompson, A.M.W., **223**, 177
Cariati, F., **220**, 233
Carloni, P., **216**, 121
Carpenter, G.B., **220**, 297
Carrión, F.J., **220**, 1
Carugo, O., **215**, 219
Casarrubios, L., **222**, 261
Casas, J.S., **216**, 15, 169, 257; **219**, 115; **221**, 61
Case, C.B., **222**, 339
Casellato, U., **219**, 135; **223**, 151
Cassani, M.C., **222**, 267
Castan, P., **221**, 173; **227**, 85
Castaño, M.V., **216**, 15
Castellano, E.E., **216**, 15, 169; **219**, 115; **221**, 169
Castelli, F., **224**, 203
Castineiras, A., **216**, 229, 257; **221**, 61; **223**, 87
Castiñeiras Campos, A., **215**, 73

Elsevier Science S.A.

Cauzzi, D., **221**, 183
Cecconi, F., **217**, 155
Cervilla, A., **221**, 117
Chan, A.S.C., **218**, 89; **223**, 165
Chander, S., **219**, 55
Chang, W.-K., **223**, 139
Chang, Y.-D., **218**, 157; **221**, 147
Chatterjee, D., **224**, 189
Chaussade, M., **224**, 81
Chen, Q., **216**, 83; **221**, 147
Chen, Z., **225**, 137
Chen, Z.N., **224**, 171
Chiesi Villa, A., **220**, 233
Choy, J.-H., **216**, 147
Chung, Y.K., **224**, 147; **226**, 53
Cinellu, M.A., **215**, 17
Cinquantini, A., **226**, 1
Ciringh, Y., **225**, 191
Clark, G.R., **220**, 261
Clark, R., **222**, 135
Clase, H.J., **215**, 209
Clément, J.C., **220**, 347
Clymire, J., **227**, 293
Coe, E.M., **223**, 9
Cohen, H., **227**, 1, 57
Cohran, C., **226**, 251
Colacio, E., **217**, 39; **218**, 109; **219**, 127; **227**, 43
Collin, J., **222**, 91
Colton, R., **215**, 179; **216**, 75; **220**, 99; **223**, 103; **224**, 137
Colwell, S.M., **219**, 187
Commenges, G., **216**, 237
Consiglio, G., **220**, 273
Constable, E.C., **223**, 177; **224**, 11
Convery, M., **219**, 43
Cook, C.C., **221**, 85
Cook, J., **218**, 97
Cook, S.L., **220**, 137
Coplen, T.B., **217**, 217
Cordes, A.W., **221**, 157
Costamagna, J., **226**, 151
Costes, J.-P., **216**, 237
Cotton, F.A., **215**, 9, 47, 103; **216**, 9; **217**, 187; **219**, 7; **221**, 1; **223**, 93; **224**, 5; **227**, 191
Coudret, J.-L., **222**, 115
Coulais, Y., **227**, 25
Coville, N.J., **215**, 139
Cox, B.G., **219**, 31
Cox, M.A., **221**, 191
Cros, G., **227**, 25
Crumbliss, A.L., **226**, 187
Crutchley, R.J., **225**, 123
Cucco, M., **226**, 1
Cuesta, R., **227**, 43
Cukiernik, F.D., **215**, 203
Curtis, J.C., **226**, 137
Cusumano, M., **215**, 41
Czapski, G., **227**, 57
Czarnecki, K., **226**, 195
Czernuszewicz, R.S., **227**, 33

Dabrowiak, J., **216**, 83
D'Agostino, A., **223**, 103
Dahl, L.F., **227**, 269
Daniels, L.M., **215**, 9, 103; **219**, 7; **224**, 5
Darensbourg, D.J., **227**, 223
Das, A., **224**, 189; **226**, 171
Dauer, U., **222**, 247
Dave, B.C., **227**, 33
David, L., **217**, 7
Davies, D.L., **216**, 217
Davies, G., **217**, 85, 109
Davies, M.J., **225**, 305
Dávila, R.M., **217**, 45
Davis, M.C., **223**, 125
Davison, A., **218**, 97
Day, C.L., **221**, 41
Deavenport, J.L., **215**, 191
de C.T. Carrondo, M.A.A.F., **219**, 43
de Castro, B., **219**, 43
DeCian, A., **220**, 115
Decurtins, S., **216**, 65
de Denus, C.R., **219**, 221
De Felice, V., **219**, 169; **221**, 151
de Graaff, R.A.G., **216**, 43
de Klerk-Engels, B., **215**, 165
Delboni, L.F., **221**, 169
Della Ciana, L., **225**, 129
Della Pergola, R., **226**, 1; **227**, 241
Della Védova, C.O., **223**, 37
Demartin, F., **215**, 17; **226**, 1
de Meijere, A., **222**, 37
de Montauzon, D., **227**, 25
De Munno, G., **216**, 209; **218**, 211
Denning, R.G., **219**, 121
de Oliveira, L.A.A., **225**, 129
De Renzi, A., **219**, 169
des Abbayes, H., **220**, 347
De Santis, G., **225**, 239
DeSilva, C., **226**, 195
De Simone, T., **220**, 187
de Sousa, G.F., **218**, 139
de Vos, R.M., **216**, 43
Dhillon, R.S., **215**, 79
Dhingra, S.S., **218**, 59
Diana, E., **227**, 241
Diaz, C., **218**, 185
Díaz, M.R., **217**, 149
Di Bernardo, P., **215**, 199
Dickson, R.S., **220**, 187
Dietzsch, W., **217**, 101
Diller, H., **216**, 177
Dillinger, K., **223**, 13
Dillingham, M.D.B., **216**, 267
Dilworth, J.R., **223**, 63
DiMauro, P.T., **217**, 195
Dimmock, P.W., **225**, 157
Dixneuf, P.H., **222**, 155
Döhring, A., **222**, 179
Dolmella, A., **217**, 141
Doménech, A., **221**, 117
Domingues, D., **219**, 43
Domínguez, G., **222**, 261
Dominguez-Vera, J.-M., **216**, 237; **218**, 109; **219**, 127
Dorizon, P., **222**, 37
Dötz, K.H., **222**, 291
Douglas, B.E., **219**, 147
Doxsee, K.M., **222**, 305
Doyle, M.P., **220**, 193
Draganjac, M., **221**, 157
Drent, E., **222**, 225
Dreos, R., **216**, 125
Drew, M.G.B., **225**, 137
Driessen, W.L., **216**, 43
Drommi, D., **221**, 109
Drożdżyński, J., **218**, 203
Duarte, M.T., **219**, 43
Duckworth, P.A., **215**, 79
Duffy, N.V., **217**, 101
Duffy, N.W., **224**, 73
Dunbar, K.R., **217**, 79
du Preez, J.G.H., **217**, 141; **218**, 203
Durham, B., **226**, 129
Duthaler, R.O., **222**, 95
Dutto, G.C., **218**, 207
Dyson, P.J., **222**, 299
Dziegielewski, J.O., **223**, 5

Ebihara, M., **218**, 199
Edwards, A.J., **224**, 11
Edwards, D.S., **225**, 323
Edwards, H.G.M., **216**, 191
Edwards, J.O., **221**, 25
Eggleton, G., **221**, 157
Einaga, H., **216**, 249
Elding, L.I., **219**, 155
Elduque, A., **217**, 45
El Fallah, M.S., **216**, 5
El-Hadad, A., **225**, 207
El-Nahhal, I.M., **223**, 71
El-Sayed, M.A., **217**, 85, 109
El-Zayat, T.A., **217**, 109
Emri, J., **218**, 21; **223**, 155
Endicott, J.F., **226**, 109
Enemark, J.H., **226**, 259
Ensling, J., **216**, 65
Erasmus, C., **221**, 141
Ercolani, C., **219**, 199
Eremenko, I.L., **219**, 11
Erker, G., **222**, 193
Ertel, T.S., **222**, 27
Escrivá, E., **216**, 185
Escuer, A., **216**, 5, 139
Estevan, F., **218**, 189
Evans, D.J., **217**, 3

Fabbrizzi, L., **225**, 239
Fabretti, A.C., **217**, 7
Fackler, Jr., J.P., **217**, 45
Falvello, L.R., **219**, 7
Fanwick, P.E., **224**, 105
Faraone, F., **221**, 109
Faulkner, K.M., **226**, 187
Favretto, D., **217**, 71
Fawcett, J., **223**, 43
Fawzi , R., **220**, 107
Fedin, V.P., **223**, 5
Fehlhammer, W.P., **222**, 275
Feighery, W.G., **218**, 47
Feliz, M., **215**, 27
Feliz, M.E., **221**, 161
Feltham, R.D., **218**, 195
Fenton, D.E., **215**, 1; **219**, 205; **223**, 169
Feringa, B.L., **215**, 123
Fernández, E.J., **215**, 229; **223**, 161
Ferraro, F., **217**, 7
Ferraudi, G., **215**, 27; **221**, 161; **226**, 151
Ferretti, R., **227**, 153
Filgueiras, C.A.L., **218**, 139
Filipek, K., **223**, 5
Fischer, H., **220**, 327
Fischer, J., **220**, 115
Flamigni, L., **226**, 171
Flörke, U., **218**, 143
Fogg, D.E., **222**, 85
Folgado, J.-V., **216**, 185
Font-Bardia, M., **216**, 5
Forlano, P., **223**, 37
Fournier, M., **215**, 61
Fox, M.A., **225**, 15
Foxman, B.M., **222**, 339
Fragalà, I.L., **224**, 203
Franco, C., **221**, 55
Frank, W., **220**, 77
Frazier, J.F., **222**, 135
Frediani, P., **220**, 5; **227**, 247
Freiheit, D., **224**, 27
Freire, C., **216**, 15; **219**, 43
Fronczek, F.R., **226**, 25
Froneck, T., **220**, 327
Fryzuk, M.D., **222**, 345
Fuchita, Y., **216**, 253
Fuchs, E., **218**, 73
Fukuoka, A., **217**, 201
Fukuzumi, S., **226**, 145
Fung, E.Y., **226**, 137
Furilla, J.L., **223**, 1
Fürst, J., **220**, 63
Fusch, G., **217**, 33

Gaede, W., **215**, 173; **227**, 57
Gallucci, J.C., **222**, 199
Gambino, O., **218**, 207; **225**, 35
Gao, Y., **222**, 145
García-Granda, S., **217**, 149; **218**, 189
García-Tasende, M.S., **219**, 115
García-Vázquez, J.A., **223**, 87
Garlaschelli, L., **226**, 1; **227**, 241
Garner, R., **224**, 97
Garoufis, A., **227**, 129
Garrity, M.L., **218**, 103
Garst, J.F., **222**, 365
Gasparri Fava, G., **223**, 77
Gatteschi, D., **217**, 7
Gebremedhin, H., **216**, 229
Gelerinter, E., **217**, 101

Georgiev, E.M., **227**, 293
Gerbasi, R., **217**, 71
Gerber, T.I.A., **217**, 141
Geremia, S., **216**, 125; **217**, 195
Gerfin, T., **222**, 213
Gerhard, A., **227**, 57
Ghedini, M., **217**, 1; **218**, 211
Ghilardi, C.A., **217**, 155
Ghosh, M.C., **225**, 83, 297
Ghosh, R., **220**, 193
Ghosh, S.P., **225**, 83
Giannetto, A., **215**, 41
Gibson, D., **218**, 11
Gil, V.M.S., **221**, 69
Gili, P., **223**, 173
Gil-Rubio, J., **222**, 1
Giori, C., **221**, 183
Gipson, S.L., **227**, 145
Giroud-Godquin, A.-M., **215**, 203
Glass, M.M., **217**, 171
Gleizes, A., **227**, 25
Glerup, J., **216**, 21
Göbel, L., **222**, 255
Gobetto, R., **221**, 109
Goddard, R., **220**, 175; **222**, 179
Godino-Salido, M.L., **221**, 177
Goff, H.M., **226**, 231
Goldstein, S., **227**, 57
Golub, G., **227**, 1
Gómez-Beltrán, F., **218**, 189
Gómez-Romero, P., **216**, 185
González, G., **218**, 189
González Pérez, J.M., **215**, 73
González-Vílchez, F., **224**, 15
Goodson, P.A., **216**, 21
Gordon, C., **224**, 177
Görissen, R., **218**, 33
Gou, S., **223**, 169
Gould, E.S., **225**, 83, 297
Gouzerh, P., **215**, 61; **224**, 81
Govind, R., **217**, 135
Gramlich, V., **222**, 213
Grassi, M., **216**, 209
Grätzel, M., **219**, 11
Gray, G.A., **221**, 41
Gray, H.B., **225**, 319
Graziani, R., **223**, 151
Green, A.R., **226**, 275
Greenwood, N.N., **217**, 217
Griffiths, T.R., **225**, 305
Gripper, K.D., **216**, 267
Grist, A.J., **216**, 217
Gross, S.A., **221**, 35
Gruselle, M., **222**, 51
Grzybicki, S., **226**, 137
Guarr, T.F., **226**, 79
Guedes da Silva, M.F.C., **226**, 9
Guerriero, P., **219**, 135
Guillaume, P., **221**, 133
Guiraud, R., **227**, 25
Guiry, P.J., **220**, 249
Gullerud, S.O., **225**, 151
Gust, R., **217**, 159
Gust, W., **219**, 209
Gutierrez-Puebla, E., **224**, 15
Gutiérrez-Valero, M.D., **221**, 177
Gütlich, P., **216**, 65
Györi, B., **218**, 21; **223**, 155
Gyurcsik, B., **218**, 65

Ha, T., **221**, 173
Haase, W., **221**, 141
Haasnoot, J.G., **225**, 67; **227**, 181
Hachiya, K., **227**, 137
Hadjikostas, C.C., **221**, 17
Hadjiliadis, N., **227**, 17, 129
Hafner, A., **222**, 95
Haga, M., **226**, 17
Hage, R., **215**, 123; **225**, 67
Haim, A., **225**, 129
Halepoto, D.M., **227**, 167
Hallows, W.A., **224**, 147
Hamada, T., **225**, 261
Hammerschmitt, B., **218**, 143
Han, B.-S., **219**, 93
Hanabusa, K., **218**, 41
Handa, M., **215**, 185
Handel, H., **220**, 347
Hara, R., **220**, 319
Harlass , M., **217**, 45
Harris, M.R., **226**, 129
Hartman, J.W., **222**, 317
Harton, A., **217**, 171
Harvey, J., **224**, 137
Hasenzahl, S., **225**, 23
Hashimoto, M., **227**, 113
Haupt, H.-J., **218**, 143
Hauser, A., **216**, 65
Haushalter, R.C., **218**, 59
Haustein, M., **215**, 165
Hayakawa, A., **220**, 155
Hayashi, S., **215**, 91
Hazendonk, P., **219**, 221
He, Q., **215**, 1; **219**, 205
Heacock II, D.H., **226**, 129
Headford, C.E.L., **220**, 261
Heaton, G.S., **223**, 71
Heck, J., **216**, 1; **217**, 29
Heckel, M., **222**, 77
Helgesson, G., **217**, 15
Henkel, G., **219**, 1
Henry, C., **220**, 145
Herfurth, A., **227**, 201
Hershberger, J.W., **222**, 165
Herwig, J., **222**, 381
Hidalgo, M.A., **217**, 39
Hill, M.G., **226**, 61
Hiller, W., **222**, 77
Hillgeris, E.C., **217**, 33
Hiraki, K., **219**, 3; **224**, 131
Hirako, K., **222**, 21
Hiscox, W.C., **222**, 317
Hitchcock, P.B., **218**, 139
Hitomi, K., **225**, 229
Ho, T.-I., **223**, 139
Hodgson, D.J., **216**, 21; **221**, 99
Hoff, C.D., **227**, 285
Hofmann, J., **218**, 173
Hofmann, T., **219**, 75; **224**, 61
Hoggard, P.E., **216**, 155; **226**, 247
Holtcamp, M.W., **227**, 223
Holub, J., **221**, 5
Hong, Q., **227**, 175
Hopp, G., **222**, 179
Hörnig, A., **218**, 33
Hornstein, B.J., **225**, 145
Horváth, I.T., **227**, 187
Horváth, O., **221**, 79
Horwitz, C.P., **225**, 191
Hossain, M.M., **223**, 159
House, D.A., **227**, 11
Howard, J.A.K., **223**, 63
Howe, D.J., **226**, 159
Howell, F.S., **225**, 111
Hu, A.M.-H., **226**, 137
Hu, J., **223**, 63
Hu, Q.-M., **219**, 93
Huang, L., **227**, 119
Huang, X., **223**, 181
Huang, Y., **226**, 53
Hubbard, H.V.St.A., **225**, 305
Hübener, R., **216**, 223; **224**, 193
Huber, B.J., **227**, 215
Hückmann, S., **222**, 27
Hugi-Cleary, D., **218**, 73
Hunter, M.L., **220**, 305
Hurst, J.K., **226**, 179
Hush, N.S., **226**, 33
Hutton, H.M., **219**, 221
Hwang, J.-L., **218**, 9

Igarashi, S., **215**, 185
Iguro, T., **226**, 203
Iijima, S., **222**, 145
Ikeda, N., **226**, 203
Ikemoto, K., **219**, 3
Ikuzawa, M., **217**, 129
Imagawa, K., **220**, 283
Imai, H., **224**, 157
Imonigie, J.A., **225**, 51
Infante, G., **225**, 35
Ingham, S.L., **217**, 191
Inomata, S., **225**, 229
Inoue, H., **224**, 181
Intini, F.P., **227**, 261
Ishimatsu, S., **217**, 201
Ishizu, K., **215**, 109; **224**, 113
Ismail, K.Z., **217**, 85, 109
Isoe, S., **220**, 129
Ito, M., **218**, 199

Jackson, P.D., **219**, 99
Jackson, W.R., **220**, 187
Jacobson, R.A., **221**, 41
Jagner, S., **217**, 15
Jain, A., **226**, 247
James, B.R., **217**, 209; **222**, 85
Janoušek, Z., **221**, 5
Jaouen, G., **218**, 207
Jaud, J., **216**, 139
Jendro, M., **222**, 291
Jennings, P.W., **222**, 317
Jensen, S.P., **226**, 247
Jewell, Jr., C.F., **222**, 235
Jiménez, J., **223**, 55
Jitsukawa, K., **216**, 249
Joh, T., **220**, 45
Johnson, B.F.G., **219**, 187; **222**, 299; **227**, 197
Johnson, J.E.B., **224**, 27
Johnson, M.D., **225**, 145, 245
Johnston, P., **215**, 139
Johnston, R.F., **221**, 85
Jolly, P.W., **222**, 179
Jones, A.G., **218**, 97
Jones, J.H., **218**, 1; **227**, 163
Jones, P.G., **215**, 229; **222**, 1; **223**, 55
Jones, R.L., **218**, 133
Jones, S.W., **221**, 55
Jordan, R.B., **221**, 9
Jordanov, J., **226**, 341
Jourdan, N., **216**, 201
Juliette, J.J.J., **222**, 305
Julve, M., **219**, 179
Jung, O.-S., **226**, 91
Junk, P.C., **217**, 171
Juranić, N., **217**, 213
Juris, A., **225**, 251
Jüschke, R., **220**, 145

Kabouche, Z., **222**, 155
Kahr, B., **220**, 335
Kaim, W., **225**, 23
Kaizaki, S., **218**, 179
Kajikawa, Y., **215**, 109
Kakitani, T., **225**, 185
Kakiuchi, K., **222**, 21
Kalyanasundaram, K., **226**, 213
Kamikawa, K., **222**, 63
Kamikubo, M., **217**, 129
Kanatzidis, M.G., **224**, 163
Karpinski, Z.J., **225**, 9
Kasai, K., **220**, 319
Kase, Y., **225**, 261
Kasselouri, S., **227**, 129
Kastner, M.E., **227**, 159
Katada, M., **224**, 199
Kato, N., **223**, 121
Katritzky, A.R., **220**, 67
Katsuki, K., **217**, 181
Kauffmann, T., **220**, 85
Kawamura , K., **222**, 123
Kawamura, T., **218**, 199
Kawata, S., **224**, 199
Keck, H., **216**, 177
Kehr, G., **216**, 51; **220**, 161
Keil, R., **220**, 41
Keim, W., **222**, 381
Kelly, H.C., **225**, 255
Kemp, H.J., **217**, 141
Kennedy, J.D., **218**, 1; **221**, 5; **227**, 163
Kernbach, U., **222**, 275
Keshavarz, M., **225**, 285
Kettle, S.F.A., **227**, 241
Kettler, P.B., **218**, 157
Khan, A.R., **221**, 187
Khokhar, A.R., **219**, 193
Kibala, P.A., **215**, 9

Kiefer, W., **222**, 247
Kilner, M., **222**, 85
Kim, K., **221**, 51
Kim, K.-W., **224**, 163
Kim, Y., **221**, 1
King, R.B., **227**, 207
Kirchner, K., **217**, 203
Kirmse, R., **217**, 101
Kirss, R.U., **218**, 47
Kishida, M., **220**, 155
Kiss, G., **227**, 285
Kitagawa, S., **224**, 199
Kivekäs, R., **218**, 109; **219**, 127
Klapötke, T.M., **215**, 5
Klausmeyer, K.K., **227**, 223
Klein, H.-F., **218**, 143
Klinga, M., **216**, 57
Knight, B.W., **223**, 187
Knoch, F., **219**, 75; **224**, 35, 45, 61; **225**, 163
Knox, S.A.R., **220**, 201
Kobayashi, K., **215**, 109
Kobayashi, N., **218**, 41; **222**, 323; **224**, 1
Koch, E.-C., **220**, 77
Köditz, J., **220**, 67
Kohno, Y., **215**, 109
Kojima, Y., **223**, 121
Kokel, N., **222**, 179
Kölle, U., **218**, 33
Komatsu, N., **222**, 323
Komiya, S., **217**, 201
Kondakov, D.Y., **220**, 319
Kondo, M., **224**, 199
Kong, P.-C., **216**, 163
Korecz, L., **218**, 65
Koseki, S., **226**, 17
Kosnic, E.J., **216**, 101
Kostić, N.M., **217**, 21
Kovács, Z., **218**, 21; **223**, 155
Koyama, T., **218**, 41
Kreißl, F.R., **222**, 77
Kreiter, C.G., **220**, 77
Kremitzl, H.-J., **225**, 163
Kriebel, C., **227**, 201
Kritzenberger , J., **216**, 245; **217**, 159
Krüger, C., **222**, 179
Kubo, K., **222**, 123
Kuchen, W., **216**, 177
Kühbauch, H., **215**, 165
Kukushkin, V.Yu., **219**, 155
Kumagai, H., **224**, 199
Kunkely, H., **225**, 327
Kuroda-Sowa, T., **227**, 137, 149
Kurosawa, H., **222**, 21
Kurusu, Y., **220**, 155
Kutal, C., **226**, 285
Kyuno, E., **224**, 157

LaBarre, M.J., **226**, 259
Labisbal, E., **223**, 87
La Duca, M.J.T., **222**, 165
Laguna, A., **215**, 215, 229; **223**, 55, 161
Laguna, M., **215**, 215; **223**, 55
Lahuerta, P., **218**, 189
Laidlaw, W.M., **219**, 121
Laitalainen, T., **216**, 37
Lake, C.H., **218**, 47
Laneman, S., **223**, 165
Lang, H., **220**, 67
Lankers, M., **222**, 247
Lanza, S., **227**, 63
Lappin, A.G., **225**, 75
Larkworthy, L.F., **227**, 167
Larsonneur, A.-M., **227**, 85
Laschi, F., **226**, 1
Lasterra-Sánchez, M.E., **220**, 137
Lau, K.W., **226**, 137
Laurent, J.-P., **216**, 237
Law, N., **217**, 101
Lawrance, G.A., **227**, 71
Lawrence, K.E., **222**, 365
Lawson, M., **226**, 341
Lázár, I., **218**, 21; **223**, 155
Lebuis, A.-M., **216**, 131
Lee, G.-H., **223**, 139
Lee, K.-W., **216**, 155
Lee, T., **224**, 147
Legg, J.I., **218**, 179
Lei, Y., **226**, 179
Lemos, M.A.N.D.A., **226**, 9
Lempers, H.E.B., **225**, 67
Lesley, G., **220**, 289
Levendis, I.A., **215**, 139
Lewis, I.R., **216**, 191
Lewis, J., **227**, 197
Lewis, N.A., **225**, 89
Li, G.Q., **217**, 135
Li, W.-S., **227**, 99
Li, Z.-W., **225**, 173
Liang, Y., **225**, 275
Lianza, F., **227**, 5
Licandro, E., **220**, 233
Licchelli, M., **225**, 239
Liebeskind, L.S., **222**, 235
Lin, R., **226**, 79
Lin, Y.-C., **223**, 139
Lincoln, S.F., **215**, 79; **219**, 217
Linden, A., **216**, 65
Lindner, E., **215**, 165; **220**, 107
Lippert, B., **217**, 33; **218**, 117; **227**, 5, 17
Lipshutz, B.H., **220**, 41
Liu, H.X., **223**, 193
Liu, S., **223**, 63
Liu, Y., **225**, 57
Llobet, A., **221**, 125
Llopis, E., **221**, 117
Lloret, F., **219**, 179
Lomozik, L., **219**, 107
Longridge, E.M., **227**, 223
López, R., **219**, 67
López-Garzón, R., **221**, 177
Lo Schiavo, S., **216**, 209; **223**, 145
Lotz, S.D., **222**, 275
Lövqvist, K., **219**, 155
Lu, J., **215**, 47; **221**, 1
Lubben, M., **215**, 123
Lucas, J., **219**, 217
Lucia, L.A., **225**, 41
Lucken, E.A.C., **227**, 153
Lull, G., **218**, 143
Luo, Q., **223**, 181
Lusvardi. G., **218**, 53
Lutz, M., **218**, 121
Ly, T.A., **218**, 133
Lymberopoulou-Karaliota, A., **227**, 17
Lynch, V., **216**, 89

Ma, R., **223**, 21, 109; **224**, 151
Macartney, D.H., **225**, 51
Macura, S., **217**, 213
Maeder, M., **227**, 71
Maekawa, M., **227**, 137, 149
Mahmoud, J., **224**, 125
Mahr, G., **224**, 35, 45
Maichle-Mössmer, C., **223**, 87
Maier, G.-M., **218**, 121
Maiorana, S., **220**, 233
Malandrino, G., **224**, 203
Maldivi, P., **215**, 203
Malezieux, B., **222**, 51
Mandal, S.K., **227**, 175
Mangani, S., **216**, 121
Mann, K.R., **226**, 61
Manotti-Lanfredi, A.M., **227**, 181
Marchon, J.-C., **215**, 203
Marcos, M.D., **224**, 11
Marder, T.B., **220**, 289
Maresca, L., **227**, 261
Maricondi, C., **219**, 147
Marigo, A., **216**, 261
Marioni, P.-A., **219**, 161
Markó, L., **222**, 131; **227**, 211, 297
Martell, A.E., **223**, 21, 109; **224**, 151; **227**, 49
Martin, N., **218**, 5
Martínez, M., **218**, 189; **227**, 71
Martínez-Díaz, M.V., **219**, 85
Martínez-Máñez, R., **224**, 11
Martín-Zarza, P., **223**, 173
Marty, W., **219**, 161
Maruta, J., **226**, 145
Massoud, S.S., **221**, 9
Masuda, H., **216**, 249
Masuyama, Y., **220**, 155
Matamoros, R., **226**, 137
Matos, R.M., **222**, 13
Matsumoto, K., **217**, 129; **227**, 113
Matusz, M., **215**, 9
Mauthner, K., **217**, 203
Maverick, A.W., **226**, 25
Mayer, H.A., **215**, 165
Mayer, L., **218**, 59
Mayr, A., **220**, 335
Mazza, F., **223**, 31
McAuley, A., **227**, 11
McCleskey, T.M., **225**, 319
McCleverty, J.A., **226**, 171
McFarland, C.A., **221**, 35
McGarvey, B.R., **225**, 207
McKee, V., **218**, 5; **219**, 55
McNeer, R.R., **225**, 89
McPartlin, M., **227**, 99
McPherson, G.L., **227**, 293
Meehan, P.R., **215**, 209
Meek, D.W., **221**, 187
Meetsma, A., **215**, 123
Meier, M., **225**, 95
Melanson, R., **216**, 163
Menabue, L., **218**, 53; **227**, 105
Mendía, A., **215**, 229; **223**, 161
Merchán, F., **215**, 215; **223**, 55
Mereiter, K., **217**, 203
Merola, J.S., **222**, 135
Meyerstein, D., **227**, 1, 57
Micera, G., **215**, 225
Michael, J.P., **215**, 139
Michelin, R.A., **220**, 21; **222**, 327
Michelsen, K., **216**, 21
Micklitz, W., **227**, 5
Midollini, S., **217**, 155
Mikami, K., **222**, 71, 377
Mikkelsen, K.V., **226**, 237
Millett, F., **226**, 129
Milosavljevic', E.B., **221**, 41
Minghetti, G., **215**, 17
Minniti, D., **215**, 41
Mintert, M., **219**, 23
Mitchell, S., **216**, 75
Miura, Y., **225**, 111
Miyake, H., **223**, 121
Miyamoto, H., **215**, 185
Miyamoto, Y., **222**, 21
Miyoshi, K., **222**, 123
Mizuno, H., **215**, 91
Mizuno, K., **224**, 1
Mizuno, M., **216**, 147
Mizutani, H., **225**, 261
Mocák, J., **216**, 113
Mohammed, A.K., **226**, 25
Moll, M., **219**, 75; **224**, 45
Monacelli, F., **219**, 199
Monfort, M., **218**, 185
Monsù Scolaro, L., **227**, 63
Monte, W.T., **223**, 9
Mootz, D., **221**, 93
Moreno, J.M., **219**, 127; **227**, 43
Moreno, R., **219**, 67
Moreno-Sánchez, J.M., **221**, 177
Moret, M., **220**, 233
Moreton, S., **215**, 67
Morgan, C.A., **224**, 105
Morioka, T., **216**, 249
Morrone, S., **218**, 211
Morton, D.A.V., **220**, 201
Motekaitis, R.J., **224**, 151; **227**, 49

Motoyama, I., **225**, 103
Motoyama, Y., **222**, 71
Mozzon, M., **220**, 21; **222**, 327
Mudge, J.W., **218**, 133
Mukaida, M., **225**, 111
Mukaiyama, T., **220**, 283
Mullens, J., **224**, 97
Müller, A., **223**, 5
Müller, G., **218**, 121
Mullica, D.F., **215**, 191; **227**, 145
Munakata, H., **224**, 157
Munakata, M., **227**, 137, 149
Muñoz, M.C., **219**, 179
Munyejabo, V., **221**, 133
Murakami Iha, N., **221**, 161
Murali, M., **224**, 19
Murase, I., **223**, 109
Murillo, C.A., **219**, 7; **224**, 5
Murphy, C.M., **225**, 323
Mutikainen, I., **218**, 117

Nagao, N., **225**, 111
Nagata, H., **220**, 45
Nagata, T., **220**, 283
Nagi, M.K., **217**, 171
Nagle, J.K., **225**, 201
Nagy, L., **218**, 65
Nakagawa, S., **224**, 157
Nakai, T., **222**, 377
Nakajima, K., **215**, 91
Nakamura, M., **224**, 113
Nakamura, N., **224**, 113
Nakano, K., **220**, 129
Nakazawa, H., **222**, 123
Naklicki, M.L., **225**, 123
Natile, G., **227**, 261
Nawar, N., **227**, 79
Nazeeruddin, Md.K., **219**, 11; **226**, 213
Nefkens, S.C.A., **220**, 273
Nelson, J., **218**, 5
Nelson, J.H., **221**, 41
Nemoto, F., **215**, 109
Nepveu, F., **221**, 173
Nervi, C., **218**, 207; **225**, 35
Nesper, R., **219**, 11
Neto, C.C., **226**, 53
Neumann, D., **223**, 131
Neve, F., **217**, 1
Neveux, M., **222**, 155
Newman, P.D., **221**, 191
Newton, M.S., **217**, 3
Nguyen, P., **220**, 289
Nicholson, T., **218**, 97
Niclós Gutiérrez, J., **215**, 73
Nicolò, F., **216**, 209; **221**, 109; **223**, 145
Niele, F.G.M., **222**, 225
Nielsen, K., **219**, 43
Nienaber, H., **220**, 85
Nikolov, G.St., **217**, 159
Nishimura, H., **222**, 63
Nishio, J., **218**, 27
Nixon, J.F., **218**, 139; **222**, 13
Noh, D.-Y., **216**, 147
Nolan, K.B., **215**, 55
Nolan, S.P., **227**, 285
Nonomura, Y., **224**, 181
Nonoyama, M., **215**, 91
Norén, B., **219**, 155
Nozaki, K., **226**, 17
Nyokong, T., **215**, 27

Oberhauser, W., **223**, 13
Odani, A., **219**, 107
Ogino, H., **225**, 229
Ogoshi, H., **216**, 249
Ogric, C., **222**, 77
Ohba, M., **215**, 1
Ohno, T., **226**, 17, 203
Öhrström, L., **225**, 75
Ohtsuka, S., **218**, 27
Okamoto, M., **217**, 181
Okawa, H., **215**, 1; **218**, 27
Okuda, J., **222**, 13
Olabe, J.A., **223**, 37
Oliva, G., **221**, 169
Oliver Su, Y., **223**, 139
Ollivier, J., **222**, 37
Olson, G.M., **225**, 1
Olson, S., **217**, 15
Ondrechen, M.J., **226**, 43
Onishi, M., **219**, 3; **224**, 131
Ooi, S., **217**, 129
Oomura, K., **225**, 111
Ooyama, D., **225**, 111
Ooyama, Y., **217**, 181
Opiteck, G.J., **225**, 75
Orioli, P.L., **216**, 121
Orlandini, A., **217**, 155
Orpen, A.G., **220**, 201
Ortiz, R., **217**, 149
Osa, T., **224**, 1
Osakada, K., **220**, 35
Osella, D., **218**, 207; **225**, 35
Oskarsson, Å., **215**, 33
Oskarsson, Å., **219**, 155
Ossowski, T., **219**, 31
Ostermeier, J., **222**, 77
Osteryoung, R.A., **225**, 9
Oswald, H.R., **216**, 65
Ozarowski, A., **225**, 207
Ozawa, T., **227**, 91

Paakkari, T., **216**, 37
Pacheco, A., **226**, 259
Palaniandavar, M., **224**, 19
Pallavicini, P., **225**, 239
Pályi, G., **227**, 201
Pan, B., **227**, 119
Pandiyan, T., **224**, 19
Papagni, A., **220**, 233
Park, H., **221**, 157
Parlevliet, F.J., **216**, 43
Paschalidou, S., **227**, 129
Pasqualini, R., **227**, 25
Pasqualone, A., **227**, 261
Patinec, V., **220**, 347
Patterson, H.H., **226**, 345
Pavanello, L., **216**, 261
Pawlowski, V., **225**, 327
Pearsall, M.-A., **227**, 187
Pearse, Jr. , G.A., **227**, 171
Peiser, H.S., **217**, 217
Pelizzi, C., **223**, 77, 97
Pelizzi, G., **223**, 97
Pence, L.E., **217**, 79
Pennington , W.T., **216**, 267
Perelló, L., **217**, 149
Pérez-Carreño, E., **218**, 189
Peris, E., **218**, 189
Perkovic, M., **215**, 27
Perlepes, S.P., **227**, 129
Peruzzini, M., **220**, 5
Peters, E.-M., **222**, 255
Peters, J.A., **221**, 69
Peters, K., **222**, 5, 255
Pett, V.B., **221**, 35
Pevear, K.A., **226**, 53
Pfeffer, M., **220**, 115
Pfluger, C.E., **227**, 171
Piacenti, F., **227**, 247
Pierpont, C.G., **226**, 91
Pilgrim, A.J., **225**, 137
Pinhas, A.R., **222**, 165
Piotrowiak, P., **225**, 269
Pipoh, R., **222**, 207
Piraino, P., **223**, 145
Piras, P.P., **222**, 37
Pisano, C., **220**, 273
Pitsch, M.W., **220**, 107
Pladziewicz, J.R., **225**, 151
Plantevin, V., **222**, 199
Platt, A.W.G., **223**, 43
Poë, A.J., **227**, 215
Pollitte, J., **215**, 131
Polo, A., **220**, 5
Pombeiro, A.J.L., **226**, 9
Popp, J., **222**, 247
Porchia, M., **217**, 71
Porter, L.C., **224**, 125
Posset, U., **222**, 247
Postel, M., **221**, 133
Potts, K.T., **225**, 285
Poulopoulou, V.G., **225**, 173
Povey, D.C., **223**, 63; **227**, 167
Powell, G.L., **215**, 191
Predieri, G., **221**, 183; **223**, 97
Proust, A., **215**, 61; **224**, 81
Purrington, S.T., **223**, 187

Qiu, J., **224**, 171

Radanović, D.J., **219**, 147
Raithby, P.R., **224**, 11
Rajaseelan, E., **218**, 195
Ramaprabhu, S., **227**, 153
Ramos, M.L., **221**, 69
Randaccio, L., **216**, 125; **217**, 195
Ravera, M., **225**, 35
Ray, S., **227**, 175
Raynaud, B., **216**, 139
Redeker, A., **215**, 33
Reedijk, J., **215**, 151; **216**, 43; **225**, 67
Rehder, D., **219**, 213
Reibenspies, J.H., **227**, 223
Reibenspies, J.J., **223**, 21
Reimers, J.R., **226**, 33
Reiß, G., **220**, 77
Ren, T., **215**, 47
Renn, O., **218**, 117
Rettig, S.J., **222**, 345
Rezvani, A.B., **226**, 117
Rheingold, A.L., **220**, 305
Ribas, J., **216**, 5, 139; **218**, 185
Riccieri, P., **216**, 113
Richards, J.L., **218**, 103
Richardson, V.J., **227**, 175
Richmond, M.G., **226**, 267
Rieger, D., **222**, 275
Rieger, P.H., **221**, 25
Rievaj, M., **216**, 113
Rihs, G., **222**, 95, 213
Rillema, D.P., **215**, 27
Ritter, S., **215**, 159; **216**, 31
Robert, F., **216**, 201; **224**, 81
Robinson, B.H., **224**, 73
Robinson, G.H., **216**, 267
Rochon, F.D., **216**, 163
Rodewald, D., **219**, 213
Rodger, A., **219**, 187
Rodríguez-Argüelles, M.C., **216**, 169; **221**, 61
Rodriguez de Barbarin, C.O., **219**, 205
Rodríguez-Romero, F.V., **223**, 173
Rohlfing, R., **223**, 5
Romack, T.J., **216**, 229
Rombeck, I., **227**, 17
Romero, J., **217**, 39; **223**, 87
Romerosa, A., **217**, 39
Roper, W.R., **220**, 261
Rosace, G., **227**, 63
Rosenberg, L., **222**, 345
Rossetti, R., **227**, 241
Rosso, N.D., **227**, 49
Roth, W.J., **215**, 9
Rothe-Streit, P., **222**, 95
Rothwell, I.P., **224**, 105
Roundhill, D.M., **227**, 293
Rowen Churchill, M., **218**, 47
Rudd, M.D., **215**, 209
Ruffo, F., **219**, 169; **221**, 151
Ruiz, G., **221**, 161
Ruiz, J., **218**, 109; **219**, 127; **227**, 43
Ruiz, M., **217**, 149
Ruiz, R., **219**, 179
Ruiz-Pérez, C., **223**, 173
Ruiz-Valero, C., **224**, 15
Ruminski, R.R., **224**, 27
Rusling, J.F., **226**, 159
Russell, D.R., **223**, 43
Russo, M.V., **225**, 35
Russo, U., **216**, 169, 257; **219**, 135; **221**, 61; **223**, 87
Ryan, L.P., **215**, 55
Ryan, M.D., **225**, 57; **226**, 195
Ryu, S., **221**, 51

S. Sinicropi, M., **223**, 145
Saalfrank, R.W., **222**, 5
Sabatino, P., **222**, 267

Sachleben, R.A., **223**, 125
Saito, A., **217**, 93
Sakaki, S., **225**, 261
Sakane, G., **216**, 13
Sakata, K., **227**, 113
Sakurai, T., **215**, 109
Saladini, M., **218**, 53; **227**, 105
Salaün, J., **222**, 37
Salvini, A., **227**, 247
Sánchez, A., **216**, 15, 169; **219**, 115; **221**, 61
Sánchez González, A., **216**, 257
Sano, H., **225**, 103
Santi, P., **227**, 105
Santos, I., **222**, 91
Santos, I.C., **219**, 43
Sapiña, F., **216**, 185
Sappenfield, E.L., **215**, 191; **227**, 145
Sarter, C., **222**, 193
Sartori, G., **223**, 97
Sasaki, Y., **215**, 185
Sato, F., **222**, 145
Sawtelle, S.M., **221**, 85; **225**, 323
Sawyer, D.T., **226**, 99
Saysell, D.M., **225**, 157
Schäfer, W., **219**, 85
Schaffner, S., **227**, 11
Schanze, K.S., **225**, 41
Schmalle, H.W., **216**, 65
Schmehl, R.H., **225**, 275
Schmid, R., **217**, 203
Schneider, H., **219**, 31
Schollmeyer, D., **219**, 209
Schönenberger, H., **217**, 159
Schönherr, T., **221**, 93
Schreiber, D.H.A., **218**, 81
Schröder, S., **222**, 275
Schubert, U., **220**, 73; **224**, 177
Schultz, F.A., **225**, 1
Schupp, O., **222**, 27, 247
Schwarz, M., **220**, 73
Schwotzer, W., **215**, 9
Scott, S.R., **221**, 157
Scotti, M., **219**, 67
Scowen, I.J., **227**, 99
Sécheresse, F., **216**, 201
Seiller, B., **222**, 155
Sellmann, D., **219**, 75; **224**, 35, 45, 61; **225**, 163
Selnau, Jr., H.E., **224**, 125
Serimaa, R., **216**, 37
Serveiss, D., **224**, 27
Sessler, J.L., **216**, 89
Shamsuddin, S., **219**, 193
Shang, M., **215**, 103; **225**, 75; **227**, 191
Shankle, G., **226**, 345
Sheldrick, W.S., **217**, 51; **219**, 23; **223**, 131
Shen, J.-Y., **219**, 93
Shen, M., **223**, 181
Shi, C., **225**, 215
Shibahara, T., **216**, 13
Shieh, H., **218**, 89
Shirai, H., **218**, 41
Shiro, M., **222**, 63
Shklover, V., **219**, 11
Shubnell, A.J., **216**, 101
Sibert, J.W., **216**, 89
Sicilia Zafra, A.G., **215**, 73
Siddiqui, R.A., **227**, 167
Sierra, M.A., **222**, 261
Simonnet-Jegat, C., **216**, 201
Simonsen, S.H., **220**, 193
Simpson, D., **223**, 43
Simpson, J., **224**, 73
Simunic, J.L., **222**, 165
Singer, H., **219**, 209
Sisak, A., **222**, 131; **227**, 297
Skelton, B.W., **227**, 71
Smalley, Jr., T.L., **220**, 305
Smith, A.K., **227**, 79
Smith, F.R., **227**, 175
Smith, G.W., **227**, 167
Smits, J.M.M., **216**, 1
Snyder, B., **224**, 27
Soares, M.C., **222**, 213
Socol, S.M., **221**, 187
Sokolov, V.I., **222**, 51
Solans, X., **216**, 5; **218**, 185; **223**, 173
Solujic', L., **221**, 41
Song, B., **226**, 231
Song, L.-C., **219**, 93
Song, S., **225**, 9
Song, X., **226**, 109
Sordo, J., **216**, 15, 169, 257; **219**, 115; **221**, 61
Sorkau, A., **227**, 201
Sorrell, T.N., **218**, 103
Sousa, A., **223**, 87
Sóvágó, J., **227**, 297
Spalding, T.R., **226**, 1
Spencer, B., **227**, 269
Spindler, F., **222**, 213
Sponsler, M.B., **221**, 147
Squattrito, P.J., **216**, 101
Stach, D., **220**, 85
Stahl, T., **225**, 23
Stanghellini, P.L., **227**, 241
Staples, R.J., **217**, 45
Steed, J.W., **218**, 81
Stegemann, H., **215**, 33
Steimann, M., **220**, 107
Stephan, H.-O., **219**, 1
Stephens, A.K.W., **215**, 79
Stephens, F.S., **221**, 191
Stergiou, A.C., **217**, 61
Štíbr, B., **218**, 1; **221**, 5; **227**, 163
Stillman, M.J., **226**, 275
Stoccoro, S., **215**, 17
Stoeckli-Evans, H., **219**, 161
Stokes, H.L., **220**, 305
Strähle, J., **216**, 223; **224**, 193
Stroka, J., **219**, 31
Struck, O., **222**, 5
Stubbs, R.T., **215**, 191
Stunnenberg, F., **222**, 225
Suárez-Varela, J., **217**, 39
Subramaniam, V., **216**, 155
Sugihara, A., **223**, 121
Sumida, S., **222**, 323
Sundberg, M.R., **216**, 57; **218**, 151
Sünkel, K., **218**, 173
Sutter, J.-P., **220**, 115
Suzuki, N., **220**, 319
Suzuki, T., **218**, 41
Sweigart, D.A., **220**, 297; **224**, 147; **226**, 53
Sykes, A.G., **225**, 157
Szpoganicz, B., **227**, 49

Tada, K., **224**, 113
Taga, M., **216**, 253
Tajima, K., **224**, 113
Takahashi, A., **224**, 157
Takahashi, S., **220**, 45
Takahashi, T., **220**, 319
Takakuwa, T., **215**, 109
Takeda, Y., **216**, 253
Takinami, S., **224**, 157
Tamarit, R., **221**, 117
Tamburini, S., **219**, 135
Tanaka, H., **222**, 323
Tandon, S.S., **219**, 55
Tang, K., **227**, 159
Tang, W.X., **224**, 171
Tanisaki, K., **222**, 123
Tannenbaum, R., **227**, 233
Tarasconi, P., **223**, 77
Taube, H., **225**, 173
Tauzher, G., **216**, 125
Taveras, D.V., **225**, 89
Tendero, M.J.L., **224**, 11
Terada, M., **222**, 71, 377
Terzis, A., **218**, 167
Tesauro, D., **219**, 169
Thaler, A., **219**, 31
Thiele, K.-H., **227**, 201
Thomas, J.L.C., **217**, 79
Thomas, S.E., **220**, 137
Thompson, L.K., **219**, 55
Thompson, M.E., **218**, 59
Thornton-Pett, M., **221**, 5; **227**, 163
Thouvenot, R., **215**, 61; **224**, 81
Tiripicchio, A., **221**, 183
Tobita, H., **225**, 229
Tocher, D.A., **218**, 81
Todd, M.D., **226**, 237
Togni, A., **222**, 213
Tolazzi, M., **215**, 199
Tomono, M., **218**, 27
Tong, C.C., **226**, 247
Toole, A.J., **220**, 215
Torii, S., **222**, 323
Tornieporth-Oetting, I.C., **215**, 5
Torres, T., **219**, 85
Toscano, P.J., **217**, 195
Tóth, É., **221**, 165
Traeger, J.C., **216**, 75; **223**, 103; **224**, 137
Traldi, P., **217**, 71
Trendafilova, N., **217**, 159
Tresoldi, G., **216**, 209
Trifunović, S.R., **219**, 147
Troitskaya, L.L., **222**, 51
Trümbach, D., **216**, 245
Tsagkalidis, W., **219**, 213
Tschoerner, C.M., **227**, 201
Tsiamis, C., **217**, 61; **221**, 17
Tsuboyama, K., **215**, 109
Tsuboyama, S., **215**, 109
Tsujishima, H., **220**, 129
Tuck, D.G., **225**, 207
Turner, M.L., **220**, 201
Turner, P.H., **216**, 191
Turpin, R., **227**, 85
Tuzi, A., **221**, 151

Ubeda, M.A., **218**, 189
Uemori, Y., **224**, 157
Uemura, M., **222**, 63
Ueng, C.-H., **218**, 9
Uggla, R., **216**, 57
Ugozzoli, F., **227**, 181
Ungváry, F., **222**, 131, 365; **227**, 211, 297
Urabe, H., **222**, 145

Vagg, R.S., **221**, 191
Vahvaselkä, S., **216**, 37
Valderrama, M., **219**, 67
Valle, G., **216**, 261
van Bekkum, H., **221**, 69
van Bolhuis, F., **215**, 123
van den Berg, W., **216**, 1
van der Donk, W.A., **220**, 93
van der Linden, J.G.M., **216**, 1; **217**, 29
VanDerveer, D., **218**, 133
Van de Weghe, P., **222**, 91
van Eldik, R., **215**, 173; **222**, 207; **225**, 95; **227**, 11, 57
Van Engen, D., **220**, 335
van Gorp, K., **220**, 55
van Koten, G., **220**, 55
Van Poucke, L.C., **224**, 97
Vargas, J., **226**, 151
Vargas, R.M., **223**, 159
Vázquez-López, A., **216**, 169; **221**, 61
Vázquez-López, E.M., **219**, 115
Vergopoulos, V., **219**, 213
Vessières, A., **218**, 207
Vicente , F., **221**, 117
Vicente, J., **220**, 1; **222**, 1
Vicente, R., **216**, 5, 139
Vigato, P.A., **219**, 135
Vilaplana, R.A., **224**, 15
Vincent, J.B., **217**, 171
Virovets, A.V., **223**, 5
Visonà, P., **216**, 261
Vogler, A., **221**, 79; **225**, 327
Vogler, L.M., **221**, 55
von Schnering, H.G., **222**, 5, 255
Vos, J.G., **225**, 67

Vrieze, K., **215**, 165

Waegell, B., **222**, 115
Wallbridge, M.G.H., **227**, 99
Walther, B., **217**, 29
Wang, H.-G., **219**, 93
Wang, P.-W., **225**, 15
Wang, R., **225**, 275
Wang, R.-J., **219**, 93
Wang, W., **215**, 9
Wang, X., **223**, 193
Wang, Y., **223**, 139
Wang, Z., **218**, 59; **226**, 285
Ward, M.D., **226**, 171
Warren, R.M.L., **225**, 75
Wasgestian, F., **224**, 185
Wassing, W., **220**, 107
Watanabe, M., **225**, 103
Waters, J.M., **217**, 191
Watzky, M.A., **226**, 109
Weakley, T.J.R., **222**, 305
Weippert, A., **222**, 247
Weldon, F.M., **225**, 67
Welker, M.E., **220**, 305
West, D.X., **216**, 229
Wettinger, D., **220**, 161
Wey, H.G., **220**, 175
Whang, D., **221**, 51
Whitaker, C., **219**, 161
White, A.H., **227**, 71
White, D., **215**, 139
White, P.S., **218**, 103
Whoolery Johnson, A.J., **227**, 269
Willey, G.R., **215**, 209
Williams, D.J., **218**, 133
Williams, P.A., **221**, 191
Wilson, T., **226**, 61
Winchester, W.R., **220**, 193
Windisch, H., **227**, 201
Winfield, J.S., **221**, 35
Wingbermühle, D., **222**, 193
Winkelman, M., **226**, 247
Winkler, J.R., **225**, 319
Wiskemann, R., **221**, 93
Wissing, E., **220**, 55
Wojcicki, A., **222**, 199; **223**, 1
Wojtczak, W.A., **216**, 9; **217**, 187; **223**, 93
Wolcan, E., **221**, 161
Woo, F.S., **225**, 255
Woo, K., **220**, 297
Woods, C., **215**, 131
Wrackmeyer, B., **216**, 51; **220**, 161
Wright , L.J., **220**, 261
Wu, Y., **226**, 251
Wulff, W.D., **220**, 215
Wunderlich, H., **216**, 177
Wyss, B., **222**, 95
Xia, C.-G., **226**, 267
Xie, L.Y., **217**, 209
Xu, Q., **219**, 193
Xu, Y.-C., **220**, 215

Yamada, T., **220**, 283
Yamaguchi, I., **220**, 35
Yamamoto, T., **220**, 35
Yamamoto, Y., **217**, 121, 181
Yamauchi, O., **219**, 107
Yamazaki, H., **217**, 121
Yang, W., **223**, 181
Yao, Y., **216**, 13
Yao, Z., **215**, 103
Yaouanc, J.J., **220**, 347
Yap, V.P.D., **220**, 261
Yarish, S., **217**, 101
Yen, M.H.-J., **226**, 137
Yeo, H., **221**, 51
Yersin, H., **216**, 245; **217**, 159
Yoshida, J., **220**, 129
Yoshimura, A., **226**, 17
Yoshioka, N., **224**, 181
Yperman, J., **224**, 97
Yu, K.B., **224**, 171
Yu, P., **227**, 119
Yu, S., **223**, 181
Yuan, Z., **220**, 289
Yukawa, Y., **215**, 185

Zacharias, P.S., **221**, 99
Zakeeruddin, S.M., **219**, 11
Zanello, P., **226**, 1
Zanetti, N., **222**, 213
Zangrando, E., **217**, 195
Zanobini, F., **220**, 5
Zanonato, P., **215**, 199
Zanoni, R., **221**, 183
Zanotti, V., **223**, 31
Zanotti Gerosa, A., **220**, 233
Zhang, L.-T., **226**, 43
Zhang, X.M., **223**, 193
Zhang, Y., **218**, 65
Zhang, Z., **221**, 25; **223**, 181
Zhender, M., **227**, 11
Zhong, B., **215**, 9
Zhu, L., **217**, 21
Zhuang, B., **227**, 119
Zientara, K., **222**, 305
Ziessel, R., **225**, 251
Zilbermann, I., **227**, 1
Zinato, E., **216**, 113
Zinner, L.B., **221**, 169
Zubieta, J., **216**, 83; **218**, 59, 157
Zucca, A., **215**, 17
Zucchi, C., **227**, 201
Zukerman-Schpector, J., **216**, 15, 169; **219**, 115

ELSEVIER

Inorganica Chimica Acta 228 (1995) 11–61

Inorganica Chimica Acta

Cumulative Subject Index of Volumes 215–227

Acenaphthene complexes
synthesis and X-ray structure of [acenaphthene–chromium(0)-dicarbonyl-tri(2,3,5-trimethylphenyl)phosphite], **219**, 209
Acetonitrile complexes
synthesis and characterization of uranium triiodide tetrakis(acetonitrile), **218**, 203
Acetylacetonate complexes
alkylation of 2-vinylpyridine and crystal structure of bis{(acetylacetonate)(1-pyridylbutyl)nickel(II)} complex, **227**, 149
Acetyl complexes
the equilibrium between acetyl- and methylcobalt tetracarbonyl, **227**, 211
kinetics and mechanism of the methanolysis of acetylcobalt tetracarbonyl, **227**, 297
Acetylide complexes
electron transfer in *trans*-[$Pt(PPh_3)_2(-C{\equiv}C-Fc)_2$] and related compounds, **225**, 35
Acidity
controlling the acidity of the carboxylic group by a ferrocene based redox switch, **225**, 239
Acrylonitrile complexes
synthesis, crystal structure and characterization of nickel(0) acrylonitrile complexes with a bidentate N-donor ligand, **227**, 137
Activation
activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene, **221**, 133
the role of $H_2Ru(CO)_2(PBu_3)_2$ in the activation of alkynes and alkenes, **227**, 247
Acylate complexes
the effects of counterion and solvent on the reactivity of nickel acylate complexes, **222**, 165
Aldol addition reactions
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
Aldolisation reactions
uranium compounds as catalysts for aldolisation reactions, **222**, 91
Alkali cation complexes
synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191
Alkali metal complexes
structures of layered metal sulfonate salts: trends in coordination behavior of alkali, alkaline earth and transition metals, **216**, 101
solution studies of monovalent metal complex ions of the bibracchial lariat ether 7,16-bis(2-methoxyethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane, **219**, 217
a novel sodium template approach for preparing tetraimine macrocyles of 2,6-diformyl-4-methylphenol and diamino derivatives, **223**, 169
Alkaline earth cation complexes
synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191
Alkaline earth metal complexes
structures of layered metal sulfonate salts: trends in coordination behavior of alkali, alkaline earth and transition metals, **216**, 101
influence of pendant cyanoalkyl side-arms on the stabilities of metal ion complexes of monoaza- and diaza-18-crown-6 ethers in methanol, **219**, 31
a novel route to the second-generation alkaline-earth metal precursors for metal-organic chemical vapour deposition: one-step synthesis of $M(hfa)_2 \cdot$tetraglyme (M = Ba, Sr, Ca and Hhfa = 1,1,1,5,5,5-hexafluoro-2,4-pentanedione), **224**, 203
Alkaline metal complexes
influence of pendant cyanoalkyl side-arms on the stabilities of metal ion complexes of monoaza- and diaza-18-crown-6 ethers in methanol, **219**, 31
Alkanes
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
Alkene complexes
arylation of alkenes by the palladium(II) acetate–dialkyl sulfide system, **216**, 253
π-bonded alkene and arene complexes of silver(I): an electrospray mass spectrometric study, **220**, 99
substitution kinetics of some tetracarbonyl(η^2-alkene)osmium complexes, **227**, 215
Alkenes
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
Alkoxide complexes
uranium compounds as catalysts for aldolisation reactions, **222**, 91
Alkoxoallyl complexes
chemistry of π-complexes derived from $[(Ph_3P)_2Pt(\eta^3\text{-}CH_2CCPh)](O_3SCF_3)$. Interconversion between η^3-alkoxoallyl and η^3-oxoallyl complexes and between η^3-aminoallyl and η^3-iminoallyl complexes, **223**, 1
Alkoxo complexes
synthesis of some dinuclear niobium chloro alkoxy carboxylates $[Nb_2Cl_4(OEt)_4(O_2CR)_2]$, and the X-ray crystal and molecular structure of the compound with R = Ph, **227**, 99
Alkylation
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2(`S_4')]$ and $[Fe(CO)(`S_5')]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ($`S_4'^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); $`S_5'^{2-}$ = 2,2′-bis(2-mercapto-phenylthio)diethylsulfide(2−)), **224**, 45

Elsevier Science S.A.

alkylation of 2-vinylpyridine and crystal structure of bis{(acetylacetonate)(1-pyridylbutyl)nickel(II)} complex, **227**, 149
Alkyl complexes
kinetics and mechanism of the phosphate-catalyzed heterolysis of the metal–carbon σ bond of α-hydroxyalkyl–chromium(III) complexes. Effects of the non-participating ligands, temperature and pressure, **215**, 173
an electrospray mass spectrometric study of methylmercury(II) nitrogen base derivatives and their ligand exchange reactions, **215**, 179
trimethylgallium based phosphinogallanes. Synthesis and molecular structure of $[Me_2Ga–P(SiMe_3)_2]_2$, **216**, 267
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
bite angle dependence of the rate of reductive elimination from diphosphine palladium complexes, **220**, 249
non-isothermal spectrophotometric kinetics applied to inorganic reactions, **221**, 31
an ethyl–cobalt complex with a buckled equatorial ligand, **221**, 35
positive and negative ion electrospray mass spectrometric studies of some amino acids and glutathione, and their interactions with alkali metal ions and methylmercury(II), **223**, 103
free radical-mediated electron transfer in organometallic complexes: homolysis and alkyl group crossover reactions for alkyliron(II) porphyrins, **226**, 231
volumes of activation for β-elimination and related reactions of chromium(III)–alkyl complexes in aqueous solutions, **227**, 57
Alkylidene complexes
investigation of the dithiocarbamate-induced coupling of allylidene and carbonyl ligands on a tungsten center, **220**, 335
Alkyl sulfide complexes
new methods for synthesis of platinum(II) dimethyl sulfide complexes, **219**, 155
Alkyl sulfonium complexes
the structure of $(CH_3)_3SI_3$. Comparison between the structure in the solid and liquid state, **215**, 33
Alkyl-transition metal reagents
chele- and anticheleselectivity IV. Reaction-accelerating neighboring-group effects in the cross-coupling of vinylbromides with alkyl-transition metal reagents, **220**, 85
Alkyne
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
Alkyne complexes
insertion reaction of dimethylacetylenedicarboxylate with the head-to-tail isomer of $Pt_2I_2(\mu\text{-}Ppy_3)_2$; Ppy_3 = tris(2-pyridyl)phosphine, **217**, 209
the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes $\eta^5\text{-}RC_5H_4(CO)_2M(\mu\text{-}R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93
some new but-2-yne phosphine complexes of tungsten(II), **219**, 99
regio- and stereoselective dimerization of 1-alkynes catalyzed by an Os(II) complex, **220**, 5
rhodium-catalyzed synthesis of 2(5*H*)-furanones from terminal alkynes and non-substituted alkynes under water-gas shift reaction conditions, **220**, 45
Alkyne hydration
alkyne hydration using Pt(II) catalysts, **222**, 317
Alkynes
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
Alkynols
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
Allene
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305
Allene complexes
reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu\text{-}dppm)]$ and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3'}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu\text{-}dppm)]\cdot Et_2O$, **220**, 201
Allylation
asymmetric catalysis 87*. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands, **220**, 63
ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155
Allyl complexes
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115
formation of an allyl–tin bond in η^3-allyl(trichlorostannyl)palladium(II) complexes, **222**, 21
strain, silyl and steric effects on the regioselectivity of palladium(0) catalyzed allyl esters reduction as alternative to the Wittig reaction, **222**, 37
the preparation of chiral titanium reagents: a comparison of new and known ligands, **222**, 95
carbon dioxide fixation by $Cp_2(\eta^3\text{-allyl})Ti$ complexes generated from various dienes, **222**, 145
Allylic ligand complexes
palladium-assisted formation of carbon–carbon bonds Part 2. Stoichiometric synthesis of spirocyclic compounds. X-ray structure of a π-allylic palladium intermediate, **222**, 1
Allylidene complexes
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
Aluminium complexes
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
the influence of aluminum trichloride on a configuratively labile lactone-bridged biaryl: quantum chemical calculations and optical spectroscopy, **222**, 247
use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323
Amide complexes
synthesis of α-hydroxy acid derivatives by the photochemical reaction of *O*-silylchromium(0) carbene complexes and nucleophiles, **222**, 261
Amide compounds
benzotriazole stabilized lithium intermediates as a route to the elaboration of N-substituents in amides, **220**, 67
Amide coordination
hydrolytic cleavage of peptides by palladium(II) complexes is enhanced as coordination of peptide nitrogen to palladium(II) is suppressed, **217**, 21
Amidine complexes

reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-$[PtCl_2\{N(H)=C(Ph)NCH_2CH_2\}_2]$, **222**, 327

Amidoxime complexes

the synthesis and crystal structure of ethylenedinitrilotetraacetamidoxime nickel(II) sulfate trihydrate, **227**, 171

Amine complexes

binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen) and related ligands, **216**, 21

unexpected five-coordination in di(1,3-diaminopropane)-3,5-dinitrobenzoatocopper(II) 3,5-dinitrobenzoate. Comparison between the coordinated and non-coordinated anions, **216**, 57

structure and spectroscopic properties of [di(3-aminopropyl)amine-*N,N',N''*][iminodiacetato-*N,O,O'*]chromium(III) perchlorate, **216**, 155

nucleophilic addition of water to coordinated di-(2-pyridyl)-ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK\cdot H)^+[\{ReOCl_2(DPK\cdot OH)\}_2Cl]$, **217**, 141

bromo derivatives of amine and phosphine complexes of cyanodihydroborane. Synthesis and reactivity, **218**, 21

transition metal complexes with sulfur ligands Part CII. Changes in configuration and reactivity caused by alkyl substituents R in [Fe(L)('N_RS_4')] complexes (L=CO, NO^+, NO, PMe_3, N_2H_4; R=CH_3, $CH_2CH_2CO_2CH_3$, $CH_2CH_2CO_2^-$), **219**, 75

equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199

exchange of azine ligands in *fac*-$Re(CO)_3(4\text{-cyanopyridine})_2Cl$ and *fac*-$Re(CO)_3(quinoline)_2Cl$, **221**, 161

synthesis and properties of bis(amine)carboxyhydroboron(1+) cations, **223**, 155

stability of metal ion complexes of *N,N'*-bis(2-hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid, **224**, 151

charge type effects on the temperature dependence of intervalence transfer in ferrocyanide substituted ruthenium(III) amine and aminopolycarboxylate compounds, **224**, 189

the synthesis, X-ray structure and hydrolysis kinetics of chloro(2-aminomethylpyridine)(triamine)chromium(III) salts, **227**, 11

synthesis, crystal structure and characterization of nickel(0) acrylonitrile complexes with a bidentate N-donor ligand, **227**, 137

Amine cryptand complexes

azacryptand host for lead: NMR and structural studies, **218**, 5

Amine *N*-oxide complexes

bis(2-mercaptopyridine-*N*-oxide)oxovanadium(IV): synthesis, structure and its conversion to the dichloro complex, **219**, 213

Amino acid complexes

mixed-ligand copper(II) complexes with iminodiacetato and 2- or 4-methylimidazole: molecular and crystal structure of the 'remote' isomer iminodiacetato(5-methylimidazole)-copper(II) monohydrate, $[Cu(IDA)(5MeImH)]\cdot H_2O$, **215**, 73

a novel amino acid-binding receptor based on weak non-covalent ligand–ligand interactions, **216**, 249

'insulation' to lattice effects on quadrupole splitting in the Mössbauer spectra of salts of $[Fe_4S_4(Cys)_4]^{2-}$, a ferredoxin model, **217**, 3

interaction of the lysine side chain amino group with Cu^{II} in (glycyl-L-lysine^{2-})Cu, **217**, 33

bis(2-diphenylphosphinoethyl)phenylphosphineruthenium(II) complexes of amino acids and dipeptides, **217**, 51

nitrogen-15 NMR coordination shifts of β-alanine and glycine in cobalt(III) complexes, **217**, 213

ternary Pt(II)–amino acid–nucleotide complexes: kinetics of formation, **218**, 11

substituent effect on the coordination ability of the amide group of N-protected amino acids, **218**, 53

lithium coordination to amino acids and peptides. Synthesis, spectroscopic characterization and structure determination of lithium complexes of neutral and anionic glycine and diglycine, **218**, 121

a study of the reactivity of (methyl 2-acetamidoacrylate)tricarbonyliron(0) leading to a novel synthesis of β,β,β-trialkyl α-amino acids, **220**, 137

positive and negative ion electrospray mass spectrometric studies of some amino acids and glutathione, and their interactions with alkali metal ions and methylmercury(II), **223**, 103

ternary complexes of *cis*- and *trans*-$Pt(NH_3)_2Cl_2$ (*cis*-, *trans*-DDP) with 9-methylguanine (9-MeG), the dipeptides glycylglycine (glygly), glycyl-L-alanine (glyala), glycyl-L-2-aminobutyric acid (gly-2-aba), glycyl-L-norvaline (glynval), glycyl-L-norleucine (glynleu), and of *trans*-$Pt(NH_3)_2Cl_2$ with Na-L-acetylhistidine, **227**, 17

Aminoallyl complexes

chemistry of π-complexes derived from $[(Ph_3P)_2Pt(\eta^3\text{-}CH_2CCPh)](O_3SCF_3)$. Interconversion between η^3-alkoxoallyl and η^3-oxoallyl complexes and between η^3-aminoallyl and η^3-iminoallyl complexes, **223**, 1

Aminocarbyne complexes

electron-transfer activation of the aminocarbyne and the hydrogen isocyanide complexes *trans*-$[ReCl(CNH_n)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]_{n-1}$ ($n=2$ or 1). Interconversion of coordinated CNH_2 and CNH, **226**, 9

Amino complexes

cyclic bis(amino)organotin cations, stabilized by π-coordination and new spirocyclic stannole derivatives, **216**, 51

conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitratobis(1,3-diaminopropane)copper(II), **218**, 151

Aminopolycarboxylate complexes

charge type effects on the temperature dependence of intervalence transfer in ferrocyanide substituted ruthenium(III) amine and aminopolycarboxylate compounds, **224**, 189

Ammine complexes

interaction of cyanopentaamminechromium(III) with mercuric ion. Electrochemical, spectral and preparative study of adduct formation and linkage isomerism, **216**, 113

molecular mechanical and quantum chemical study on the species involved in the hydrolysis of *cis*-diamminedichloroplatinum(II) and substituted bis(ethylenediamine)dichloroplatinum(II) complexes Part I. Reactants and products, **217**, 159

synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121

crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93

properties of the mixed-valence binuclear complex ion, $[(NH_3)_5Ru^{III}\text{–}NC\text{–}Os^{II}(CN)_5]$, **223**, 37

the synthesis, and UV–Vis, electrochemical, photochemical and intervalence characterization of tetraammine and tris chelated ruthenium(II) complexes bound to the bridging ligand dipyrido(2,3-*a*;2',3'-*h*)phenazine (dpop), **224**, 27

solvent trapped valency in the [bis(pentaammineruthenium)(μ-1,4-dicyanamidobenzene)] trication, **225**, 123

comparison of the rates of substitution in $[Ru(NH_3)_5H_2O]^{3+}$ and $[Os(NH_3)_5H_2O]^{3+}$ by hexacyano complexes: substitution coupled to electron transfer, **225**, 173

electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215

the reduction of pentaammine(phenanthroline-2-carboxamido-*N*)cobalt(III) by titanium(III) and vanadium(II), **225**, 245

the electronic structure of pentaammine(pyrazine) ruthenium(II) and (III): the metal–ligand π conjugation and its implications in electron delocalization, **226**, 43

solvent, electrolyte and solute shape effects on optical electron transfer in mixed-valence ruthenium ammine dimers, **226**, 137

Analytical detection

estrogen derivatives of transition metal complexes for analytical detection enhancement. Part II, **218**, 207

Anchored complexes

formation of an anchored copper(II) complex on a thiourea-functionalized silica gel by *in situ* modification of the tethered ligating function, **221**, 183

Angular overlap model

crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93

Anion complexes

preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305

outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71

NQR studies of polyhalocuprate(I) anions, **227**, 153

Anionic complexes

simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-MeU})_2]\cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles, **218**, 117

Anodic oxidation

synthesis, properties and reactions of sila-functional α-heteroatom-substituted organosilicon compounds, **220**, 129

Anthracene complexes

binuclear complexes from 1,8-substituted anthracene derivatives. The crystal structure of [{μ-[1,8-anthracenedicarboxaldehydebis(dimethylhydrazone)]}tetrachlorobis(η^2-ethylene)di-platinum], **221**, 151

Anticancer drug complexes

synthesis and hydrolysis of an ester of the 'one ring open' hydrolysis product of the anticancer drug 1,2-bis(3,5-dioxopiperazin-l-yl)propane, 'Razoxane', **215**, 55

Antiferromagnetism

pyrazine-mediated antiferromagnetic intermolecular exchange in mixed-valent diruthenium tetracarboxylates, **215**, 203

antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex, **218**, 167

Antitumor agents

synthesis and X-ray crystal structure of *cis*-1,4-diaminocyclohexanetetrachloroplatinum(IV): a new antitumor agent, **219**, 193

thiopyridyl triazine derivatives and their platinum complexes: a new class of potential antitumor agents, **227**, 175

Antitumour activity

the first isolated antineoplastic Ru(IV) complex: synthesis and structure of $[Cl_2(1,2\text{-cyclohexanediaminotetraacetate})Ru]\cdot 2H_2O$, **224**, 15

Aqua complexes

synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II), **221**, 125

synthesis, structure and solid state polymerization of diaquabis(propynoato)magnesium, **222**, 339

spectroscopic studies of the *trans*-$[VOCl_2(H_2O)_2]$ chromophore in its hydrogen bonding adduct with 18-crown-6, **227**, 91

Aquation

the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9

Aqueous micelles

redox behavior of the iron–sulfur cluster $[Fe_4Cp_4S_5][PF_6]_2$ in protic organic solvents and aqueous micellar solutions, **226**, 341

Aquo complexes

preparation and structure of $[PhPt(OCO_2H)(PEt_3)_2]$ and $[PhPt(OH_2)(PEt_3)_2]BF_4$, **218**, 199

Arene complexes

synthesis and structure of $Zr_2Cl_4(\eta^6\text{-}C_6H_5PMe_2)_2(PMe_2Ph)_2$, an arene complex of zirconium(II), **217**, 187

organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of $[(\eta^6\text{-}C_6Me_6)Ru\{\mu\text{-}P(O)(OMe)_2\}(\mu\text{-Pz})_2Re(CO)_3]$ (Me = methyl, Pz = pyrazolate), **219**, 67

^{1}H NMR analysis of some η^6-(substituted aryl phenylsulfonylacetonitrile)-η^5-cyclopentadienyliron cations, **219**, 221

π-bonded alkene and arene complexes of silver(I): an electrospray mass spectrometric study, **220**, 99

π-facial selectivities in the coordination of an optically pure fused cyclopentadienyl ligand to arene ruthenium moieties. NMR spectral and structural characterization of a single diastereomer of $[(PCp)Ru(Me_6C_6)]PF_6$, **221**, 41

arene migration in ruthenium clusters: a kinetic study of the isomerisation of $Ru_5C(CO)_{12}(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$ to $Ru_5C(CO)_{12}(\eta^6\text{-}C_6H_6)$, **222**, 299

Aromatic heterocycle complexes

charge and electron transfer from metal-to-carbon bonds of main group organometallics MR_n (M = Al, Ga, Zn) to aromatic N-heterocycles: colored precursor compounds and radical complex formation, **225**, 23

Aromatic interaction

effect of aromatic–aromatic interaction on ligand binding to zinc porphyrins, **224**, 157

Arsenate complexes

hydrothermal synthesis and crystal and molecular structure of a three-dimensional vanado-arsonate $(NH_4)_3[(VO)(V_2O_3)(AsO_4)_2(HAsO_4)]$, exhibiting both $\{V\text{–}O\text{–}V\}_\infty$ chains and isolated $\{V_2O_3\}$ units, **218**, 59

Artificial peptidase

hydrolytic cleavage of peptides by palladium(II) complexes is enhanced as coordination of peptide nitrogen to palladium(II) is suppressed, **217**, 21

Arylation

arylation of alkenes by the palladium(II) acetate–dialkyl sulfide system, **216**, 253

Aryl complexes

NMR parameters as steric probes for arylcyclopentadienyl iron complexes, **215**, 139

direct nitration of aryl groups σ-bound to ruthenium(II), **220**, 261

Aryl halide

synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289

Asymmetric catalysis

asymmetric catalysis 87. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands, **220**, 63
designed binaphthyl-derived titanium complexes: a new type of asymmetric catalyst for the carbonyl-ene reaction with glyoxylate, **222**, 71
synthesis and structure of new chiral ferrocenylphosphines for asymmetric catalysis, **222**, 213
Asymmetric synthesis
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
Atom–atom interaction model
a unified view of inorganic stereochemistry and stereochemical changes, **219**, 187
Atomic weights
1993 Table of Standard Atomic Weights abridged to Five Significant Figures, **217**, 217
Atropisomerism
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
Azacryptand complexes
azacryptand host for lead: NMR and structural studies, **218**, 5
Azamacrocyclic ligand complexes
stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate complexes, **221**, 165
Azaplatinadecaborane complexes
ten-vertex polyhedral azametallaborane chemistry. An *arachno*-6,9-azaplatinadecaborane and a *nido*-6,8-azaruthenadecaborane, **227**, 163
Azarhenacycle complexes
insertion of NH into the rhenium–carbon bonds of a Fischer-type rhenacyclobutadiene. Preparation and characterization of azarhenacyclic complexes, **222**, 199
Azaruthenadecaborane complexes
ten-vertex polyhedral azametallaborane chemistry. An *arachno*-6,9-azaplatinadecaborane and a *nido*-6,8-azaruthenadecaborane, **227**, 163
Azauracil complexes
analysis of $[(dien)Pd]^{2+}$ binding to uracil and azauracils by proton NMR spectroscopy, **223**, 131
Azido complexes
transition metal complexes with sulfur ligands CVI. Phosphine and azido [Fe(L)('N_HS_4')] complexes; structural characterization of the key complex [Fe('N_HS_4')]·THF (L = PMe_3, PBu_3, PMe_2Ph, $PMePh_2$, N_3^-; 'N_HS_4'$^{2-}$ = dianion of 2,2′-bis(2-mercaptophenylthio)diethylamine), **224**, 61
Azine complexes
exchange of azine ligands in *fac*-$Re(CO)_3(4\text{-cyanopyridine})_2Cl$ and *fac*-$Re(CO)_3(quinoline)_2Cl$, **221**, 161
reactions of $[Au(C_6F_5)(SC_4H_8)]$ with diazoalkanes. Synthesis and molecular structures of $[Au(C_6F_5)(Ph_2C{=}N{-}N{=}CPh_2)]$, **222**, 267
Aziridine reactions
reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-$[PtCl_2\{N(H){=}C(Ph)NCH_2CH_2\}_2]$, **222**, 327
Azoxybenzene complexes
cyclopalladated *p*-azoxyanisole complexes. Synthesis and structure of {[bis(2-phenylpyridine)][4′-(methoxyphenyl-*NNO*-azoxy-N^2)4-methoxyphenyl-2-ato]palladium(II)}-(tetrafluoroborate), **218**, 211
Azulene complexes
preparation and crystal structure of *anti*-(η^3:η^5-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143
Barbituric acid
asymmetric catalysis 87. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands, **220**, 63
Benzocyclobutenedione complexes
reactions of benzocyclobutene chromium complexes with carbon, nitrogen and oxygen nucleophiles: nucleophilic addition and unexpected proximal ring opening reactions, **220**, 175
Benzocyclobutenone complexes
reactions of benzocyclobutene chromium complexes with carbon, nitrogen and oxygen nucleophiles: nucleophilic addition and unexpected proximal ring opening reactions, **220**, 175
Benzonaphthopyranone
the influence of aluminum trichloride on a configuratively labile lactone-bridged biaryl: quantum chemical calculations and optical spectroscopy, **222**, 247
Benzosemiquinone complexes
indium(III) halide–3,5-di-tert-butyl-*o*-benzosemiquinone systems, **225**, 207
Benzotriazole compounds
benzotriazole stabilized lithium intermediates as a route to the elaboration of N-substituents in amides, **220**, 67
Benzylviologen salts
crystal structure and solid-state fluorescence of an oxomolybdenum(V)–benzylviologen electron donor–acceptor salt, **226**, 25
Bicarbonato complexes
preparation and structure of $[PhPt(OCO_2H)(PEt_3)_2]$ and $[PhPt(OH_2)(PEt_3)_2]BF_4$, **218**, 199
Bicyclo[3.2.1]octadiene
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
Bicyclo[3.2.1]oxaheptadiene
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
Bidentate amine complexes
synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II), **221**, 125
synthesis, characterization and X-ray crystal structure of ethylenediamine(orotato)palladium(II), **221**, 173
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
Bidentate amine ligand complexes
synthesis and X-ray crystal structure of *cis*-1,4-diaminocyclohexanetetrachloroplatinum(IV): a new antitumor agent, **219**, 193
Bidentate amino ligand complexes
three-coordinate Pt(0) η^2-complexes: electrophilic hydrogen attack through oxidative-addition of protic acids, **219**, 169
Bidentate carboxylate complexes
structural characterization of bidentate carboxylate derivatives of copper(I) bistriphenylphosphine, **227**, 223
Bidentate chelate ligand complexes
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21
Bidentate isonitrile complexes
synthesis and characterization of a bidentate chelating diisonitrile ligand with two thioethereal sulfurs in a bridging group and its copper(I), rhodium(I) and palladium(II) complexes, **227**, 113
Bidentate ligand complexes
mixed-ligand complexes of rhenium II. Synthesis and characterization of $[ReN(X)(Me_2PhP)_2(R_2tcb)]$ complexes (X = I,

N_3, SCN, CN; $R_2tcb^- = N$-(N,N-dialkyl- thiocarbamoylbenzamidinate)). X-ray crystal structure of $[ReN(N_3)(Me_2PhP)_2(Et_2tcb)]$, **215**, 159
solvent effects on acetylacetonato iron complexes, **215**, 185
principal component analysis of the structures of the 1,2-diaminobenzene derivatives chelated to metal ions: correlation between structural parameters and redox behavior, **215**, 219
synthesis of bis- or tris(pentafluorophenyl) thallium(III) complexes with bidentate ligands. X-ray crystal structure of $[Tl(C_6F_5)_2(acac)\{(O)Ph_2PCH_2PPh_2(O)\}]$, **215**, 229
unexpected five-coordination in di(1,3-diaminopropane)-3,5-dinitrobenzoatocopper(II) 3,5-dinitrobenzoate. Comparison between the coordinated and non-coordinated anions, **216**, 57
magnetic properties and crystal structure of {μ-pyrazine}-bis[(aqua)(2,6-xylylaminodiacetato)copper(II)]. A pyrazine-bridged dinuclear copper(II) complex, **217**, 39
spectroscopic and structural studies on volatile gallium β-diketonates as potential precursors for MOCVD, **217**, 71
unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(I) complex $[LCuBr]_2$ ($L = N,N'$-diethylethylenediamine) by dioxygen in methylene chloride from −51 to 30 °C, **217**, 109
the synthesis and crystal structure of $[Cr(acacen)py_2][ZnCl_3py]$, **217**, 195
organometallic complexes of ruthenium(IV) with bidentate oxygen and nitrogen donor ligands, **218**, 81
conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitratobis(1,3-diaminopropane)copper(II), **218**, 151
dimolybdenum(II) and diruthenium(II) complexes with 2-substituted 7-methyl-1,8-naphthyridines as bridging ligands, **219**, 23
synthesis, crystal structure and spectroscopic properties of bis(diphenyldithiophosphinato)cadmium(II), **219**, 115
variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of $[Cu(pdmg)Cu(bipy)(H_2O)_2](ClO_4)_2 \cdot H_2O$, **219**, 179
synthesis, structure and stability of complexes of lanthanide nitrates with $[(MeO)_2P(O)]_2C(OH)Ph$ and the isomeric $(MeO)_2P(O)OCHPhP(O)(OMe)_2$, **223**, 43
the synthesis, and UV–Vis, electrochemical, photochemical and intervalence characterization of tetraammine and tris chelated ruthenium(II) complexes bound to the bridging ligand dipyrido(2,3-*a*;2′,3′-*h*)phenazine (dpop), **224**, 27
di-manganese carbonyl compounds containing bis(dicyclohexylphosphino)methane (dcpm) ligation, **224**, 105
multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2′-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179
preparation, structural and physical studies of mercury(II) halide complexes with the N,N′-chelating biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline, **227**, 129
synthesis, crystal structure and characterization of nickel(0) acrylonitrile complexes with a bidentate N-donor ligand, **227**, 137

Bidentate phosphine complexes
activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene, **221**, 133
solid state and solution studies of a T-shaped gold(I) complex: $Au[(C_6H_5)_2PCH_2N(C_6H_5)_2]_2Cl$, **227**, 85

Bidentate phosphine ligand complexes
molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e = Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph = Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter, **218**, 9

Bimetallic complexes
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
early/late bimetallic complexes: MCo_2 (M = Ti, Zr) derivatives, **227**, 201

Bimolecular electron transfer
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
bimolecular electron transfer at high driving forces. Photoreactions of gold(I) and iridium(I) complexes with pyridinium derivatives, **225**, 319

BINAP complexes
an improved synthesis of Ru(BINAP) type complexes, **223**, 165

Binaphthyl complexes
designed binaphthyl-derived titanium complexes: a new type of asymmetric catalyst for the carbonyl-ene reaction with glyoxylate, **222**, 71

Binding constants
outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71

Binuclear complexes
binuclear complexes from 1,8-substituted anthracene derivatives. The crystal structure of [{μ-[1,8-anthracenedicarboxaldehydebis(dimethylhydrazone)]}tetrachlorobis(η^2-ethylene)di-platinum], **221**, 151
binuclear platinum(II) complexes of 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4) containing various bridging ligands as spacers between the P4 coordination units, **223**, 13

Bioctahedral complexes
a new type of face-sharing bioctahedral triply bonded diniobium cluster $(PyH)[Nb_2(\mu\text{-}Cl)_2(\mu\text{-}THT)Cl_3(Py)_3](THF)\text{-}(C_6H_6)_{0.5}$, made by a designed synthesis, **227**, 191

Biogenic amine complexes
spectroscopic studies on complex formation and non-covalent interactions in ternary palladium(II) systems involving spermidine and 2,3-diaminoproprionate or 2,4-diaminobutyrate, **219**, 107

Biphenyl complexes
synthesis and structure of $Cr(CO)_3$ complexes of biphenyl compounds with axial chirality, **222**, 63

Bipyridine complexes
simultaneous photooxidation of $[Ru(bpy)_2Cl_2]$ and photoreduction of $[Ru(bpy)_2Cl_2]^+$ in several solvent systems, **226**, 247

Bite angle
bite angle dependence of the rate of reductive elimination from diphosphine palladium complexes, **220**, 249

Bond homolysis
free radical-mediated electron transfer in organometallic complexes: homolysis and alkyl group crossover reactions for alkyliron(II) porphyrins, **226**, 231

Borane complexes
ten-vertex polyhedral mixed diheteromonometallaborane chemistry. Directed synthesis of *arachno*-9,6,8-platinathiacarba-

decaboranes, **218**, 1
bromo derivatives of amine and phosphine complexes of cyanodihydroborane. Synthesis and reactivity, **218**, 21
Borate complexes
coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy, **221**, 69
Boron complexes
reactions of phosphine–boron trihalide adducts with carbonylbis(triethylphosphine)rhodium(I) halides, **215**, 67
bromo derivatives of amine and phosphine complexes of cyanodihydroborane. Synthesis and reactivity, **218**, 21
ten-vertex polyhedral dicarbaborane chemistry: new positional isomers of cluster constituents in the ten-vertex *arachno* dicarbaborane family: the parent [*arachno*-5,10-$C_2B_8H_{13}$]$^-$ anion and the isomeric ligand derivatives *exo*-9-L-arachno-5,6-$C_2B_8H_{12}$ and *exo*-6-L-*arachno*-5,10-$C_2B_8H_{12}$, **221**, 5
synthesis and properties of bis(amine)carboxyhydroboron(1+) cations, **223**, 155
Bridged biaryls
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
Bridgehead reactivity
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
Bridging carbonyl
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds, **227**, 241
Bromazepam complexes
metal complexes of benzodiazepines. Kinetic properties of bromazepam toward square planar dimethyl sulfoxide complexes of platinum(II) and palladium(II), **215**, 41
Bromide complexes
the preparation, properties and crystal structure of a salt containing the hexabromochromate(III) anion, **227**, 167
Bromide compounds
magnesium bromide in Grignard reagent formation, **222**, 365

Cadmium complexes
synthesis and characterization of Cd(II) complexes of cinoxacin. Crystal structure of a dicadmium complex containing two monoatomic-bridging carboxylate oxygen atoms, **217**, 149
zinc(II) and cadmium(II) complexes of the potentially tridentate ligands 2-[[2-pyridinylmethyl)amino]methyl]phenol (HSALAMP) and 2-[[[2-(2-pyridinyl)ethyl]amino]-methyl]phenol (HSALAEP). X-ray crystal structures of the $[Zn(SALAMP)(NO_3)]_2$ and the $[Cd(SALAEP)(NO_3)]_2$ dimers, **219**, 55
synthesis, crystal structure and spectroscopic properties of bis(diphenyldithiophosphinato)cadmium(II), **219**, 115
multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137
Calculation
basis set effects on the direct calculation of intermolecular coupling elements for electron transfer reactions, **226**, 237
Calix[4]arene
a 'calix[4]arened' porphyrin as a new host and an oxygen carrier model, **224**, 1
Calixarene complexes
luminescent europium(III) and terbium(III) ions encapsulated in a 2-aminoethoxy or carbamoyloxy substituted calixarene host, **227**, 293
Calorimetry
thermometric determination of electrochemical Peltier heat (thermal effect associated with electron transfer) of some redox couples, **226**, 69
direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285
Carbamate complexes
the anomalous EPR spectra of the iron(III) dichalcogenocarbamates, **217**, 101
Carbanion complexes
addition of carbanions to tris(trimethylphosphine)-(cyclooctadiene)iridium(I) chloride: three different modes of reaction depending on the nature of the carbanion, **222**, 135
Carbene complexes
silicon-containing carbene complexes 16. Intramolecular agostic stabilization versus nucleophilic addition to the 16-electron carbene complex $(CO)_4(L)W{=}C(NMe_2)SiPh_2Me$, **220**, 73
dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
carbonyl carbene coupling on cationic η^2-carbene complexes of molybdenum and tungsten, **222**, 77
steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207
synthesis of α-hydroxy acid derivatives by the photochemical reaction of *O*-silylchromium(0) carbene complexes and nucleophiles, **222**, 261
manganese and tungsten carbene complex mediated intramolecular Diels–Alder reactions, **222**, 291
a one-pot synthesis of cyclopropanes from aromatic aldehydes and styrene via iron carbene complexes, **223**, 159
Carbene coupling
carbonyl carbene coupling on cationic η^2-carbene complexes of molybdenum and tungsten, **222**, 77
Carbido atoms
the formation of carbides in hexaruthenium carbonyl clusters, **227**, 197
Carbohydrate complexes
coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy, **221**, 69
Carbohydrate derivative complexes
equilibrium and spectroscopic studies of diethyltin(IV) complexes formed with carbohydrate derivatives of thiazolidine-4-carboxylic acid, **218**, 65
Carbonato complexes
the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9
Carbon–carbon bond cleavage
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
Carbon–carbon bond formation
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145
Carbon dioxide fixation
carbon dioxide fixation by $Cp_2(\eta^3$-allyl)Ti complexes generated from various dienes, **222**, 145
Carbon–hydrogen insertion

dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193
Carbon monoxide substitution
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
Carbonylation
cobalt chloride and phase-transfer catalyzed carbonylation of benzyl chlorides, **216**, 97
labeling studies of some carbonylation reactions of styrene with cationic palladium complexes, **220**, 273
Carbonyl clusters
the formation of carbides in hexaruthenium carbonyl clusters, **227**, 197
Carbonyl complexes
electrochemical investigation of the electron-poor/precise ($n=5/6$) complexes $[Fe_2(CO)_n(\mu\text{-}PR_2)(\mu\text{-}PR'_2)]$ ($n=5$, $R=R'=Bu^t$; $n=6$, $R=R'=Ph$; $R=Bu^t$, $R'=Ph$; $R=Bu^t$, $R'=Cy$). EPR study of the radical anion $[Fe_2(\mu\text{-}PBu^t_2)_2(CO)_5]$, **217**, 29
molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e=Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph=Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter, **218**, 9
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
preparation and crystal structure of *anti*-(η^3:η^5-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143
coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with $-SiMe_2-$ or $-TiCp_2-$ bridges. Structures of $[(OC)_3Mn(C_5Br_4-)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4-)]_2TiCp_2$, **218**, 173
organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of $[(\eta^6\text{-}C_6Me_6)Ru\{\mu\text{-}P(O)(OMe)_2\}(\mu\text{-}Pz)_2Re(CO)_3]$ (Me = methyl, Pz = pyrazolate), **219**, 67
transition metal complexes with sulfur ligands Part CII. Changes in configuration and reactivity caused by alkyl substituents R in $[Fe(L)('N_RS_4')]$ complexes ($L=CO$, NO^+, NO, PMe_3, N_2H_4; $R=CH_3$, $CH_2CH_2CO_2CH_3$, $CH_2CH_2CO_2^-$), **219**, 75
synthesis and X-ray structure of [acenaphthene–chromium(0)-dicarbonyl-tri(2,3,5-trimethylphenyl)phosphite], **219**, 209
a study of the reactivity of (methyl 2-acetamidoacrylate)-tricarbonyliron(0) leading to a novel synthesis of β,β,β-trialkyl α-amino acids, **220**, 137
reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu\text{-}dppm)]$ and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3\prime}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu\text{-}dppm)]\cdot Et_2O$, **220**, 201
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305
investigation of the dithiocarbamate-induced coupling of allylidene and carbonyl ligands on a tungsten center, **220**, 335
N^1,N^7-expeditious dialkylation of cyclen (1,4,7,10-tetraazacyclododecane). An astonishing reactivity of cyclen tricarbonyl molybdenum and chromium complexes, **220**, 347
an investigation of electron transfer properties of $(Cp)Mn(CO)_3$ and substituted Cp derivatives, **221**, 85
exchange of azine ligands in *fac*-$Re(CO)_3(4\text{-cyanopyridine})_2Cl$ and *fac*-$Re(CO)_3(quinoline)_2Cl$, **221**, 161
synthesis and structure of $Cr(CO)_3$ complexes of biphenyl compounds with axial chirality, **222**, 63
conversion of cationic phosphite complexes into phosphonate complexes with selective deamination on the coordinating phosphorus. Reaction of $[(\eta^5\text{-}C_5H_5)L_2Fe\{P(NC_4H_8)_n\text{-}(OMe)_{3-n}\}]^+$ ($L=CO$, PMe_3) with KOH to afford $(\eta^5\text{-}C_5H_5)L_2Fe\text{-}\{P(O)(NC_4H_8)_{n-1}(OMe)_{3-n}\}$, **222**, 123
catalytic hydrosilylation of carbon monoxide with cobalt carbonyls, **222**, 131
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
arene migration in ruthenium clusters: a kinetic study of the isomerisation of $Ru_5C(CO)_{12}(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$ to $Ru_5C(CO)_{12}(\eta^6\text{-}C_6H_6)$, **222**, 299
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2('S_4')]$ and $[Fe(CO)('S_5')]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); 'S_5'$^{2-}$ = 2,2′-bis(2-mercaptophenylthio)diethylsulfide(2−)), **224**, 45
reactions of $HCCo_3(CO)_9$ with silanes; synthesis and electrochemistry of $X[SiMe_2CCo_3(CO)_9]_2$ ($X=O$, 1,4-C_6H_4), **224**, 73
di-manganese carbonyl compounds containing bis(dicyclohexylphosphino)methane (dcpm) ligation, **224**, 105
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)\text{-}\eta^5\text{-}C_6H_6\}Mn(CO)_3$], **224**, 147
transition-metal silyl complexes 51. Preparation of the mixed silyl/stannyl complexes (π-C_5H_5)Fe(CO)($SnPh_3$)(SiR_3)H, **224**, 177
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of $[Fe_4N(CO)_{11}PPh_3)]$, **226**, 1
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
synthesis and structural analysis of *trans*-$Cp(CO)_2(PPh_3)WHgCl$, **227**, 145
the equilibrium between acetyl- and methylcobalt tetracarbonyl, **227**, 211
substitution kinetics of some tetracarbonyl(η^2-alkene)osmium complexes, **227**, 215
thermal decomposition of cobalt carbonyl complexes in viscous media, **227**, 233
kinetics and mechanism of the methanolysis of acetylcobalt tetracarbonyl, **227**, 297
Carboxamido complexes
the reduction of pentaammine(phenanthroline-2-carboxamido-*N*)cobalt(III) by titanium(III) and vanadium(II), **225**, 245
Carboxylate complexes
preparation and structural characterization of $Rh_2(O_2CCPh_3)_4(EtOH)_2$,

$Ru_2(O_2CCPh_3)_4(H_2O)(EtOH)\cdot 2EtOH$ and $Mo_2(O_2CCPh_3)_4\cdot 3CH_2Cl_2$, **215**, 9
preparation, structure and catecholase-mimetic activity of two mononuclear ferrocenecarboxylate copper(II) complexes, **215**, 131
pyrazine-mediated antiferromagnetic intermolecular exchange in mixed-valent diruthenium tetracarboxylates, **215**, 203
synthesis and characterization of symmetric and unsymmetric oxo-bridged trinuclear chromium benzoate complexes: crystal and molecular structure of $[Cr_3O(O_2CPh)_6(py)_3]ClO_4$, **217**, 171
preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex, **218**, 109
synthesis and X-ray analysis of the dirhodium(II,II) carboxylate complex $Rh_2(O_2CCH_3)_4(formH)_2$ (formH = *N,N'*-di-*p*-tolylformamidine), **223**, 145
synthesis and properties of bis(amine)carboxyhydroboron(1+) cations, **223**, 155
Carboxylato complexes
crystal structure, magnetic and spectroscopic properties of the bis(dimethyl sulfoxide) adduct of tetra-μ-formato-dicopper(II), a new tetracarboxylato-bridged copper(II) dimer, **216**, 185
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
thermodynamics of complexation of the uranyl(VI) ion with benzoate. The crystal structure of sodium tris(benzoato) dioxouranate dihydrate, $Na[(PhCO_2)_3UO_2]\cdot 2H_2O$, **223**, 151
synthesis of some dinuclear niobium chloro alkoxy carboxylates $[Nb_2Cl_4(OEt)_4(O_2CR)_2]$, and the X-ray crystal and molecular structure of the compound with R = Ph, **227**, 99
Carboxylic acid
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
Carboxylic acid complexes
photochemical and spectroscopic studies of complexes of iron(III) with citric acid and other carboxylic acids, **226**, 117
Catalysis
cobalt chloride and phase-transfer catalyzed carbonylation of benzyl chlorides, **216**, 97
arylation of alkenes by the palladium(II) acetate–dialkyl sulfide system, **216**, 253
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
regio- and stereoselective dimerization of 1-alkynes catalyzed by an Os(II) complex, **220**, 5
ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35
rhodium-catalyzed synthesis of 2(5*H*)-furanones from terminal alkynes and non-substituted alkynes under water-gas shift reaction conditions, **220**, 45
asymmetric catalysis 87*. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands, **220**, 63
the importance of phosphine-to-rhodium ratios in enantioselective hydroborations, **220**, 93
ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$, **221**, 109
strain, silyl and steric effects on the regioselectivity of palladium(0) catalyzed allyl esters reduction as alternative to the Wittig reaction, **222**, 37
a comparison of catalytic activity for imine hydrogenation using Ru ditertiary phosphine complexes, including chiral systems, **222**, 85
uranium compounds as catalysts for aldolisation reactions, **222**, 91
catalytic hydrosilylation of carbon monoxide with cobalt carbonyls, **222**, 131
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
intermediates in the palladium-catalysed reaction of 1,3-dienes Part 8. The reaction of palladium–butadiene complexes with ethyl methylacetoacetate, **222**, 179
hydration of conjugated dienes to produce ketones catalyzed by ruthenium complexes, **222**, 225
alkyne hydration using Pt(II) catalysts, **222**, 317
an europium(III) complex as an efficient catalyst for the Michael reaction of α,β-enones with ketene silyl acetals: LIS-NMR analysis for the transition state through complexation between europium(III) catalyst and enones, **222**, 377
palladium complex catalysed synthesis of sulfinic acids, sulfinic acid esters, sulfonic acids and *S*-alkyl alkanethiosulfonates, **222**, 381
a one-pot synthesis of cyclopropanes from aromatic aldehydes and styrene via iron carbene complexes, **223**, 159
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179
Catalytic activity
the role of $H_2Ru(CO)_2(PBu_3)_2$ in the activation of alkynes and alkenes, **227**, 247
Catecholate complexes
synthesis and characterization of oxorhenium(V)–catecholate complexes. Crystal and molecular structures of $(CH_3)_4N[ReO(O_2C_6H_4)_2]$ and $(CH_3)_4N[ReO(PPh_3)(O_2C_6H_4)_2]\cdot CH_3OH$, **218**, 157
Catechol complexes
valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-}DBQ)_2$ (M = Mn, Fe, Co) series, **226**, 91
Cationic palladium complexes
labeling studies of some carbonylation reactions of styrene with cationic palladium complexes, **220**, 273
CD spectroscopy
oxidative quenching of luminescence from copper metallothionein, **226**, 275
Ceria compounds
electron transfer reactions in non-stoichiometric ceria and urania, **225**, 305
Cerium complexes
synthesis and molecular structure of two crystalline forms of hydrated cerium(III) picrate, **221**, 169
Chalcogenide complexes
evidence of the $W(O)(S_2)_2$ core as an intermediate in the acidification of WS_4^{2-}. Structural characterization of $W(O)(S_2)_2(bpy)$ and $W(O)(S_2)_2(phen)$, **216**, 201
extrusion of molecular clusters from solid-state materials: synthesis by application of γ-irradiation. Molecular and crystal structure of $(H_9O_4)(Et_4N)[Mo_3S_7Br_6]$, **223**, 5
Chalcogeno complexes

the anomalous EPR spectra of the iron(III) dichalcogenocarbamates, **217**, 101

Charge transfer
charge and electron transfer from metal-to-carbon bonds of main group organometallics MR_n (M = Al, Ga, Zn) to aromatic N-heterocycles: colored precursor compounds and radical complex formation, **225**, 23

Charge transfer excitation
photoredox behavior of a trinuclear Ru(III),Ru(II),Co(III) complex induced by metal-to-metal charge transfer excitations, **225**, 327

Charge transfer excited state
synthesis, electrochemistry and photoexcited-state properties of dinuclear ruthenium complexes bridged by 2,6′-bis(2-pyridyl)-2,2′:6,2″-thiazolo[4,5-*d*]-benzothiazole, **226**, 17

Chelate complexes
neutral transition metal complexes with the tridentate ligand 4-(5-methyl-4-imidazolyl)-3-thiabutanoic acid. A series of isostructural octahedral compounds, **215**, 151
mixed-ligand complexes of rhenium II. Synthesis and characterization of $[ReN(X)(Me_2PhP)_2(R_2tcb)]$ complexes (X = I, N_3, SCN, CN; R_2tcb^- = *N*-(*N*,*N*-dialkylthiocarbamoylbenzamidinate)). X-ray crystal structure of $[ReN(N_3)(Me_2PhP)_2(Et_2tcb)]$, **215**, 159
solvent effects on acetylacetonato iron complexes, **215**, 185
principal component analysis of the structures of the 1,2-diaminobenzene derivatives chelated to metal ions: correlation between structural parameters and redox behavior, **215**, 219
transition metal compounds of the tridentate pyrazole substituted amine ligand bis(2-(3,5-dimethyl-1-pyrazolyl)-ethyl)ethylamine (ddae). X-ray structures of $[Co(ddae)(NO_3)_2]$, $[Cu(ddae)(NO_3)(H_2O)](NO_3)$ and $[Cu(ddae)(Cl)_2]\cdot C_2H_5OH$, **216**, 43
unexpected five-coordination in di(1,3-diaminopropane)-3,5-dinitrobenzoatocopper(II) 3,5-dinitrobenzoate. Comparison between the coordinated and non-coordinated anions, **216**, 57
spectroscopic and structural studies on volatile gallium β-diketonates as potential precursors for MOCVD, **217**, 71
unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(I) complex $[LCuBr]_2$ (L = *N*,*N*′-diethylethylenediamine) by dioxygen in methylene chloride from −51 to 30 °C, **217**, 109
nucleophilic addition of water to coordinated di-(2-pyridyl)ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK\cdot H)^+[\{ReOCl_2(DPK\cdot OH)\}_2Cl]$, **217**, 141
complexes of mercuric halides with the tripod ligand np_3 ($=N(CH_2CH_2PPh_2)_3$). Molecular structure of $[(np_3)HgI]I\cdot 0.5C_2H_5OH$, **217**, 155
the synthesis and crystal structure of $[Cr(acacen)py_2][ZnCl_3py]$, **217**, 195
molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e = Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph = Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter, **218**, 9
new heptacoordinated tin complexes of 2,6-diacetylpyridine-bis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of $[MeSnCl(Hdaptsc)]Cl\cdot MeOH$ and $[MeSnCl(H_2dapsc)]Cl_2\cdot 2H_2O$, **218**, 139
conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitrato-bis(1,3-diaminopropane)copper(II), **218**, 151
synthesis, crystal structure and spectroscopic properties of bis(diphenyldithiophosphinato)cadmium(II), **219**, 115
synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands Part 4. Circular dichroism of the *trans*(O_5O_6) isomer of a cobalt(III) complex of 1,3-propanediamine-*N*,*N*,*N*′-triacetic-*N*′-3-propionic acid, **219**, 147
three-coordinate Pt(0) η^2-complexes: electrophilic hydrogen attack through oxidative-addition of protic acids, **219**, 169
synthesis and X-ray crystal structure of *cis*-1,4-diaminocyclohexanetetrachloroplatinum(IV): a new antitumor agent, **219**, 193
spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines, **221**, 17
an ethyl–cobalt complex with a buckled equatorial ligand, **221**, 35
synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II), **221**, 125
metal complexes of 5-acetyl-2,2′-pyridylthiophene aroylhydrazones. Crystal structure of a cobalt(II) derivative, **223**, 97
synthesis and characterization of metal complexes with *N*,*N*″-bis(2-hydroxybenzyl)-diethylenetriamine-*N*,*N*′,*N*″-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **223**, 109
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2′-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
electron transfer 122. Reductions of an N_4-coordinated complex of silver(III), **225**, 83
electron transfer properties of ReO(ECD), **225**, 323
synthesis and characterization of a bidentate chelating diisonitrile ligand with two thioethereal sulfurs in a bridging group and its copper(I), rhodium(I) and palladium(II) complexes, **227**, 113
preparation, structural and physical studies of mercury(II) halide complexes with the N,N′-chelating biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline, **227**, 129

Chelate ligand complexes
structure and spectroscopic properties of [di(3-aminopropyl)amine-*N*,*N*′,*N*″][iminodiacetato-*N*,*O*,*O*′]chromium(III) perchlorate, **216**, 155
the oxidation of $[Co(edta)]^{2-}$ by $[Co(phen)_3]$, **225**, 75

Chelate phosphine ligand complexes
the crystal structure of a chelate silver(I) complex: $\{Ag[Ph_2P(CH_2)_2SCH_2CH_3]_2\}ClO_4$, **215**, 199

Chelating ligand complexes
crystal and molecular structure of the solvate of bis(2,6-bis(1′-methylbenzimidazol-2′-yl)pyridine)cobalt(II) dihexafluorophosphate with 4-methyl-1,3-dioxolan-2-on, **219**, 11
the first isolated antineoplastic Ru(IV) complex: synthesis and structure of $[Cl_2$(1,2-cyclohexanediaminotetraacetate)Ru]$\cdot 2H_2O$, **224**, 15

Chemistry
chemical and electrochemical approaches to the investigation of redox reactions of simple electron transfer metalloproteins, **226**, 293

Chemoselective reaction
chemoselective functionalization of zirconacyclopentenes, **220**, 319

Chemoselectivity
chele- and anticheleselectivity IV. Reaction-accelerating neighboring-group effects in the cross-coupling of vinylbromides with alkyl-transition metal reagents, **220**, 85

Chiral complexes

EXAFS studies of a chiral rhenium lactone complex and its precursors including multiple scattering calculations, **222**, 27
Chiral diamines
stereochemical investigation of cationic olefin complexes of platinum(II) containing chiral diamines: a sequence of four asymmetric centres (N, C, C and N) in the chelate ring, **227**, 261
Chiral ligand complexes
chiral metal complexes 40. The sterically mediated hydrolysis of a coordinated imine, **221**, 191
synthesis and structure of new chiral ferrocenylphosphines for asymmetric catalysis, **222**, 213
Chiral reagents
the preparation of chiral titanium reagents: a comparison of new and known ligands, **222**, 95
Chloride complexes
Raman and infrared spectroscopic studies of tris triphenyl phosphine chloride complexes of transition metals, **216**, 191
spectroscopic studies of the *trans*-$[VOCl_2(H_2O)_2]$ chromophore in its hydrogen bonding adduct with 18-crown-6, **227**, 91
Chloroaluminate ionic ligands
dependence of electron transfer kinetics of the ferrocene/ferrocenium couple on the viscosity in ambient temperature chloroaluminate ionic liquids, **225**, 9
Chloro complexes
tTBuPcCrCl$_2$H a sparingly soluble tetra-t-butyl-phthalocyaninato-chloro-chromium complex, **224**, 185
Chlorophyll complexes
ESR studies on distortion in the macrocyclic ring of copper(II) chlorophylls, **224**, 181
Chromium complexes
kinetics and mechanism of the phosphate-catalyzed heterolysis of the metal–carbon σ bond of α-hydroxyalkyl–chromium(III) complexes. Effects of the non-participating ligands, temperature and pressure, **215**, 173
a polymeric two-dimensional mixed-metal network. Crystal structure and magnetic properties of $\{[P(Ph)_4][MnCr(ox)_3]\}_n$, **216**, 65
interaction of cyanopentaamminechromium(III) with mercuric ion. Electrochemical, spectral and preparative study of adduct formation and linkage isomerism, **216**, 113
structure and spectroscopic properties of [di(3-aminopropyl)amine-*N*,*N*′,*N*″][iminodiacetato-*N*,*O*,*O*′]chromium(III) perchlorate, **216**, 155
synthesis and characterization of symmetric and unsymmetric oxo-bridged trinuclear chromium benzoate complexes: crystal and molecular structure of $[Cr_3O(O_2CPh)_6(py)_3]ClO_4$, **217**, 171
the synthesis and crystal structure of $[Cr(acacen)py_2][ZnCl_3py]$, **217**, 195
structural characterization of octahedral metal complexes of $[MX_3(py)_3]$ type with three pyridines as revealed by ^2H NMR spectra, **218**, 179
synthesis and X-ray structure of [acenaphthene–chromium(0)-dicarbonyl-tri(2,3,5-trimethylphenyl)phosphite], **219**, 209
reactions of benzocyclobutene chromium complexes with carbon, nitrogen and oxygen nucleophiles: nucleophilic addition and unexpected proximal ring opening reactions, **220**, 175
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233
N^1,N^7-expeditious dialkylation of cyclen (1,4,7,10-tetraazacyclododecane). An astonishing reactivity of cyclen tricarbonyl molybdenum and chromium complexes, **220**, 347
crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93
synthesis and structure of $Cr(CO)_3$ complexes of biphenyl compounds with axial chirality, **222**, 63
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
synthesis of α-hydroxy acid derivatives by the photochemical reaction of *O*-silylchromium(0) carbene complexes and nucleophiles, **222**, 261
tTBuPcCrCl$_2$H a sparingly soluble tetra-t-butyl-phthalocyaninato-chloro-chromium complex, **224**, 185
the synthesis, X-ray structure and hydrolysis kinetics of chloro(2-aminomethylpyridine)(triamine)chromium(III) salts, **227**, 11
volumes of activation for β-elimination and related reactions of chromium(III)–alkyl complexes in aqueous solutions, **227**, 57
the preparation, properties and crystal structure of a salt containing the hexabromochromate(III) anion, **227**, 167
Chromophore complexes
ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands, **221**, 55
Cinoxacin complexes
synthesis and characterization of Cd(II) complexes of cinoxacin. Crystal structure of a dicadmium complex containing two monoatomic-bridging carboxylate oxygen atoms, **217**, 149
Cluster complexes
two silicon-bridged cyclopentadienyl Fe_2S_4 cluster units connected through an $Fe(III)S_6$ unit. Crystal and molecular structure of $[((CH_3)_2SiCp'_2)_2Fe_5(\mu_3\text{-}S_2)_2(\mu_4\text{-}S_2)_2(\mu_4\text{-}S_4)]FeCl_4$, **216**, 1
oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3\text{-}(H_2O)_9]\text{-}(CH_3\cdot C_6H_4\cdot SO_3)_8\cdot 30H_2O$, **216**, 13
a novel tetranuclear iodoargentate(I) ion, $[Ag_4I_8]^{4-}$, with a cubane-type core, **217**, 15
systematics of some properties of hexamolybdotellurate(VI) salt hydrates with di- and trivalent metals, $M_x[TeMo_6O_{24}]\cdot nH_2O$, **217**, 93
mercury and platinum mixed cluster having a prismatic structure, $[HgPt_6(2,6\text{-}Me_2C_6H_3NC)_{12}]$, **217**, 121
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
ten-vertex polyhedral mixed diheteromonometallaborane chemistry. Directed synthesis of *arachno*-9,6,8-platinathiacarbadecaboranes, **218**, 1
the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes $\eta^5\text{-}RC_5H_4(CO)_2M(\mu\text{-}R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93
transition metal complexes with sulfur ligands CIII. $[(\mu\text{-}S_2)\text{-}\{Fe(\mu\text{-}'S_4')\}_2]$, a novel [2Fe–2S] cluster with octahedral low-spin $[Fe^{II}S_6]$ centers ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)-ethane(2−)), **224**, 35
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)Fe_4S_5](PF_6)_n$ (n = 1 and 2) ($Cp' = \eta^5\text{-}C_5Me_5$). Structural change of the clusters accompanying electron transfer reactions, **225**, 229

electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297

the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of $[Fe_4N(CO)_{11}PPh_3)]$, **226**, 1

redox behavior of the iron–sulfur cluster $[Fe_4Cp_4S_5][PF_6]_2$ in protic organic solvents and aqueous micellar solutions, **226**, 341

heteronuclear metal cluster complexes with a new coordination mode of the $Fe_2S_2(CO)_6$ unit. Synthesis, structure and possible reaction pathway of the first Fe–Cu–S cluster compound, $[Fe_6Cu_5S_6(CO)_{18}(PPh_3)_2]$, **227**, 119

a new type of face-sharing bioctahedral triply bonded diniobium cluster $(PyH)[Nb_2(\mu\text{-}Cl)_2(\mu\text{-}THT)Cl_3(Py)_3](THF)\text{-}(C_6H_6)_{0.5}$, made by a designed synthesis, **227**, 191

metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207

Clusters

extrusion of molecular clusters from solid-state materials: synthesis by application of γ-irradiation. Molecular and crystal structure of $(H_9O_4)(Et_4N)[Mo_3S_7Br_6]$, **223**, 5

the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds, **227**, 241

Cobaloxime complexes

evidence of the interaction between steric and electronic influence in rhodoximes and cobaloximes. Synthesis of $pyRh(DH)_2I$ and X-ray structure of $pyRh(DH)_2Cl$, $pyCo(DH)_2Cl$ and $pyRh(DH)_2I$, **216**, 125

Cobalt

solution structures of cobalt–rhodium clusters: the identification of a new hexanuclear cobalt–rhodium species, **227**, 187

Cobalt complexes

neutral transition metal complexes with the tridentate ligand 4-(5-methyl-4-imidazolyl)-3-thiabutanoic acid. A series of isostructural octahedral compounds, **215**, 151

cobalt chloride and phase-transfer catalyzed carbonylation of benzyl chlorides, **216**, 97

evidence of the interaction between steric and electronic influence in rhodoximes and cobaloximes. Synthesis of $pyRh(DH)_2I$ and X-ray structure of $pyRh(DH)_2Cl$, $pyCo(DH)_2Cl$ and $pyRh(DH)_2I$, **216**, 125

cobalt(III) complexes with 2-acetyl- and 2-formylpyridine ^4N-methylthiosemicarbazones, **216**, 229

a novel amino acid-binding receptor based on weak non-covalent ligand–ligand interactions, **216**, 249

preparation and dioxygen binding property of a new zeolite encapsulated cobalt tetramethylporphin complex, **217**, 135

nitrogen-15 NMR coordination shifts of β-alanine and glycine in cobalt(III) complexes, **217**, 213

stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L = *N*,*N*′-[(pyridine-2,6-diyl)bis-(methylene)]bis[proline] (promp) and *N*,*N*′-[(4-methoxy-pyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73

preparation and crystal structure of *anti*-(η^3:η^5-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143

crystal and molecular structure of the solvate of bis(2,6-bis(1′-methylbenzimidazol-2′-yl)pyridine)cobalt(II) dihexafluorophosphate with 4-methyl-1,3-dioxolan-2-on, **219**, 11

the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes η^5-$RC_5H_4(CO)_2M(\mu\text{-}R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93

synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands Part 4. Circular dichroism of the *trans*(O_5O_6) isomer of a cobalt(III) complex of 1,3-propanediamine-*N*,*N*,*N*′-triacetic-*N*′-3-propionic acid, **219**, 147

the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9

an ethyl–cobalt complex with a buckled equatorial ligand, **221**, 35

chiral metal complexes 40. The sterically mediated hydrolysis of a coordinated imine, **221**, 191

cyclodimerisation and addition reactions of $Bu^tC{\equiv}P$ at a cobalt(I) centre, **222**, 13

catalytic hydrosilylation of carbon monoxide with cobalt carbonyls, **222**, 131

the development of a quinone α-anion synthon. Utilization of a maleoylcobalt complex as a quinone surrogate and a dominant role for ligand effects, **222**, 235

metal complexes of 5-acetyl-2,2′-pyridylthiophene aroylhydrazones. Crystal structure of a cobalt(II) derivative, **223**, 97

synthesis, properties and molecular structure of copper(II) and cobalt(II) 1,2-bis(pyrazol-1-ylmethyl)benzene complexes, **223**, 139

reactions of $HCCo_3(CO)_9$ with silanes; synthesis and electrochemistry of $X[SiMe_2CCo_3(CO)_9]_2$ (X = O, 1,4-C_6H_4), **224**, 73

the oxidation of $[Co(edta)]^{2-}$ by $[Co(phen)_3]$, **225**, 75

volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95

intramolecular electron transfer from $Ru^{II}(EDTA)^{2-}$ to $Co^{III}(NH_3)_5^{3+}$ via nitrogen heterocycle bridging ligands, **225**, 129

electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215

the reduction of pentaammine(phenanthroline-2-carboxamido-*N*)cobalt(III) by titanium(III) and vanadium(II), **225**, 245

photoredox behavior of a trinuclear Ru(III),Ru(II),Co(III) complex induced by metal-to-metal charge transfer excitations, **225**, 327

valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-}DBQ)_2$ (M = Mn, Fe, Co) series, **226**, 91

forbidden π–σ donor–acceptor electronic coupling in linked transition metal complexes: contrasting behavior of ruthenium(II) donors with ruthenium(III) and cobalt(III) acceptors, **226**, 109

electron transfer reduction of cobalt tetraphenylporphyrin by hydroquinone dianions and alkylation with alkyl halides, **226**, 145

reduction of hexaazacyclophane complexes of Co(II) and Cu(II) by $^{\bullet}CH_2OH$ and e_{sol}^-; a pulse radiolysis study, **226**, 151

electron transfer quenching of the excited MLCT state of Ru(II) in the double complex salts $[Ru(bpy)_3]_2[M(CN)_6]Cl\cdot 8H_2O$ (M = Co and Fe), **226**, 203

spectroscopy and photoredox chemistry of ion-paired cobalt(III) am(m)ine complexes, **226**, 285

equilibrium studies of 1,2-diaminobenzene and 3,4-diaminobenzoate anion with dinuclear cobalt(II) 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane, **227**, 49

early/late bimetallic complexes: MCo_2 (M = Ti, Zr) derivatives, **227**, 201

the equilibrium between acetyl- and methylcobalt tetracarbonyl, **227**, 211

thermal decomposition of cobalt carbonyl complexes in viscous media, **227**, 233
kinetics and mechanism of the methanolysis of acetylcobalt tetracarbonyl, **227**, 297
Compartmental ligand complexes
preparation, properties and coordination behaviour of planar or tridimensional compartmental Schiff bases, **219**, 135
Condensation reactions
a novel reaction of the cyano ligand opening an organometallic route to 4-amino imidazoles: four component condensation (4CC) with isocyanide, aldehyde and amine, **222**, 275
Conjugated dienes
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115
Contrast agent complexes
stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate complexes, **221**, 165
Cooperativity
a spectroelectrochemical method for evaluating factors which regulate the redox potential of hemoglobins, **226**, 187
Coordination compounds
a unified view of inorganic stereochemistry and stereochemical changes, **219**, 187
Coordination polymer
spontaneous formation of a 1D-coordination polymer with helix structure starting from (*S*)-pyroglutamic acid and copper(II) acetate, **222**, 5
Coordination polymer complexes
predicting the effect of oxidative doping on the conductivities of metal–tetrakis(dimethylphosphino)benzene coordination polymers from the electrochemical properties of their related bimetallic complexes, **225**, 15
Cope rearrangement
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
Copper
EXAFS investigation on nickel substituted Cu,Zn bovine superoxide dismutase, **216**, 121
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151
Copper complexes
towards a model for galactose oxidase: the crystal structure of {2-[bis(2-pyridylethyl)aminomethyl]phenolato} copper(II) perchlorate, **215**, 1
synthesis and hydrolysis of an ester of the 'one ring open' hydrolysis product of the anticancer drug 1,2-bis(3,5-dioxopiperazin-l-yl)propane, 'Razoxane', **215**, 55
mixed-ligand copper(II) complexes with iminodiacetato and 2- or 4-methylimidazole: molecular and crystal structure of the 'remote' isomer iminodiacetato(5-methylimidazole)copper(II) monohydrate, $[Cu(IDA)(5MeImH)]\cdot H_2O$, **215**, 73
spectroscopic studies on copper(II) complexes of chiral cyclens: $[CuN_4Cl]$ chromophores varying from square pyramidal to trigonal bipyramidal stereochemistry, **215**, 109
preparation, structure and catecholase-mimetic activity of two mononuclear ferrocenecarboxylate copper(II) complexes, **215**, 131
transition metal compounds of the tridentate pyrazole substituted amine ligand bis(2-(3,5-dimethyl-1-pyrazolyl)ethyl)ethylamine (ddae). X-ray structures of $[Co(ddae)(NO_3)_2]$, $[Cu(ddae)(NO_3)(H_2O)](NO_3)$ and $[Cu(ddae)(Cl)_2]\cdot C_2H_5OH$, **216**, 43
unexpected five-coordination in di(1,3-diaminopropane)-3,5-dinitrobenzoatocopper(II) 3,5-dinitrobenzoate. Comparison between the coordinated and non-coordinated anions, **216**, 57
crystal structure, magnetic and spectroscopic properties of the bis(dimethyl sulfoxide) adduct of tetra-μ-formato-dicopper(II), a new tetracarboxylato-bridged copper(II) dimer, **216**, 185
synthesis and complexation behaviour of a double-armed crown thioether ligand, **217**, 1
a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7
interaction of the lysine side chain amino group with Cu^{II} in (glycyl-L-lysine^{2-})Cu, **217**, 33
magnetic properties and crystal structure of {μ-pyrazine}-bis[(aqua)(2,6-xylylaminodiacetato)copper(II)]. A pyrazine-bridged dinuclear copper(II) complex, **217**, 39
transmetalation of targets $(\mu\text{-Y})N_4Cu_2^{I}Cu_2^{II}Cl_4$ and $(\mu\text{-Y},\mu\text{-O})N_4Cu_4Cl_4$ (Y = 3,4,5,6-tetrachlorocatecholate) with $M(NS)_2$ reagents, **217**, 85
unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(I) complex $[LCuBr]_2$ (L = *N*,*N*′-diethylethylenediamine) by dioxygen in methylene chloride from −51 to 30 °C, **217**, 109
functionalised phosphines: structure of bis(2-aminophenyldiphenylphosphine-κ^2N,P)copper(I) perchlorate ethanol solvate, **217**, 191
substituent effect on the coordination ability of the amide group of N-protected amino acids, **218**, 53
synthesis, structural characterization and dioxygen reactivity of imidazole-ligated Cu(I) complexes, **218**, 103
preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex, **218**, 109
conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitratobis(1,3-diaminopropane)copper(II), **218**, 151
antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex, **218**, 167
reactions of the polynuclear chain complex $[Cu(L)(H_2O)]_n$ (H_2L is 5-[(2′-carboxyphenyl)azo]-1,3-dimethylbarbituric acid) with imidazole. Crystal structures of the dinuclear and mononuclear derivatives and EPR study of the dimer–monomer equilibrium in solution, **219**, 127
variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of $[Cu(pdmg)Cu(bipy)(H_2O)_2](ClO_4)_2\cdot H_2O$, **219**, 179
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
formation of an anchored copper(II) complex on a thiourea-functionalized silica gel by *in situ* modification of the tethered ligating function, **221**, 183
spontaneous formation of a 1D-coordination polymer with helix structure starting from (*S*)-pyroglutamic acid and copper(II) acetate, **222**, 5
synthesis, spectroscopic and structural characterization of methyl pyruvate- and pyridoxal-hydrazinopyruvoylthiosemicarbazones, **223**, 77
synthesis, properties and molecular structure of copper(II) and cobalt(II) 1,2-bis(pyrazol-1-ylmethyl)benzene complexes, **223**, 139

synthesis, spectra and electrochemical behaviour of biomimetic copper(II) complexes with CuN_5 and CuN_6 chromophores, **224**, 19
crystal structure and magnetic property of a 2D infinite layered copper(II) complex with bridging *trans*-oxamidate and pyrimidine ligands, **224**, 171
ESR studies on distortion in the macrocyclic ring of copper(II) chlorophylls, **224**, 181
photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251
photoinduced electron transfer reaction between $[Cu(dmp)P_2]^{+or-}$ (P = PPh_3 or $PPh_2(m\text{-}C_6H_4SO_3^-)$) and viologen derivatives, **225**, 261
reduction of hexaazacyclophane complexes of Co(II) and Cu(II) by $^{\bullet}CH_2OH$ and e_{sol}^-; a pulse radiolysis study, **226**, 151
electron transfer in surfactant films on electrodes; copper phthalocyaninetetrasulfonate–didodecyldimethylammonium bromide, **226**, 159
synthesis and crystal structure of the μ_2-{tris[bis-(diphenylphosphine)methane]}-μ_3-3-methyl-8-ethyl-xanthine-*N*,*O*,*O*]-μ_3-chloro-triangle-tricopper(I)-water complex exhibiting a novel oxopurine coordination mode, **227**, 43
structural, spectroscopic and potentiometric investigation on the coordination properties of 4-NO_2-hippuric acid towards Cu(II) in binary and ternary systems, **227**, 105
synthesis and characterization of a bidentate chelating diisonitrile ligand with two thioethereal sulfurs in a bridging group and its copper(I), rhodium(I) and palladium(II) complexes, **227**, 113
heteronuclear metal cluster complexes with a new coordination mode of the $Fe_2S_2(CO)_6$ unit. Synthesis, structure and possible reaction pathway of the first Fe–Cu–S cluster compound, $[Fe_6Cu_5S_6(CO)_{18}(PPh_3)_2]$, **227**, 119
NQR studies of polyhalocuprate(I) anions, **227**, 153
synthesis and X-ray structure of the dinuclear μ-5,5′-diamino-3,3′-bis-1,2,4-triazolato(1−)-bis(diethylenetriaminecopper(II)) triperchlorate, $[\{Cu(dien)\}_2Hdabt](ClO_4)_3$, **227**, 181
structural characterization of bidentate carboxylate derivatives of copper(I) bistriphenylphosphine, **227**, 223
Copper metallothionein
oxidative quenching of luminescence from copper metallothionein, **226**, 275
Coupling reaction
gold in organic synthesis Part 2. Preparation of benzyl-alkyl and -arylketones via C–C coupling, **220**, 1
investigation of the dithiocarbamate-induced coupling of allylidene and carbonyl ligands on a tungsten center, **220**, 335
Cross-coupling
chele- and anticheleselectivity IV. Reaction-accelerating neighboring-group effects in the cross-coupling of vinylbromides with alkyl-transition metal reagents, **220**, 85
Cross-coupling reaction
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
Crown ether complexes
synthesis and crystal structure of $[GdCl_2$(dibenzo-18-crown-6)-(MeCN)$][SbCl_6]\cdot 2MeCN$, dibenzo-18-crown-6 = 2,3,11,12-dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene, **215**, 209
influence of pendant cyanoalkyl side-arms on the stabilities of metal ion complexes of monoaza- and diaza-18-crown-6 ethers in methanol, **219**, 31
structures of isomeric substituted 14-crown-4 ethers and their LiSCN complexes, **223**, 125
electrochemical recognition of Group 1 and 2 metal cations by redox-active ionophores, **225**, 137
Crown thioether complexes
synthesis and complexation behaviour of a double-armed crown thioether ligand, **217**, 1
Cryptand complexes
the complexation of divalent metal ions by the cryptands 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.8.2]eicosane, -[8.8.5]tricosane and -[8.8.8]hexacosane in aqueous solution, **215**, 79
Cryptate complexes
syntheses, spectroscopy and crystal structure of several binuclear silver(I) cryptates, **223**, 181
Crystal structures
towards a model for galactose oxidase: the crystal structure of {2-[bis(2-pyridylethyl)aminomethyl]phenolato} copper(II) perchlorate, **215**, 1
preparation and structural characterization of $Rh_2(O_2CCPh_3)_4(EtOH)_2$, $Ru_2(O_2CCPh_3)_4(H_2O)(EtOH)\cdot 2EtOH$ and $Mo_2(O_2CCPh_3)_4\cdot 3CH_2Cl_2$, **215**, 9
cyclometallated derivatives of platinum(II) derived from 1,4-benzodiazepin-2-ones. Crystal and molecular structure of Pt(L)(HL)Cl (HL = 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2*H*-1,4-benzodiazepin-2-one, DIAZEPAM), a molecule containing a neutral and a deprotonated 1,4-benzodiazepin-2-one, **215**, 17
the structure of $(CH_3)_3SI_3$. Comparison between the structure in the solid and liquid state, **215**, 33
phosphine and phosphine oxide adducts of vanadium(IV) chloride: synthesis and structural studies, **215**, 47
mixed-ligand copper(II) complexes with iminodiacetato and 2- or 4-methylimidazole: molecular and crystal structure of the 'remote' isomer iminodiacetato(5-methylimidazole)-copper(II) monohydrate, $[Cu(IDA)(5MeImH)]\cdot H_2O$, **215**, 73
synthesis and characterization of lead(II)–semicarbazone complexes. Crystal structures of dinitrato di-2-pyridylketone semicarbazone lead(II) and dichloro cyclohexane-1,2-dione bis(semicarbazone) dimethylformamide lead(II), **215**, 85
cyclometallation of *N*,*N*-dimethylbenzo[*b*]furan-2-carbothio (and seleno) amides with palladium(II), ruthenium(II) and rhodium(III), **215**, 91
the unusual crystallographic disorder of M_2 units in $M_2Cl_4(PEt_3)_4$ (M = Re, Mo), **215**, 103
synthesis, crystal and molecular structures, UV–Vis spectroscopy and electrochemical properties of two iron(III) phenolate complexes, **215**, 123
preparation, structure and catecholase-mimetic activity of two mononuclear ferrocenecarboxylate copper(II) complexes, **215**, 131
neutral transition metal complexes with the tridentate ligand 4-(5-methyl-4-imidazolyl)-3-thiabutanoic acid. A series of isostructural octahedral compounds, **215**, 151
mixed-ligand complexes of rhenium II. Synthesis and characterization of $[ReN(X)(Me_2PhP)_2(R_2tcb)]$ complexes (X = I, N_3, SCN, CN; R_2tcb^- = *N*-(*N*,*N*-dialkyl- thiocarbamoylbenzamidinate)). X-ray crystal structure of $[ReN(N_3)(Me_2PhP)_2(Et_2tcb)]$, **215**, 159
preparation and characterization of $[(LL)Cl_2Mo]_2(\mu\text{-}SPr)_2$ compounds with Pr = n-propyl and LL = $PrSCH_2CH_2SPr$ and $Et_2PCH_2CH_2PEt_2$. Further examples of C–S bond cleavage and oxidative addition across an Mo–Mo quadruple bond, **215**, 191

the crystal structure of a chelate silver(I) complex: $\{Ag[Ph_2P(CH_2)_2SCH_2CH_3]_2\}ClO_4$, **215**, 199
synthesis and crystal structure of $[GdCl_2$(dibenzo-18-crown-6)-(MeCN)$][SbCl_6]\cdot 2MeCN$, dibenzo-18-crown-6 = 2,3,11,12-dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene, **215**, 209
synthesis of bis- or tris(pentafluorophenyl) thallium(III) complexes with bidentate ligands. X-ray crystal structure of $[Tl(C_6F_5)_2(acac)\{(O)Ph_2PCH_2PPh_2(O)\}]$, **215**, 229
two silicon-bridged cyclopentadienyl Fe_2S_4 cluster units connected through an $Fe(III)S_6$ unit. Crystal and molecular structure of $[((CH_3)_2SiCp'_2)_2Fe_5(\mu_3\text{-}S_2)_2(\mu_4\text{-}S_2)_2(\mu_4\text{-}S_4)]FeCl_4$, **216**, 1
$[\{Ni(3,2,3\text{-tet})(\mu\text{-}NCO)\}_n](ClO_4)_n$: structural characterization of the first monodimensional nickel(II)–cyanato system with a description of its ferromagnetic coupling, **216**, 5
a tris-(μ_2-I) face-sharing dizirconium(III) complex, $[1,4\text{-}Zr_2I_7(PEt_3)_2]^-$; the first such dizirconium species, **216**, 9
oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3\text{-}(H_2O)_9]\text{-}(CH_3\cdot C_6H_4\cdot SO_3)_8\cdot 30H_2O$, **216**, 13
dithiocarbamates of dimethylthallium(III). Crystal structure of dimethyl(di-n-propyldithiocarbamato)thallium(III), **216**, 15
binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen) and related ligands, **216**, 21
mixed-ligand complexes of rhenium III. Synthesis, characterisation and structures of $[ReN(Me_2PhP)_2(mnt)]$ and $[ReN(Me_2PhP)(2,6\text{-}DMTP)(morphtcb)]$ (Me_2PhP = dimethylphenylphosphine; 2,6-$DMTP^-$ = 2,6-dimethylthiophenolate; $morphtcb^-$ = *N*-(morpholinylthiocarbonyl)-benzamidinate), **216**, 31
transition metal compounds of the tridentate pyrazole substituted amine ligand bis(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine (ddae). X-ray structures of $[Co(ddae)\text{-}(NO_3)_2]$, $[Cu(ddae)(NO_3)(H_2O)](NO_3)$ and $[Cu(ddae)\text{-}(Cl)_2]\cdot C_2H_5OH$, **216**, 43
unexpected five-coordination in di(1,3-diaminopropane)-3,5-dinitrobenzoatocopper(II) 3,5-dinitrobenzoate. Comparison between the coordinated and non-coordinated anions, **216**, 57
a polymeric two-dimensional mixed-metal network. Crystal structure and magnetic properties of $\{[P(Ph)_4]\text{-}[MnCr(ox)_3]\}_n$, **216**, 65
synthesis and characterization of platinum(II)–thiolate complexes. Crystal and molecular structures of *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)Cl$ and *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)_2$, **216**, 83
bulky substituent effects on the iron(III) complexation of 1,4,7-triazacyclononane, **216**, 89
evidence of the interaction between steric and electronic influence in rhodoximes and cobaloximes. Synthesis of $pyRh(DH)_2I$ and X-ray structure of $pyRh(DH)_2Cl$, $pyCo(DH)_2Cl$ and $pyRh(DH)_2I$, **216**, 125
octahedral μ-oxalato–nickel(II) dinuclear complexes with water and tridentate amines as blocking ligands: magnetostructural correlations, **216**, 139
structure and spectroscopic properties of [di(3-aminopropyl)amine-*N,N',N''*][iminodiacetato-*N,O,O'*]chromium(III) perchlorate, **216**, 155
molecular and crystal structures of *cis*-$Pt(DMSO)(C_2H_5CN)Cl_2$ and $Cl(DMSO)Pt(\mu\text{-}N(CH_3)CHO)_2Pt(DMSO)Cl$, **216**, 163
diorganotin(IV) derivatives of salicylaldehydethiosemicarbazone. The crystal structure of dimethyl- and diphenyl-(salicylaldehydethiosemicarbazonato)tin(IV), **216**, 169
ionic cluster dithiophosphinates $[Mo_3S_4(R_2PS_2)_3py_3]^+[MI_3]^-$ (M = Zn·py, Cd·py, Hg), **216**, 177
crystal structure, magnetic and spectroscopic properties of the bis(dimethyl sulfoxide) adduct of tetra-μ-formato-dicopper(II), a new tetracarboxylato-bridged copper(II) dimer, **216**, 185
evidence of the $W(O)(S_2)_2$ core as an intermediate in the acidification of WS_4^{2-}. Structural characterization of $W(O)(S_2)_2(bpy)$ and $W(O)(S_2)_2(phen)$, **216**, 201
polyfunctional phosphine ligands II. Iridium(I) complexes of the 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy) ligand. X-ray crystal structure of $[\{Ir(cod)Cl\}_2(\mu\text{-}dpnapy)]$, **216**, 209
isothiocyanato complexes of rhenium II. Synthesis, characterization and structures of $ReN(NCS)_2(Me_2PhP)_3$ and $Re(NS)(NCS)_2(Me_2PhP)_3$, **216**, 223
cobalt(III) complexes with 2-acetyl- and 2-formylpyridine ^4N-methylthiosemicarbazones, **216**, 229
a novel amino acid-binding receptor based on weak non-covalent ligand–ligand interactions, **216**, 249
synthesis, characterization and crystal structure of $(C_3H_5N_2)_2[Sn_2(NO_3)_4(\mu\text{-}OH)_2Me_4]$, a di-$\mu$-hydroxo-bridged compound with heptacoordinated tin(IV), **216**, 257
synthesis, crystal structure and thermal stability of the $MgCl_2$ formamide adduct, **216**, 261
trimethylgallium based phosphinogallanes. Synthesis and molecular structure of $[Me_2Ga\text{–}P(SiMe_3)_2]_2$, **216**, 267
a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7
a novel tetranuclear iodoargentate(I) ion, $[Ag_4I_8]^{4-}$, with a cubane-type core, **217**, 15
interaction of the lysine side chain amino group with Cu^{II} in (glycyl-L-lysine^{2-})Cu, **217**, 33
magnetic properties and crystal structure of $\{\mu$-pyrazine$\}$-bis[(aqua)(2,6-xylylaminodiacetato)copper(II)]. A pyrazine-bridged dinuclear copper(II) complex, **217**, 39
syntheses of dinuclear gold(I) ring complexes containing 1,1-dicyanoethene-2,2-dithiolate-*S,S* and bis(diphosphines) as bridging ligands. X-ray crystal structure of $[Au_2\mu\text{-}(i\text{-}MNT)\mu\text{-}(dppee)]$, **217**, 45
bis(2-diphenylphosphinoethyl)phenylphosphineruthenium(II) complexes of amino acids and dipeptides, **217**, 51
spectroscopic investigation of dichloro and hydrazido(2−) derivatives of bis(dithiocarbamato)dioxomolybdenum(VI) compounds. Crystal and molecular structure of bis(diisobutyldithiocarbamato)(*N,N*-dimethylhydrazido(2−)-*N'*)-oxomolybdenum(VI), **217**, 61
spectroscopic and structural studies on volatile gallium β-diketonates as potential precursors for MOCVD, **217**, 71
a mixed-metal salt comprised of metal–metal bonded dinuclear ions: structure and properties of $[Rh_2(OAc)_2(MeCN)_6][Re_2Cl_8]$, **217**, 79
mercury and platinum mixed cluster having a prismatic structure, $[HgPt_6(2,6\text{-}Me_2C_6H_3NC)_{12}]$, **217**, 121
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
nucleophilic addition of water to coordinated di-(2-pyridyl)-ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK\cdot H)^+[\{ReOCl_2\text{-}(DPK\cdot OH)\}_2Cl]$, **217**, 141
synthesis and characterization of Cd(II) complexes of cinoxacin. Crystal structure of a dicadmium complex containing two monoatomic-bridging carboxylate oxygen atoms, **217**, 149

complexes of mercuric halides with the tripod ligand np_3 ($=N(CH_2CH_2PPh_2)_3$). Molecular structure of $[(np_3)HgI]I \cdot 0.5C_2H_5OH$, **217**, 155
synthesis and characterization of symmetric and unsymmetric oxo-bridged trinuclear chromium benzoate complexes: crystal and molecular structure of $[Cr_3O(O_2CPh)_6(py)_3]ClO_4$, **217**, 171
synthesis and structure of $Zr_2Cl_4(\eta^6\text{-}C_6H_5PMe_2)_2(PMe_2Ph)_2$, an arene complex of zirconium(II), **217**, 187
functionalised phosphines: structure of bis(2-aminophenyldiphenylphosphine-κ^2N,P)copper(I) perchlorate ethanol solvate, **217**, 191
the synthesis and crystal structure of $[Cr(acacen)py_2][ZnCl_3py]$, **217**, 195
synthesis and characterization of phosphane-substituted hydroxyruthenocenes: crystal structure of $[Ru(\eta^5\text{-}C_5H_4PPh_3)(\eta^5\text{-}C_5H_4OH)]PF_6$, **217**, 203
azacryptand host for lead: NMR and structural studies, **218**, 5
molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e = Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph = Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter, **218**, 9
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
substituent effect on the coordination ability of the amide group of N-protected amino acids, **218**, 53
hydrothermal synthesis and crystal and molecular structure of a three-dimensional vanado-arsonate $(NH_4)_3[(VO)(V_2O_3)(AsO_4)_2(HAsO_4)]$, exhibiting both $\{V\text{–}O\text{–}V\}_\infty$ chains and isolated $\{V_2O_3\}$ units, **218**, 59
organometallic complexes of ruthenium(IV) with bidentate oxygen and nitrogen donor ligands, **218**, 81
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
synthesis, structural characterization and dioxygen reactivity of imidazole-ligated Cu(I) complexes, **218**, 103
preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex, **218**, 109
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-}MeU)_2] \cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles, **218**, 117
lithium coordination to amino acids and peptides. Synthesis, spectroscopic characterization and structure determination of lithium complexes of neutral and anionic glycine and diglycine, **218**, 121
main group metal halide complexes with sterically hindered thioureas XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds, **218**, 133
new heptacoordinated tin complexes of 2,6-diacetylpyridine-bis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of $[MeSnCl(Hdaptsc)]Cl \cdot MeOH$ and $[MeSnCl(H_2dapsc)]Cl_2 \cdot 2H_2O$, **218**, 139
preparation and crystal structure of *anti*-$(\eta^3\text{:}\eta^5$-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143
conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitrato-bis(1,3-diaminopropane)copper(II), **218**, 151
synthesis and characterization of oxorhenium(V)–catecholate complexes. Crystal and molecular structures of $(CH_3)_4N[ReO(O_2C_6H_4)_2]$ and $(CH_3)_4N[ReO(PPh_3)\text{-}(O_2C_6H_4)_2] \cdot CH_3OH$, **218**, 157
antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex, **218**, 167
coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with $–SiMe_2–$ or $–TiCp_2–$ bridges. Structures of $[(OC)_3Mn(C_5Br_4–)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4–)]_2TiCp_2$, **218**, 173
structural characterization of octahedral metal complexes of $[MX_3(py)_3]$ type with three pyridines as revealed by ^2H NMR spectra, **218**, 179
crystal structure and magnetic properties of the first 1D nickel(II) complex with bridging thiocyanato ligands in *cis* position: {*catena*-($\mu_{N,S}$-NCS)$[Ni(en)_2]$}(PF_6), **218**, 185
orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of $Rh_2(O_2CCF_3)_2\text{-}[(C_6H_4)PPh_2]_2 \cdot (PPh_3)_2 \cdot 2(C_7H_8)$, **218**, 189
preparation and structure of $[PhPt(OCO_2H)(PEt_3)_2]$ and $[PhPt(OH_2)(PEt_3)_2]BF_4$, **218**, 199
cyclopalladated *p*-azoxyanisole complexes. Synthesis and structure of {[bis(2-phenylpyridine)][4′-(methoxyphenyl-*NNO*-azoxy-N^2)-4-methoxyphenyl-2-ato]palladium(II)}-(tetrafluoroborate), **218**, 211
novel metal thiolates: $[Mn_2(SC_6H_3\{SiMe_3\}_2)_4(C_4H_8O)]$, a binuclear manganese thiolate complex with tetrahedral and trigonal-planar metal coordination, **219**, 1
a new class of dinuclear compounds: the synthesis and X-ray structural characterization of tris(μ-diphenyl- formamidinato)diiron, **219**, 7
crystal and molecular structure of the solvate of bis(2,6-bis(1′-methylbenzimidazol-2′-yl)pyridine)cobalt(II) dihexafluorophosphate with 4-methyl-1,3-dioxolan-2-on, **219**, 11
dimolybdenum(II) and diruthenium(II) complexes with 2-substituted 7-methyl-1,8-naphthyridines as bridging ligands, **219**, 23
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands 2. Crystal and molecular structure of *N,N′*-1,2-ethane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II), *N,N′*-1,2-*cis*-cyclohexane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II) and *N,N′*-1,2-benzene-1,2-diyl-bis(3,5-dichlorosalicylideneiminate)nickel(II), **219**, 43
zinc(II) and cadmium(II) complexes of the potentially tridentate ligands 2-[[2-pyridinylmethyl)amino]methyl]phenol (HSALAMP) and 2-[[[2-(2-pyridinyl)ethyl]amino]methyl]-phenol (HSALAEP). X-ray crystal structures of the $[Zn(SALAMP)(NO_3)]_2$ and the $[Cd(SALAEP)(NO_3)]_2$ dimers, **219**, 55
organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of $[(\eta^6\text{-}C_6Me_6)Ru\{\mu\text{-}P(O)(OMe)_2\}(\mu\text{-}Pz)_2Re(CO)_3]$ (Me = methyl, Pz = pyrazolate), **219**, 67
transition metal complexes with sulfur ligands Part CII. Changes in configuration and reactivity caused by alkyl substituents R in [Fe(L)('N_RS_4')] complexes (L = CO, NO^+, NO, PMe_3, N_2H_4; R = CH_3, $CH_2CH_2CO_2CH_3$, $CH_2CH_2CO_2^-$), **219**, 75
the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes $\eta^5\text{-}RC_5H_4(CO)_2M(\mu\text{-}R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93
synthesis, crystal structure and spectroscopic properties of bis(diphenyldithiophosphinato)cadmium(II), **219**, 115

reactions of the polynuclear chain complex $[Cu(L)(H_2O)]_n$ (H_2L is 5-[(2′-carboxyphenyl)azo]-1,3-dimethylbarbituric acid) with imidazole. Crystal structures of the dinuclear and mononuclear derivatives and EPR study of the dimer–monomer equilibrium in solution, **219**, 127
preparation, properties and coordination behaviour of planar or tridimensional compartmental Schiff bases, **219**, 135
new methods for synthesis of platinum(II) dimethyl sulfide complexes, **219**, 155
coordination polymers of Mn(II) with the ligand pyrazine-2,3,5,6-tetracarboxylic acid, **219**, 161
variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of $[Cu(pdmg)Cu(bipy)(H_2O)_2](ClO_4)_2 \cdot H_2O$, **219**, 179
synthesis and X-ray crystal structure of *cis*-1,4-diaminocyclohexanetetrachloroplatinum(IV): a new antitumor agent, **219**, 193
the synthesis, structure and hydrolytic activity of a functional pentacoordinate zinc complex, **219**, 205
synthesis and X-ray structure of [acenaphthene–chromium(0)-dicarbonyl-tri(2,3,5-trimethylphenyl)phosphite], **219**, 209
bis(2-mercaptopyridine-*N*-oxide)oxovanadium(IV): synthesis, structure and its conversion to the dichloro complex, **219**, 213
synthesis of 5,6-dihydro-4*H*-1,3-oxazines from neutral and cationic platinum(II) nitrile complexes. X-ray structure of *trans*-$[Pt(CF_3)\{N{=}C(Ph)OCH_2CH_2CH_2\}(PPh_3)_2]BF_4$, **220**, 21
photochemical reactions of transition metal organyl complexes with olefins Part 10. Light-induced formal [5 + 2] cycloadditions at manganese, **220**, 77
preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m.n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115
reactions of benzocyclobutene chromium complexes with carbon, nitrogen and oxygen nucleophiles: nucleophilic addition and unexpected proximal ring opening reactions, **220**, 175
dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193
reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu\text{-}dppm)]$ and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3'}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu\text{-}dppm)] \cdot Et_2O$, **220**, 201
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233
direct nitration of aryl groups σ-bound to ruthenium(II), **220**, 261
the synthesis and reactions of A-ring aromatic steroid complexes of manganese tricarbonyl, **220**, 297
$[Rh_2(O_2CCH_3)_4TCNE]_x$ polymers: isomers with either 1,1- or *trans*-1,2-TCNE bridges, **221**, 1
ten-vertex polyhedral dicarbaborane chemistry: new positional isomers of cluster constituents in the ten-vertex *arachno* dicarbaborane family: the parent [*arachno*-5,10-$C_2B_8H_{13}]^-$ anion and the isomeric ligand derivatives *exo*-9-L-arachno-5,6-$C_2B_8H_{12}$ and *exo*-6-L-*arachno*-5,10-$C_2B_8H_{12}$, **221**, 5
an ethyl–cobalt complex with a buckled equatorial ligand, **221**, 35
π-facial selectivities in the coordination of an optically pure fused cyclopentadienyl ligand to arene ruthenium moieties. NMR spectral and structural characterization of a single diastereomer of $[(PCp)Ru(Me_6C_6)]PF_6$, **221**, 41
synthesis, characterization and X-ray crystal structure of the benzenedithiolatohafnium(IV) porphyrin complex, **221**, 51
synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacetylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacetylpyridine bis(thiosemicarbazonato)}tin(IV) bis(dimethylformamide) solvate, **221**, 61
crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93
nickel(II) and manganese(II) complexes of substituted phenanthroline ligands, **221**, 99
synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$, **221**, 109
synthesis and X-ray structural determination of pentamethylcyclopentadienyl dichloro oxo molybdenum, **221**, 147
binuclear complexes from 1,8-substituted anthracene derivatives. The crystal structure of [{μ-[1,8-anthracenedicarboxaldehydebis(dimethylhydrazone)]}tetrachlorobis(η^2-ethylene)di-platinum], **221**, 151
the reaction of $CpRu(PPh_3)_2^+$ with trimethylenesulfide. Synthesis and molecular and crystal structure of $[CpRu(PPh_3)_2(SC_3H_6)]CF_3SO_3$, **221**, 157
synthesis and molecular structure of two crystalline forms of hydrated cerium(III) picrate, **221**, 169
synthesis, characterization and X-ray crystal structure of ethylenediamine(orotato)palladium(II), **221**, 173
zn(II) complexes with thiopyrimidine derivatives: solution study, synthesis and crystal structure of a zig-zag chain zinc(II) complex with the ligand 4,6-dimethyl-2-thiopyrimidine, **221**, 177
chiral metal complexes 40. The sterically mediated hydrolysis of a coordinated imine, **221**, 191
palladium-assisted formation of carbon–carbon bonds Part 2. Stoichiometric synthesis of spirocyclic compounds. X-ray structure of a π-allylic palladium intermediate, **222**, 1
spontaneous formation of a 1D-coordination polymer with helix structure starting from (*S*)-pyroglutamic acid and copper(II) acetate, **222**, 5
synthesis and structure of $Cr(CO)_3$ complexes of biphenyl compounds with axial chirality, **222**, 63
carbonyl carbene coupling on cationic η^2-carbene complexes of molybdenum and tungsten, **222**, 77
addition of carbanions to tris(trimethylphosphine)(cyclooctadiene)- iridium(I) chloride: three different modes of reaction depending on the nature of the carbanion, **222**, 135
intermediates in the palladium-catalysed reaction of 1,3-dienes Part 8. The reaction of palladium–butadiene complexes with ethyl methylacetoacetate, **222**, 179
insertion of NH into the rhenium–carbon bonds of a Fischer-type rhenacyclobutadiene. Preparation and characterization of azarhenacyclic complexes, **222**, 199
synthesis and structure of new chiral ferrocenylphosphines for asymmetric catalysis, **222**, 213
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
reactions of $[Au(C_6F_5)(SC_4H_8)]$ with diazoalkanes. Synthesis and molecular structures of $[Au(C_6F_5)\text{-}(Ph_2C{=}N{-}N{=}CPh_2)]$, **222**, 267
a novel reaction of the cyano ligand opening an organometallic route to 4-amino imidazoles: four component condensation (4CC) with isocyanide, aldehyde and amine, **222**, 275

nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305
reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-$[PtCl_2\{N(H)=C(Ph)NCH_2CH_2\}_2]$, **222**, 327
synthesis, structure and solid state polymerization of diaquabis(propynoato)magnesium, **222**, 339
reaction of primary silanes with dinuclear rhodium hydride complexes: silane coupling reactions, **222**, 345
extrusion of molecular clusters from solid-state materials: synthesis by application of γ-irradiation. Molecular and crystal structure of $(H_9O_4)(Et_4N)[Mo_3S_7Br_6]$, **223**, 5
binuclear platinum(II) complexes of 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4) containing various bridging ligands as spacers between the P4 coordination units, **223**, 13
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21
synthesis, structure and stability of complexes of lanthanide nitrates with $[(MeO)_2P(O)]_2C(OH)Ph$ and the isomeric $(MeO)_2P(O)OCHPhP(O)(OMe)_2$, **223**, 43
di- and tetranuclear gold(II) complexes with dithiocarbamate and related ligands. X-ray structure of $[Au_2(\mu\text{-}CH_2PPh_2CH_2)_2(S_2CNMe_2)_2]$, **223**, 55
the reactions of thiolate ligands with rhenium hydrides Part 1. The syntheses and structures of $[ReO(SC_6H_3\text{-}2,6\text{-}Me_2)_3(PPh_3)]$ and $[Re(SC_6H_3\text{-}2,6\text{-}Me_2)_3(PPh_2H)(PPh_3)]$, **223**, 63
synthesis, spectroscopic and structural characterization of methyl pyruvate- and pyridoxal-hydrazinopyruvoylthiosemicarbazones, **223**, 77
direct electrochemical synthesis of tin(IV) complexes of 2-(2-mercaptoethyl)iminomethyl-phenols; the molecular structure of bis{2-(2-mercaptoethyl)iminomethyl-5-bromo-phenoxy}-tin(IV), **223**, 87
the $Zr_6Cl_{12}(PMe_2Ph)_6$ molecule revisited: a directed synthesis, **223**, 93
metal complexes of 5-acetyl-2,2′-pyridylthiophene aroylhydrazones. Crystal structure of a cobalt(II) derivative, **223**, 97
structures of isomeric substituted 14-crown-4 ethers and their LiSCN complexes, **223**, 125
synthesis, properties and molecular structure of copper(II) and cobalt(II) 1,2-bis(pyrazol-1-ylmethyl)benzene complexes, **223**, 139
synthesis and X-ray analysis of the dirhodium(II,II) carboxylate complex $Rh_2(O_2CCH_3)_4(formH)_2$ (formH = *N,N′*-di-*p*-tolylformamidine), **223**, 145
thermodynamics of complexation of the uranyl(VI) ion with benzoate. The crystal structure of sodium tris(benzoato) dioxouranate dihydrate, $Na[(PhCO_2)_3UO_2]\cdot 2H_2O$, **223**, 151
synthesis and characterization of the new peroxo complex aquaoxodiperoxoimidazolemolybdenum(VI), **223**, 173
syntheses, spectroscopy and crystal structure of several binuclear silver(I) cryptates, **223**, 181
synthesis, characterization and crystal structures of two *cis*-dioxo vanadium(V) complexes of monoanionic tridentate Schiff base ligands, **223**, 193
divalent iron formamidinato complexes: a highly distorted dinuclear compound, **224**, 5
a new functionalised oligopyridine ligand containing ferrocene as a ball-bearing spacer for metallosupramolecular chemistry, **224**, 11
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2(\text{'}S_4\text{'})]$ and $[Fe(CO)(\text{'}S_5\text{'})]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); 'S_5'$^{2-}$ = 2,2′-bis(2-mercaptophenylthio)diethylsulfide(2−)), **224**, 45
transition metal complexes with sulfur ligands CIII. $[(\mu\text{-}S_2)\{Fe(\mu\text{-}\text{'}S_4\text{'})\}_2]$, a novel [2Fe–2S] cluster with octahedral low-spin $[Fe^{II}S_6]$ centers ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **224**, 35
transition metal complexes with sulfur ligands CVI. Phosphine and azido $[Fe(L)(\text{'}N_HS_4\text{'})]$ complexes; structural characterization of the key complex $[Fe(\text{'}N_HS_4\text{'})]\cdot THF$ (L = PMe_3, PBu_3, PMe_2Ph, $PMePh_2$, N_3^-; 'N_HS_4'$^{2-}$ = dianion of 2,2′-bis(2-mercaptophenylthio)diethylamine), **224**, 61
phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81
di-manganese carbonyl compounds containing bis(dicyclohexylphosphino)methane (dcpm) ligation, **224**, 105
electrochemical behavior and X-ray crystal structure of the unusual dimeric ruthenium(cyclooctadiene) complex, (tri-μ-chloro)(chloro)(acetonitrile)bis(η^4-cyclooctadiene)diruthenium(II), **224**, 125
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)$-η^5-C_6H_6}$Mn(CO)_3$], **224**, 147
synthesis, structure and properties of the polychalcogenides $[M_4Te_{12}]^{4-}$ (M = Cd, Hg), **224**, 163
crystal structure and magnetic property of a 2D infinite layered copper(II) complex with bridging *trans*-oxamidate and pyrimidine ligands, **224**, 171
isothiocyanato complexes of rhenium III. Synthesis and characterization of $[ReN(NCS)_2(Ph_3P)_2]$ and $[ReN(NCS)_2(CH_3CN)(Ph_3P)_2]$. X-ray crystal structure of $[ReN(NCS)_2(CH_3CN)(Ph_3P)_2]\cdot CH_3CN$, **224**, 193
crystal structure of a binuclear vanadium(III) complex with a new tripodal ligand, $[V_2Cl_4(tped)(EtOH)_2]\cdot 2EtOH$, **224**, 199
the oxidation of $[Co(edta)]^{2-}$ by $[Co(phen)_3]$, **225**, 75
mixed valence state associated with halogen migration in diruthenocenylmethane and its related compounds, **225**, 103
electrochemical recognition of Group 1 and 2 metal cations by redox-active ionophores, **225**, 137
transition metal complexes with sulfur ligands Part CVII. Complexes of the $[Mo(NO)(\text{'}S_4\text{'})]$ fragment with 16, 17 and 18 valence electrons ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **225**, 163
indium(III) halide–3,5-di-tert-butyl-*o*-benzosemiquinone systems, **225**, 207
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)$-$Fe_4S_5](PF_6)_n$ (n = 1 and 2) ($Cp' = \eta^5$-C_5Me_5). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of $[Fe_4N(CO)_{11}PPh_3)]$, **226**, 1
crystal structure and solid-state fluorescence of an oxomolybdenum(V)–benzylviologen electron donor–acceptor salt, **226**, 25
valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-}DBQ)_2$ (M = Mn, Fe, Co) series, **226**, 91
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: preparation and X-ray structure of $[(en)Pd(1\text{-}MeT)_2Na_2](NO_3)_2\cdot H_2O$ (1-MeT = 1-methylthymine anion), **227**, 5
the synthesis, X-ray structure and hydrolysis kinetics of chloro(2-aminomethylpyridine)(triamine)chromium(III) salts, **227**, 11
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2

unsaturated ligand derived from dithiocarboxylic acid, **227**, 25
one-equivalent oxidative charge storage on an $[Mn_2O_2]^{3+}$ core: synthesis, crystal structure and resonance Raman spectra of $[Mn_2O_2(pbz)_4]^{n+}$ ($n=3$, 4), **227**, 33
synthesis and crystal structure of the μ_2-{tris[bis-(diphenylphosphine)methane]}-μ_3-3-methyl-8-ethyl-xanthine-*N*,*O*,*O*]-μ_3-chloro-triangle-tricopper(I)-water complex exhibiting a novel oxopurine coordination mode, **227**, 43
solid state and solution studies of a T-shaped gold(I) complex: $Au[(C_6H_5)_2PCH_2N(C_6H_5)_2]_2Cl$, **227**, 85
synthesis of some dinuclear niobium chloro alkoxy carboxylates $[Nb_2Cl_4(OEt)_4(O_2CR)_2]$, and the X-ray crystal and molecular structure of the compound with R = Ph, **227**, 99
structural, spectroscopic and potentiometric investigation on the coordination properties of 4-NO_2-hippuric acid towards Cu(II) in binary and ternary systems, **227**, 105
heteronuclear metal cluster complexes with a new coordination mode of the $Fe_2S_2(CO)_6$ unit. Synthesis, structure and possible reaction pathway of the first Fe–Cu–S cluster compound, $[Fe_6Cu_5S_6(CO)_{18}(PPh_3)_2]$, **227**, 119
preparation, structural and physical studies of mercury(II) halide complexes with the N,N′-chelating biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline, **227**, 129
synthesis, crystal structure and characterization of nickel(0) acrylonitrile complexes with a bidentate N-donor ligand, **227**, 137
synthesis and structural analysis of *trans*-$Cp(CO)_2(PPh_3)WHgCl$, **227**, 145
alkylation of 2-vinylpyridine and crystal structure of bis{(acetylacetonate)(1-pyridylbutyl)nickel(II)} complex, **227**, 149
NQR studies of polyhalocuprate(I) anions, **227**, 153
structures of a monomeric and a dimeric Ni(II) complex containing 2-acetylpyrrole, **227**, 159
ten-vertex polyhedral azametallaborane chemistry. An *arachno*-6,9-azaplatinadecaborane and a *nido*-6,8-azaruthenadecaborane, **227**, 163
the preparation, properties and crystal structure of a salt containing the hexabromochromate(III) anion, **227**, 167
the synthesis and crystal structure of ethylenedinitrilotetraacetamidoxime nickel(II) sulfate trihydrate, **227**, 171
synthesis and X-ray structure of the dinuclear μ-5,5′-diamino-3,3′-bis-1,2,4-triazolato(1−)-bis(diethylenetriaminecopper(II)) triperchlorate, $[\{Cu(dien)\}_2Hdabt](ClO_4)_3$, **227**, 181
a new type of face-sharing bioctahedral triply bonded diniobium cluster $(PyH)[Nb_2(\mu\text{-}Cl)_2(\mu\text{-}THT)Cl_3(Py)_3](THF)(C_6H_6)_{0.5}$, made by a designed synthesis, **227**, 191
structural characterization of bidentate carboxylate derivatives of copper(I) bistriphenylphosphine, **227**, 223
synthesis and experimental/theoretical investigation of the high-nuclearity cubic T_d $[Au_6Ni_{12}(CO)_{24}]^{2-}$ cluster, an initial example of a discrete gold–nickel bimetallic-bonded species: comparative analysis of the results of electron-counting methods and the Fenske–Hall MO model in rationalizing the bonding interactions of its Au_6Ni_{12} core consisting of five face-fused metal octahedra, **227**, 269

Cuboidal complexes
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157

Cyanate complexes
$[\{Ni(3,2,3\text{-tet})(\mu\text{-}NCO)\}_n](ClO_4)_n$: structural characterization of the first monodimensional nickel(II)–cyanato system with a description of its ferromagnetic coupling, **216**, 5

Cyanato complexes
crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93

Cyanide complexes
cobalt chloride and phase-transfer catalyzed carbonylation of benzyl chlorides, **216**, 97

Cyanoalkyl complexes
influence of pendant cyanoalkyl side-arms on the stabilities of metal ion complexes of monoaza- and diaza-18-crown-6 ethers in methanol, **219**, 31

Cyano complexes
interaction of cyanopentaamminechromium(III) with mercuric ion. Electrochemical, spectral and preparative study of adduct formation and linkage isomerism, **216**, 113
synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121
a novel reaction of the cyano ligand opening an organometallic route to 4-amino imidazoles: four component condensation (4CC) with isocyanide, aldehyde and amine, **222**, 275
properties of the mixed-valence binuclear complex ion, $[(NH_3)_5Ru^{III}\text{–}NC\text{–}Os^{II}(CN)_5]$, **223**, 37
the use of pressure-tuning spectroscopy to distinguish between one- and two-electron transfer processes, **225**, 89
the construction of molecular systems capable of photoinduced multielectron charge transfer: a photochemical analysis of the reactivity of $[(CN)_5Fe^{II}\text{–}(CN)\text{–}Pt^{IV}(L)_4\text{–}(NC)\text{–}Fe^{II}(CN)_5]^{4-}$ (L = NH_3, ethylenediamine), **226**, 251

Cyclic voltammetry
electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285

Cyclization
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145

Cycloaddition reaction
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305

Cycloaddition reactions
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233

Cyclodextrin complexes
the kinetics of electron-transfer reactions of the $[FeCp(CpCH_2N(CH_3)_3]^{+/2+}$ couple in the presence of cyclodextrins in aqueous media, **225**, 51

Cyclohexadienyl complexes
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)$-η^5-C_6H_6}$Mn(CO)_3$], **224**, 147

Cyclometallated complexes
cyclometallation of *N*,*N*-dimethylbenzo[*b*]furan-2-carbothio (and seleno) amides with palladium(II), ruthenium(II) and rhodium(III), **215**, 91

Cyclometallated ligand complexes
cyclometallated derivatives of platinum(II) derived from 1,4-benzodiazepin-2-ones. Crystal and molecular structure of Pt(L)(HL)Cl (HL = 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2*H*-1,4-benzodiazepin-2-one, DIAZEPAM), a molecule containing a neutral and a deprotonated 1,4-benzodiazepin-2-one, **215**, 17

Cyclometallation
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115

Cyclopalladate complexes
cyclopalladated *p*-azoxyanisole complexes. Synthesis and structure of {[bis(2-phenylpyridine)][4′-(methoxyphenyl-*NNO*-

azoxy-N^2)-4-methoxyphenyl-2-ato]palladium(II)}-(tetrafluoroborate), **218**, 211
Cyclopentadienyl complexes
NMR parameters as steric probes for arylcyclopentadienyl iron complexes, **215**, 139
synthesis and fluxional behaviour of (cyclopentadienyl) and (pentamethylcyclopentadienyl)ruthenium(II) complexes with hemilabile ether-phosphines. ^{31}P DNMR spectroscopic studies and line shape analysis, **215**, 165
two silicon-bridged cyclopentadienyl Fe_2S_4 cluster units connected through an Fe(III)S_6 unit. Crystal and molecular structure of $[((CH_3)_2SiCp'_2)_2Fe_5(\mu_3\text{-}S_2)_2(\mu_4\text{-}S_2)_2(\mu_4\text{-}S_4)]FeCl_4$, **216**, 1
^1H NMR analysis of some η^6-(substituted aryl phenylsulfonylacetonitrile)-η^5-cyclopentadienyliron cations, **219**, 221
ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35
π-facial selectivities in the coordination of an optically pure fused cyclopentadienyl ligand to arene ruthenium moieties. NMR spectral and structural characterization of a single diastereomer of $[(PCp)Ru(Me_6C_6)]PF_6$, **221**, 41
an investigation of electron transfer properties of $(Cp)Mn(CO)_3$ and substituted Cp derivatives, **221**, 85
synthesis and X-ray structural determination of pentamethylcyclopentadienyl dichloro oxo molybdenum, **221**, 147
the reaction of $CpRu(PPh_3)_2^+$ with trimethylenesulfide. Synthesis and molecular and crystal structure of $[CpRu(PPh_3)_2(SC_3H_6)]CF_3SO_3$, **221**, 157
carbon dioxide fixation by $Cp_2(\eta^3\text{-allyl})Ti$ complexes generated from various dienes, **222**, 145
transition-metal silyl complexes 51. Preparation of the mixed silyl/stannyl complexes $(\pi\text{-}C_5H_5)Fe(CO)(SnPh_3)(SiR_3)H$, **224**, 177
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)Fe_4S_5](PF_6)_n$ ($n=1$ and 2) ($Cp'=\eta^5\text{-}C_5Me_5$). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
synthesis and structural analysis of *trans*-$Cp(CO)_2(PPh_3)WHgCl$, **227**, 145
Cyclopentadienylruthenium complexes
synthesis, molecular structure and electrochemical investigation of the 1,2,5-thiadiazole-3,4-dithiolate-substituted complex Cp*Ru(NO)(tdas). Evidence for nitrosyl bending during reduction, **226**, 267
Cyclopropanation
dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
a one-pot synthesis of cyclopropanes from aromatic aldehydes and styrene via iron carbene complexes, **223**, 159
Cytochrome *c*
volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95
intramolecular electron transfer between Ru(I) and Ru(III) and the heme iron of cytochrome *c* labeled with ruthenium(II) polypyridine complexes, **226**, 129

Decarboxylation
the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9
Depalladation
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115
Dextran complexes
Mössbauer spectroscopy of iron dextran: comparison of solid and frozen solution, **223**, 9
Dialkyl complexes
organoplatinum(II) complexes containing disubstituted dithioxamides: evidence for an S,S′ Pt coordinated neutral dithioxamide acting as an anion binding agent, **227**, 63
Diamine complexes
the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9
a potentiometric study on the complexation of Ag(I) with various N-methyl and C-methyl substituted ethylenediamines in 1 M NO_3, **224**, 97
equilibrium studies of 1,2-diaminobenzene and 3,4-diaminobenzoate anion with dinuclear cobalt(II) 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane, **227**, 49
Diazoalkane complexes
reactions of $[Au(C_6F_5)(SC_4H_8)]$ with diazoalkanes. Synthesis and molecular structures of $[Au(C_6F_5)(Ph_2C{=}N{-}N{=}CPh_2)]$, **222**, 267
Dicarbaborane complexes
ten-vertex polyhedral dicarbaborane chemistry: new positional isomers of cluster constituents in the ten-vertex *arachno* dicarbaborane family: the parent [*arachno*-5,10-$C_2B_8H_{13}]^-$ anion and the isomeric ligand derivatives *exo*-9-L-arachno-5,6-$C_2B_8H_{12}$ and *exo*-6-L-*arachno*-5,10-$C_2B_8H_{12}$, **221**, 5
Dicyanamido complexes
solvent trapped valency in the [bis(pentaammineruthenium)-(μ-1,4-dicyanamidobenzene)] trication, **225**, 123
Diels–Alder reactions
manganese and tungsten carbene complex mediated intramolecular Diels–Alder reactions, **222**, 291
Diene
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305
Diene complexes
addition of carbanions to tris(trimethylphosphine)-(cyclooctadiene)iridium(I) chloride: three different modes of reaction depending on the nature of the carbanion, **222**, 135
intermediates in the palladium-catalysed reaction of 1,3-dienes Part 8. The reaction of palladium–butadiene complexes with ethyl methylacetoacetate, **222**, 179
electrochemical behavior and X-ray crystal structure of the unusual dimeric ruthenium(cyclooctadiene) complex, (tri-μ-chloro)(chloro)(acetonitrile)bis(η^4-cyclooctadiene)-diruthenium(II), **224**, 125
Diimine complexes
light induced exchange energy transfer reactions of micelle forming Ru(II) diimine complexes, **225**, 275
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
β-Diketonate complexes
a novel route to the second-generation alkaline-earth metal precursors for metal-organic chemical vapour deposition: one-step synthesis of $M(hfa)_2\cdot$tetraglyme (M = Ba, Sr, Ca and Hhfa = 1,1,1,5,5,5-hexafluoro-2,4-pentanedione), **224**, 203
Dimeric complexes

structures of a monomeric and a dimeric Ni(II) complex containing 2-acetylpyrrole, **227**, 159

Dimerization

regio- and stereoselective dimerization of 1-alkynes catalyzed by an Os(II) complex, **220**, 5

Dimethyl sulfoxide complexes

metal complexes of benzodiazepines. Kinetic properties of bromazepam toward square planar dimethyl sulfoxide complexes of platinum(II) and palladium(II), **215**, 41

Dinuclear complexes

preparation and structural characterization of $Rh_2(O_2CCPh_3)_4(EtOH)_2$, $Ru_2(O_2CCPh_3)_4$-$(H_2O)(EtOH)\cdot 2EtOH$ and $Mo_2(O_2CCPh_3)_4\cdot 3CH_2Cl_2$, **215**, 9

preparation and characterization of $[(LL)Cl_2Mo]_2(\mu\text{-}SPr)_2$ compounds with Pr = n-propyl and LL = $PrSCH_2CH_2SPr$ and $Et_2PCH_2CH_2PEt_2$. Further examples of C–S bond cleavage and oxidative addition across an Mo–Mo quadruple bond, **215**, 191

pyrazine-mediated antiferromagnetic intermolecular exchange in mixed-valent diruthenium tetracarboxylates, **215**, 203

a tris-(μ_2-I) face-sharing dizirconium(III) complex, [1,4-$Zr_2I_7(PEt_3)_2]^-$; the first such dizirconium species, **216**, 9

a polymeric two-dimensional mixed-metal network. Crystal structure and magnetic properties of $\{[P(Ph)_4]$-$[MnCr(ox)_3]\}_n$, **216**, 65

dirhenium(III) complexes with *N,N*-dimethyladenine and 7-azaindole, **216**, 131

octahedral μ-oxalato–nickel(II) dinuclear complexes with water and tridentate amines as blocking ligands: magnetostructural correlations, **216**, 139

crystal structure, magnetic and spectroscopic properties of the bis(dimethyl sulfoxide) adduct of tetra-μ-formato-dicopper(II), a new tetracarboxylato-bridged copper(II) dimer, **216**, 185

geometrical and optical isomers of the dinickel complexes of two chiral ligands of the N,N′-disubstituted oxamide type: 1D and 2D NMR study, **216**, 237

synthesis, characterization and crystal structure of $(C_3H_5N_2)_2[Sn_2(NO_3)_4$- $(\mu\text{-}OH)_2Me_4]$, a di-μ-hydroxo-bridged compound with heptacoordinated tin(IV), **216**, 257

electrochemical investigation of the electron-poor/precise (n = 5/6) complexes $[Fe_2(CO)_n(\mu\text{-}PR_2)(\mu\text{-}PR'_2)]$ (n = 5, R = R′ = Bu^t; n = 6, R = R′ = Ph; R = Bu^t, R′ = Ph; R = Bu^t, R′ = Cy). EPR study of the radical anion $[Fe_2(\mu\text{-}PBu^t_2)_2(CO)_5]$, **217**, 29

magnetic properties and crystal structure of $\{\mu$-pyrazine$\}$-bis[(aqua)(2,6-xylylaminodiacetato)copper(II)]. A pyrazine-bridged dinuclear copper(II) complex, **217**, 39

syntheses of dinuclear gold(I) ring complexes containing 1,1-dicyanoethene-2,2-dithiolate-*S,S* and bis(diphosphines) as bridging ligands. X-ray crystal structure of $[Au_2\mu$-(i-MNT)μ-(dppee)], **217**, 45

a mixed-metal salt comprised of metal–metal bonded dinuclear ions: structure and properties of $[Rh_2(OAc)_2$-$(MeCN)_6][Re_2Cl_8]$, **217**, 79

synthesis and characterization of Cd(II) complexes of cinoxacin. Crystal structure of a dicadmium complex containing two monoatomic-bridging carboxylate oxygen atoms, **217**, 149

insertion reaction of dimethylacetylenedicarboxylate with the head-to-tail isomer of $Pt_2I_2(\mu\text{-}Ppy_3)_2$; Ppy_3 = tris(2-pyridyl)phosphine, **217**, 209

preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex, **218**, 109

preparation and crystal structure of *anti*-(η^3:η^5-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143

coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with –$SiMe_2$– or –$TiCp_2$– bridges. Structures of $[(OC)_3Mn(C_5Br_4\text{–})]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4\text{–})]_2TiCp_2$, **218**, 173

orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of $Rh_2(O_2CCF_3)_2$-$[(C_6H_4)PPh_2]_2\cdot(PPh_3)_2\cdot 2(C_7H_8)$, **218**, 189

a new class of dinuclear compounds: the synthesis and X-ray structural characterization of tris(μ-diphenylformamidinato)diiron, **219**, 7

dimolybdenum(II) and diruthenium(II) complexes with 2-substituted 7-methyl-1,8-naphthyridines as bridging ligands, **219**, 23

variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of $[Cu(pdmg)Cu(bipy)(H_2O)_2](ClO_4)_2\cdot H_2O$, **219**, 179

dirhodium(II) tetrakis[*N,N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193

reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu$-dppm)] and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3\prime}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu$-dppm)]$\cdot Et_2O$, **220**, 201

synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$, **221**, 109

reaction of primary silanes with dinuclear rhodium hydride complexes: silane coupling reactions, **222**, 345

synthesis and reactions of the novel sulfonium-methylidene complex $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(H)(SMe_2)\}]SO_3CF_3$, **223**, 31

synthesis and X-ray analysis of the dirhodium(II,II) carboxylate complex $Rh_2(O_2CCH_3)_4(formH)_2$ (formH = *N,N′*-di-*p*-tolylformamidine), **223**, 145

divalent iron formamidinato complexes: a highly distorted dinuclear compound, **224**, 5

di-manganese carbonyl compounds containing bis(dicyclohexylphosphino)methane (dcpm) ligation, **224**, 105

electrochemical behavior and X-ray crystal structure of the unusual dimeric ruthenium(cyclooctadiene) complex, (tri-μ-chloro)(chloro)(acetonitrile)bis(η^4-cyclooctadiene)diruthenium(II), **224**, 125

crystal structure of a binuclear vanadium(III) complex with a new tripodal ligand, $[V_2Cl_4(tped)(EtOH)_2]\cdot 2EtOH$, **224**, 199

synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191

metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201

synthesis, electrochemistry and photoexcited-state properties of dinuclear ruthenium complexes bridged by 2,6′-bis(2-pyridyl)-2,2′:6,2″-thiazolo[4,5-*d*]-benzothiazole, **226**, 17

solvent, electrolyte and solute shape effects on optical electron transfer in mixed-valence ruthenium ammine dimers, **226**, 137

synthesis of some dinuclear niobium chloro alkoxy carboxylates $[Nb_2Cl_4(OEt)_4(O_2CR)_2]$, and the X-ray crystal and molecular structure of the compound with R = Ph, **227**, 99

preparation, structural and physical studies of mercury(II) halide complexes with the N,N′-chelating biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline, **227**, 129

synthesis and X-ray structure of the dinuclear μ-5,5′-diamino-3,3′-bis-1,2,4-triazolato(1−)-bis(diethylenetriamine-copper(II)) triperchlorate, $[\{Cu(dien)\}_2Hdabt](ClO_4)_3$, **227**, 181

a new type of face-sharing bioctahedral triply bonded diniobium cluster $(PyH)[Nb_2(\mu\text{-}Cl)_2(\mu\text{-}THT)Cl_3(Py)_3]\text{-}(THF)(C_6H_6)_{0.5}$, made by a designed synthesis, **227**, 191

Dinucleating ligand complexes

geometrical and optical isomers of the dinickel complexes of two chiral ligands of the N,N′-disubstituted oxamide type: 1D and 2D NMR study, **216**, 237

Dioxygen complexes

preparation and dioxygen binding property of a new zeolite encapsulated cobalt tetramethylporphin complex, **217**, 135

synthesis, structural characterization and dioxygen reactivity of imidazole-ligated Cu(I) complexes, **218**, 103

Dioxygen reduction

electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215

Diphosphine complexes

syntheses of dinuclear gold(I) ring complexes containing 1,1-dicyanoethene-2,2-dithiolate-*S*,*S* and bis(diphosphines) as bridging ligands. X-ray crystal structure of $[Au_2\mu\text{-}(i\text{-}MNT)\mu\text{-}(dppee)]$, **217**, 45

bite angle dependence of the rate of reductive elimination from diphosphine palladium complexes, **220**, 249

palladium complex catalysed synthesis of sulfinic acids, sulfinic acid esters, sulfonic acids and *S*-alkyl alkanethiosulfonates, **222**, 381

Diphosphito complexes

metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201

Dithiocarbamate complexes

methyl dithiocarbamate gold(I) and gold(III) complexes. Synthesis and reactivity with amines, **215**, 215

dithiocarbamates of dimethylthallium(III). Crystal structure of dimethyl(di-n-propyldithiocarbamato)thallium(III), **216**, 15

spectroscopic investigation of dichloro and hydrazido(2−) derivatives of bis(dithiocarbamato)dioxomolybdenum(VI) compounds. Crystal and molecular structure of bis(diisobutyldithiocarbamato)(*N*,*N*-dimethylhydrazido(2−)-*N*′)-oxomolybdenum(VI), **217**, 61

Dithiocarbamate ligand

investigation of the dithiocarbamate-induced coupling of allylidene and carbonyl ligands on a tungsten center, **220**, 335

Dithiocarbamato complexes

di- and tetranuclear gold(II) complexes with dithiocarbamate and related ligands. X-ray structure of $[Au_2(\mu\text{-}CH_2PPh_2CH_2)_2(S_2CNMe_2)_2]$, **223**, 55

Dithiocarboxylic acid derived ligand

synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25

Dithiolate complexes

syntheses of dinuclear gold(I) ring complexes containing 1,1-dicyanoethene-2,2-dithiolate-*S*,*S* and bis(diphosphines) as bridging ligands. X-ray crystal structure of $[Au_2\mu\text{-}(i\text{-}MNT)\mu\text{-}(dppee)]$, **217**, 45

Dithiolato complexes

synthesis, characterization and X-ray crystal structure of the benzenedithiolatohafnium(IV) porphyrin complex, **221**, 51

Dithiolene complexes

preparation and properties of a metal dithiolene conductor, partially oxidized salt of tetra(n-butyl)ammonium bis(5,6-dithio-benzo[*d*]-1,3-dithiole-2-thione) nickelate, $(n\text{-}Bu_4N)_{0.29}[Ni(dmbit)_2]$, **216**, 147

Dithiophosphinate complexes

ionic cluster dithiophosphinates $[Mo_3S_4(R_2PS_2)_3py_3]^+[MI_3]^-$ (M = Zn·py, Cd·py, Hg), **216**, 177

Dithioxamide complexes

organoplatinum(II) complexes containing disubstituted dithioxamides: evidence for an S,S′ Pt coordinated neutral dithioxamide acting as an anion binding agent, **227**, 63

Divalent ion complexes

stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21

Divinylcyclopropane complexes

bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327

π–σ Donor–acceptor electronic coupling

forbidden π–σ donor–acceptor electronic coupling in linked transition metal complexes: contrasting behavior of ruthenium(II) donors with ruthenium(III) and cobalt(III) acceptors, **226**, 109

Double complex salt

electron transfer quenching of the excited MLCT state of Ru(II) in the double complex salts $[Ru(bpy)_3]_2\text{-}[M(CN)_6]Cl\cdot 8H_2O$ (M = Co and Fe), **226**, 203

β-Effect

electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145

Electric properties

preparation and properties of a metal dithiolene conductor, partially oxidized salt of tetra(n-butyl)ammonium bis(5,6-dithio-benzo[*d*]-1,3-dithiole-2-thione) nickelate, $(n\text{-}Bu_4N)_{0.29}[Ni(dmbit)_2]$, **216**, 147

Electrocatalysis

electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215

electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285

ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53

Electrochemical Peltier heat

thermometric determination of electrochemical Peltier heat (thermal effect associated with electron transfer) of some redox couples, **226**, 69

Electrochemistry

redox reactions of an Mo(V) tetrasulfophthalocyanine, **215**, 27

synthesis, crystal and molecular structures, UV–Vis spectroscopy and electrochemical properties of two iron(III) phenolate complexes, **215**, 123

interaction of cyanopentaamminechromium(III) with mercuric ion. Electrochemical, spectral and preparative study of adduct formation and linkage isomerism, **216**, 113

electrochemical investigation of the electron-poor/precise ($n = 5/6$) complexes $[Fe_2(CO)_n(\mu\text{-}PR_2)(\mu\text{-}PR'_2)]$ ($n = 5$, $R = R' = Bu^t$; $n = 6$, $R = R' = Ph$; $R = Bu^t$, $R' = Ph$; $R = Bu^t$, $R' = Cy$). EPR study of the radical anion $[Fe_2(\mu\text{-}PBu^t_2)_2(CO)_5]$, **217**, 29

synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
heterodinuclear Ni(II)M(II) (M = Pb, Mn, Fe, Co, Ni, Cu, Zn) complexes of a phenol-based dinucleating macrocycle with dissimilar 4- and 5-coordination sites, **218**, 27
electrochemistry of organometallic halide complexes III. Oxidation of $[C_6Me_6RuCl_2]_2$, **218**, 33
estrogen derivatives of transition metal complexes for analytical detection enhancement. Part II, **218**, 207
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands 2. Crystal and molecular structure of *N,N'*-1,2-ethane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II), *N,N'*-1,2-*cis*-cyclohexane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II) and *N,N'*-1,2-benzene-1,2-diyl-bis(3,5-dichlorosalicylideneiminate)nickel(II), **219**, 43
ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands, **221**, 55
molybdenum complexes with sterically-hindered thio-carboxylate ligands. Electrochemical properties of the anionic complex bis(2,2-diphenyl-2-mercaptoethanoate)dioxomolybdate(VI) in protic solvents, **221**, 117
direct electrochemical synthesis of tin(IV) complexes of 2-(2-mercaptoethyl)iminomethyl-phenols; the molecular structure of bis{2-(2-mercaptoethyl)iminomethyl-5-bromo-phenoxy}-tin(IV), **223**, 87
synthesis, spectra and electrochemical behaviour of biomimetic copper(II) complexes with CuN_5 and CuN_6 chromophores, **224**, 19
the synthesis, and UV–Vis, electrochemical, photochemical and intervalence characterization of tetraammine and tris chelated ruthenium(II) complexes bound to the bridging ligand dipyrido(2,3-*a*;2',3'-*h*)phenazine (dpop), **224**, 27
reactions of $HCCo_3(CO)_9$ with silanes; synthesis and electrochemistry of $X[SiMe_2CCo_3(CO)_9]_2$ (X = O, 1,4-C_6H_4), **224**, 73
electrochemical behavior and X-ray crystal structure of the unusual dimeric ruthenium(cyclooctadiene) complex, (tri-μ-chloro)(chloro)(acetonitrile)bis(η^4-cyclooctadiene)diruthenium(II), **224**, 125
multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137
electron transfer in *trans*-$[Pt(PPh_3)_2(-C{\equiv}C\text{–}Fc)_2]$ and related compounds, **225**, 35
electrochemistry of nitrite reductase model compounds 5. Electrochemistry and spectroelectrochemistry of iron porphinone, porphindione and isobacteriochlorin complexes, **225**, 57
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2'-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
ligand nature of coordinated NO_2^- in the oxidation reaction of Ru(II) complexes, $[Ru(NO_2)(OH_2)(py)_{4-2n}(bpy)_n]^+$ (n = 0, 1, 2), and their related complexes, **225**, 111
solvent trapped valency in the [bis(pentaammineruthenium)-(μ-1,4-dicyanamidobenzene)] trication, **225**, 123
electrochemical recognition of Group 1 and 2 metal cations by redox-active ionophores, **225**, 137
synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)Fe_4S_5](PF_6)_n$ (n = 1 and 2) ($Cp' = \eta^5$-C_5Me_5). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
controlling the acidity of the carboxylic group by a ferrocene based redox switch, **225**, 239
the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of $[Fe_4N(CO)_{11}PPh_3)]$, **226**, 1
electron-transfer activation of the aminocarbyne and the hydrogen isocyanide complexes *trans*-$[ReCl(CNH_n)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]_{n-1}$ (n = 2 or 1). Interconversion of coordinated CNH_2 and CNH, **226**, 9
electron transfer in the electrochemistry of metals, metal compounds and metal complexes, **226**, 99
quenching of a polypyridyl–ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M = Mo, W; L = tris(3,5-dimethylpyrazolyl)hydroborate), **226**, 171
reaction of low-valent iron porphyrins with alkyl containing supporting electrolytes, **226**, 195
chemical and electrochemical approaches to the investigation of redox reactions of simple electron transfer metalloproteins, **226**, 293
redox behavior of the iron–sulfur cluster $[Fe_4Cp_4S_5][PF_6]_2$ in protic organic solvents and aqueous micellar solutions, **226**, 341

Electrode
electron transfer in surfactant films on electrodes; copper phthalocyaninetetrasulfonate–didodecyldimethylammonium bromide, **226**, 159

Electronic delocalization
the electronic structure of pentaammine(pyrazine) ruthenium(II) and (III): the metal–ligand π conjugation and its implications in electron delocalization, **226**, 43

Electronic excitation spectroscopy
spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines, **221**, 17

Electronic interactions
inter-chromophore electronic interactions in ligand-bridged polynuclear complexes: a comparative study of various bridging ligands, **226**, 213

Electronic structures
crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$, **221**, 93
the electronic structure of pentaammine(pyrazine) ruthenium(II) and (III): the metal–ligand π conjugation and its implications in electron delocalization, **226**, 43

Electron-localized states
the influence of spin-forbidden monomer excitations on spin-allowed electron transfer and electron-localized states of mixed-valence and single-valence dimeric systems, **226**, 33

Electron transfer
stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L = *N,N'*-[(pyridine-2,6-diyl)bis(methylene)]bis[proline] (promp) and *N,N'*-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73
an investigation of electron transfer properties of $(Cp)Mn(CO)_3$ and substituted Cp derivatives, **221**, 85
effect of substituting sulfur for oxygen on the heterogeneous electron transfer kinetics of oxomolybdenum(V) hydrotris-(3,5-dimethyl-1-pyrazolyl)borate complexes, **225**, 1
dependence of electron transfer kinetics of the ferrocene/ferrocenium couple on the viscosity in ambient temperature chloroaluminate ionic liquids, **225**, 9

charge and electron transfer from metal-to-carbon bonds of main group organometallics MR_n (M = Al, Ga, Zn) to aromatic N-heterocycles: colored precursor compounds and radical complex formation, **225**, 23
electron transfer in *trans*-$[Pt(PPh_3)_2(-C{\equiv}C\text{-}Fc)_2]$ and related compounds, **225**, 35
the kinetics of electron-transfer reactions of the $[FeCp(CpCH_2N(CH_3)_3]^{+/2+}$ couple in the presence of cyclodextrins in aqueous media, **225**, 51
the oxidation of $[Co(edta)]^{2-}$ by $[Co(phen)_3]$, **225**, 75
electron transfer 122. Reductions of an N_4-coordinated complex of silver(III), **225**, 83
the use of pressure-tuning spectroscopy to distinguish between one- and two-electron transfer processes, **225**, 89
volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157
comparison of the rates of substitution in $[Ru(NH_3)_5H_2O]^{3+}$ and $[Os(NH_3)_5H_2O]^{3+}$ by hexacyano complexes: substitution coupled to electron transfer, **225**, 173
indium(III) halide–3,5-di-tert-butyl-*o*-benzosemiquinone systems, **225**, 207
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)Fe_4S_5](PF_6)_n$ ($n = 1$ and 2) ($Cp' = \eta^5\text{-}C_5Me_5$). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297
electron transfer properties of ReO(ECD), **225**, 323
infrared spectroelectrochemistry of $[Rh(TM4)_4M(CO)_5]_2^{2+}$ (TM4 = 2,5-diisocyano-2,5-dimethylhexane; M = Re, Mn): electron-transfer-promoted metal–metal bond cleavage and formation, **226**, 61
electron transfer in the electrochemistry of metals, metal compounds and metal complexes, **226**, 99
electron transfer reduction of cobalt tetraphenylporphyrin by hydroquinone dianions and alkylation with alkyl halides, **226**, 145
electron transfer in surfactant films on electrodes; copper phthalocyaninetetrasulfonate–didodecyldimethylammonium bromide, **226**, 159
chemical and electrochemical approaches to the investigation of redox reactions of simple electron transfer metalloproteins, **226**, 293
Electron transfer activation
electron-transfer activation of the aminocarbyne and the hydrogen isocyanide complexes *trans*-$[ReCl(CNH_n)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]_{n-1}$ ($n = 2$ or 1). Interconversion of coordinated CNH_2 and CNH, **226**, 9
Electron transfer catalyst
use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323
Electron transfer process
light-induced electron transfer in lead(II)gold(I) dicyanide, **226**, 345
Electron transfer reactions
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
basis set effects on the direct calculation of intermolecular coupling elements for electron transfer reactions, **226**, 237
direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285
Electrophilic addition
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145
Electrospray mass spectrometry
π-bonded alkene and arene complexes of silver(I): an electrospray mass spectrometric study, **220**, 99
positive and negative ion electrospray mass spectrometric studies of some amino acids and glutathione, and their interactions with alkali metal ions and methylmercury(II), **223**, 103
multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137
β-Elimination
volumes of activation for β-elimination and related reactions of chromium(III)–alkyl complexes in aqueous solutions, **227**, 57
Enamines
synthesis of stable tail-to-tail-conjugated primary enamines containing hetarene substituents, **222**, 193
Enantioselective synthesis
enantioselective synthesis of ferrocene analogs of hexestrol and estradiol; recognition towards estradiol receptors, **222**, 51
Enantioselectivity
the importance of phosphine-to-rhodium ratios in enantioselective hydroborations, **220**, 93
dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal carbene transformations, **220**, 193
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
Energy gap law
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
Energy transfer reactions
light induced exchange energy transfer reactions of micelle forming Ru(II) diimine complexes, **225**, 275
Enolate complexes
the preparation of chiral titanium reagents: a comparison of new and known ligands, **222**, 95
Enthalpy
direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285
Enzyme complexes
methane as the product of reaction of methyl-coenzyme-M with monovalent nickel complexes in aqueous solutions. A model for the in vivo activity of cofactor F_{430}, **227**, 1
Epoxidation
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
EPR spectra
synthesis, spectra and electrochemical behaviour of biomimetic copper(II) complexes with CuN_5 and CuN_6 chromophores, **224**, 19
EPR spectroscopy

the anomalous EPR spectra of the iron(III) dichalcogenocarbamates, **217**, 101
Equilibrium studies
equilibrium and spectroscopic studies of diethyltin(IV) complexes formed with carbohydrate derivatives of thiazolidine-4-carboxylic acid, **218**, 65
equilibrium studies of 1,2-diaminobenzene and 3,4-diaminobenzoate anion with dinuclear cobalt(II) 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane, **227**, 49
the equilibrium between acetyl- and methylcobalt tetracarbonyl, **227**, 211
ESR study
ESR studies on distortion in the macrocyclic ring of copper(II) chlorophylls, **224**, 181
Esterification
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
Estradiol complexes
the synthesis and reactions of A-ring aromatic steroid complexes of manganese tricarbonyl, **220**, 297
Estrogen complexes
estrogen derivatives of transition metal complexes for analytical detection enhancement. Part II, **218**, 207
Estrone complexes
the synthesis and reactions of A-ring aromatic steroid complexes of manganese tricarbonyl, **220**, 297
Ether-phosphine complexes
synthesis and fluxional behaviour of (cyclopentadienyl) and (pentamethylcyclopentadienyl)ruthenium(II) complexes with hemilabile ether-phosphines. ^{31}P DNMR spectroscopic studies and line shape analysis, **215**, 165
Europium complexes
an europium(III) complex as an efficient catalyst for the Michael reaction of α,β-enones with ketene silyl acetals: LIS-NMR analysis for the transition state through complexation between europium(III) catalyst and enones, **222**, 377
luminescent europium(III) and terbium(III) ions encapsulated in a 2-aminoethoxy or carbamoyloxy substituted calixarene host, **227**, 293
EXAFS
EXAFS investigation on nickel substituted Cu,Zn bovine superoxide dismutase, **216**, 121
EXAFS studies of a chiral rhenium lactone complex and its precursors including multiple scattering calculations, **222**, 27
Excitation transfer
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
Exo and *endo* isomers
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)$-η^5-C_6H_6}$Mn(CO)_3$], **224**, 147

Fast atom bombardment mass spectrometry
liquid matrix induced processes in fast atom bombardment mass spectrometry of polyazacrown transition metal complexes, **219**, 85
Fenske–Hall MO calculation
synthesis and experimental/theoretical investigation of the high-nuclearity cubic T_d $[Au_6Ni_{12}(CO)_{24}]^{2-}$ cluster, an initial example of a discrete gold–nickel bimetallic-bonded species: comparative analysis of the results of electron-counting methods and the Fenske–Hall MO model in rationalizing the bonding interactions of its Au_6Ni_{12} core consisting of five face-fused metal octahedra, **227**, 269
Ferrate complexes
kinetics and mechanism of the ferrate oxidation of hydrazine and monomethylhydrazine, **225**, 145
Ferrocene
enantioselective synthesis of ferrocene analogs of hexestrol and estradiol; recognition towards estradiol receptors, **222**, 51
Ferrocene/ferrocenium couple
dependence of electron transfer kinetics of the ferrocene/ferrocenium couple on the viscosity in ambient temperature chloroaluminate ionic liquids, **225**, 9
Ferrocene complexes
preparation, structure and catecholase-mimetic activity of two mononuclear ferrocenecarboxylate copper(II) complexes, **215**, 131
a new functionalised oligopyridine ligand containing ferrocene as a ball-bearing spacer for metallosupramolecular chemistry, **224**, 11
electrochemical recognition of Group 1 and 2 metal cations by redox-active ionophores, **225**, 137
controlling the acidity of the carboxylic group by a ferrocene based redox switch, **225**, 239
Ferrocene substituted complexes
the kinetics of electron-transfer reactions of the $[FeCp(CpCH_2N(CH_3)_3]^{+/2+}$ couple in the presence of cyclodextrins in aqueous media, **225**, 51
Ferrocenylcarboxylic acid complexes
controlling the acidity of the carboxylic group by a ferrocene based redox switch, **225**, 239
Ferrocenyl complexes
electron transfer in *trans*-$[Pt(PPh_3)_2(-C{\equiv}C-Fc)_2]$ and related compounds, **225**, 35
Ferrocenyl phosphine complexes
synthesis and structure of new chiral ferrocenylphosphines for asymmetric catalysis, **222**, 213
Fischer carbene complexes
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233
Fluoride complexes
uranium hexafluoride: laboratory scale synthesis, coordination behaviour towards nitriles and Raman spectra, **215**, 5
Formamide complexes
synthesis, crystal structure and thermal stability of the $MgCl_2$ formamide adduct, **216**, 261
Formamidinato complexes
a new class of dinuclear compounds: the synthesis and X-ray structural characterization of tris(μ-diphenyl- formamidinato)diiron, **219**, 7
divalent iron formamidinato complexes: a highly distorted dinuclear compound, **224**, 5
Formamido complexes
molecular and crystal structures of *cis*-$Pt(DMSO)(C_2H_5CN)Cl_2$ and $Cl(DMSO)Pt(\mu\text{-}N(CH_3)CHO)_2Pt(DMSO)Cl$, **216**, 163
Formation constants
equilibrium and spectroscopic studies of diethyltin(IV) complexes formed with carbohydrate derivatives of thiazolidine-4-carboxylic acid, **218**, 65
Four-state delineation
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
Free radical transfer
free radical-mediated electron transfer in organometallic complexes: homolysis and alkyl group crossover reactions for alkyliron(II) porphyrins, **226**, 231

Friedel–Crafts reaction
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145
Functionalized-phosphine complexes
functionalised phosphines: structure of bis(2-aminophenyldiphenylphosphine-κ^2N,P)copper(I) perchlorate ethanol solvate, **217**, 191
Furanone
rhodium-catalyzed synthesis of 2(5*H*)-furanones from terminal alkynes and non-substituted alkynes under water-gas shift reaction conditions, **220**, 45

Gadolinium complexes
synthesis and crystal structure of $[GdCl_2$(dibenzo-18-crown-6)-(MeCN)$][SbCl_6]\cdot 2MeCN$, dibenzo-18-crown-6 = 2,3,11,12-dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene, **215**, 209
stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate complexes, **221**, 165
Galactose oxidase complexes
towards a model for galactose oxidase: the crystal structure of {2-[bis(2-pyridylethyl)aminomethyl]phenolato} copper(II) perchlorate, **215**, 1
Gallium complexes
trimethylgallium based phosphinogallanes. Synthesis and molecular structure of $[Me_2Ga–P(SiMe_3)_2]_2$, **216**, 267
spectroscopic and structural studies on volatile gallium β-diketonates as potential precursors for MOCVD, **217**, 71
Gamma-irradiation
extrusion of molecular clusters from solid-state materials: synthesis by application of γ-irradiation. Molecular and crystal structure of $(H_9O_4)(Et_4N)[Mo_3S_7Br_6]$, **223**, 5
Gold complexes
methyl dithiocarbamate gold(I) and gold(III) complexes. Synthesis and reactivity with amines, **215**, 215
syntheses of dinuclear gold(I) ring complexes containing 1,1-dicyanoethene-2,2-dithiolate-*S*,*S* and bis(diphosphines) as bridging ligands. X-ray crystal structure of $[Au_2\mu$-(i-MNT)μ-(dppee)], **217**, 45
synthesis of water-soluble (tri(hydroxymethyl)phosphine)gold(I) complexes containing a nucleoside ligand, **217**, 201
gold in organic synthesis Part 2. Preparation of benzyl-alkyl and -arylketones via C–C coupling, **220**, 1
reactions of $[Au(C_6F_5)(SC_4H_8)]$ with diazoalkanes. Synthesis and molecular structures of $[Au(C_6F_5)$-$(Ph_2C{=}N{-}N{=}CPh_2)]$, **222**, 267
di- and tetranuclear gold(II) complexes with dithiocarbamate and related ligands. X-ray structure of $[Au_2(\mu$-$CH_2PPh_2CH_2)_2(S_2CNMe_2)_2]$, **223**, 55
solid state and solution studies of a T-shaped gold(I) complex: $Au[(C_6H_5)_2PCH_2N(C_6H_5)_2]_2Cl$, **227**, 85
Gold derivatives
bimolecular electron transfer at high driving forces. Photoreactions of gold(I) and iridium(I) complexes with pyridinium derivatives, **225**, 319
Gold–nickel cluster
synthesis and experimental/theoretical investigation of the high-nuclearity cubic T_d $[Au_6Ni_{12}(CO)_{24}]^{2-}$ cluster, an initial example of a discrete gold–nickel bimetallic-bonded species: comparative analysis of the results of electron-counting methods and the Fenske–Hall MO model in rationalizing the bonding interactions of its Au_6Ni_{12} core consisting of five face-fused metal octahedra, **227**, 269
Grignard reagent
magnesium bromide in Grignard reagent formation, **222**, 365

Hafnium complexes
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
synthesis, characterization and X-ray crystal structure of the benzenedithiolatohafnium(IV) porphyrin complex, **221**, 51
Halide complexes
phosphine and phosphine oxide adducts of vanadium(IV) chloride: synthesis and structural studies, **215**, 47
the unusual crystallographic disorder of M_2 units in $M_2Cl_4(PEt_3)_4$ (M = Re, Mo), **215**, 103
cobalt chloride and phase-transfer catalyzed carbonylation of benzyl chlorides, **216**, 97
molecular mechanical and quantum chemical study on the species involved in the hydrolysis of *cis*-diamminedichloroplatinum(II) and substituted bis(ethylenediamine)dichloroplatinum(II) complexes Part I. Reactants and products, **217**, 159
electrochemistry of organometallic halide complexes III. Oxidation of $[C_6Me_6RuCl_2]_2$, **218**, 33
ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35
uranium compounds as catalysts for aldolisation reactions, **222**, 91
indium(III) halide–3,5-di-tert-butyl-*o*-benzosemiquinone systems, **225**, 207
NQR studies of polyhalocuprate(I) anions, **227**, 153
Helicates
photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251
Hemocyanin model compounds
hemocyanin model compounds; a quantum mechanical calculation of geometry-dependent exchange interaction, **221**, 141
Hemoglobins
a spectroelectrochemical method for evaluating factors which regulate the redox potential of hemoglobins, **226**, 187
Hemoprotein enzyme
mesoferriheme regeneration from its hemoprotein enzyme compound I analog: absorption and kinetic properties of one- and two-electron oxidation products, **225**, 255
Heteroatom
synthesis, properties and reactions of sila-functional α-heteroatom-substituted organosilicon compounds, **220**, 129
Heterobimetallic complexes
syntheses of ruthenium–iridium heterobimetallic complexes using tridentate phosphine ligands, **227**, 79
Heterobinuclear complexes
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
Heterocyclic ligand complexes
intramolecular electron transfer from $Ru^{II}(EDTA)^{2-}$ to $Co^{III}(NH_3)_5^{3+}$ via nitrogen heterocycle bridging ligands, **225**, 129
Hexaazacyclophane complexes
reduction of hexaazacyclophane complexes of Co(II) and Cu(II) by $^{\bullet}CH_2OH$ and e_{sol}^-; a pulse radiolysis study, **226**, 151
Hexadentate ligand complexes
synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands Part 4. Circular dichroism of the *trans*(O_5O_6) isomer of a cobalt(III) complex of 1,3-propanediamine-*N*,*N*,*N*′-triacetic-*N*′-3-propionic acid, **219**, 147
Hexamethylbenzene complexes
electrochemistry of organometallic halide complexes III. Oxidation of $[C_6Me_6RuCl_2]_2$, **218**, 33
Hexaruthenium clusters

the formation of carbides in hexaruthenium carbonyl clusters, **227**, 197
Hippuric acid complexes
structural, spectroscopic and potentiometric investigation on the coordination properties of 4-NO_2-hippuric acid towards Cu(II) in binary and ternary systems, **227**, 105
Host
A 'calix[4]arened' porphyrin as a new host and an oxygen carrier model, **224**, 1
Hückel molecular orbital
synthesis, molecular structure and electrochemical investigation of the 1,2,5-thiadiazole-3,4-dithiolate-substituted complex Cp*Ru(NO)(tdas). Evidence for nitrosyl bending during reduction, **226**, 267
Hydration
hydration of conjugated dienes to produce ketones catalyzed by ruthenium complexes, **222**, 225
Hydrazine
kinetics and mechanism of the ferrate oxidation of hydrazine and monomethylhydrazine, **225**, 145
Hydrazone complexes
metal complexes of 5-acetyl-2,2′-pyridylthiophene aroylhydrazones. Crystal structure of a cobalt(II) derivative, **223**, 97
Hydride complexes
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
hydrozirconation/transmetalation of acetylenic stannanes. New 1,1-dimetallo reagents, **220**, 41
reaction of primary silanes with dinuclear rhodium hydride complexes: silane coupling reactions, **222**, 345
Hydrido complexes
cyclometallated derivatives of platinum(II) derived from 1,4-benzodiazepin-2-ones. Crystal and molecular structure of Pt(L)(HL)Cl (HL = 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2*H*-1,4-benzodiazepin-2-one, DIAZEPAM), a molecule containing a neutral and a deprotonated 1,4-benzodiazepin-2-one, **215**, 17
Hydroboration
the importance of phosphine-to-rhodium ratios in enantioselective hydroborations, **220**, 93
Hydrodehalogenation
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
Hydroformylation
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
Hydrogenation
the role of $H_2Ru(CO)_2(PBu_3)_2$ in the activation of alkynes and alkenes, **227**, 247
Hydrogen isocyanide complexes
electron-transfer activation of the aminocarbyne and the hydrogen isocyanide complexes *trans*-$[ReCl(CNH_n)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]_{n-1}$ ($n = 2$ or 1). Interconversion of coordinated CNH_2 and CNH, **226**, 9
Hydrolysis
synthesis and hydrolysis of an ester of the 'one ring open' hydrolysis product of the anticancer drug 1,2-bis(3,5-dioxopiperazin-l-yl)propane, 'Razoxane', **215**, 55
chiral metal complexes 40*. The sterically mediated hydrolysis of a coordinated imine, **221**, 191
the synthesis, X-ray structure and hydrolysis kinetics of chloro(2-aminomethylpyridine)(triamine)chromium(III) salts, **227**, 11
Hydrolytic activity
the synthesis, structure and hydrolytic activity of a functional pentacoordinate zinc complex, **219**, 205
Hydrosilylation
catalytic hydrosilylation of carbon monoxide with cobalt carbonyls, **222**, 131
Hydrosulfination
palladium complex catalysed synthesis of sulfinic acids, sulfinic acid esters, sulfonic acids and *S*-alkyl alkanethiosulfonates, **222**, 381
Hydroxo complexes
synthesis, characterization and crystal structure of $(C_3H_5N_2)_2[Sn_2(NO_3)_4(\mu\text{-}OH)_2Me_4]$, a di-$\mu$-hydroxo-bridged compound with heptacoordinated tin(IV), **216**, 257
Hydroxylation
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
Hydroxypyridinones
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21
Hydrozirconation
hydrozirconation/transmetalation of acetylenic stannanes. New 1,1-dimetallo reagents, **220**, 41

Imidazole complexes
mixed-ligand copper(II) complexes with iminodiacetato and 2- or 4-methylimidazole: molecular and crystal structure of the 'remote' isomer iminodiacetato(5-methylimidazole)-copper(II) monohydrate, $[Cu(IDA)(5MeImH)]\cdot H_2O$, **215**, 73
synthesis, structural characterization and dioxygen reactivity of imidazole-ligated Cu(I) complexes, **218**, 103
steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207
Imidazoles
a novel reaction of the cyano ligand opening an organometallic route to 4-amino imidazoles: four component condensation (4CC) with isocyanide, aldehyde and amine, **222**, 275
2-Imidazolines
reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-$[PtCl_2\{N(H)=C(Ph)NCH_2CH_2\}_2]$, **222**, 327
Imido complexes
reactions of the technetium(V) phenylimido complex $[TcX_3(NPh)(PPh_3)_2]$ with aromatic thiolate ligands (where X = Cl, Br), **218**, 97
phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81
Imine complexes
chiral metal complexes 40*. The sterically mediated hydrolysis of a coordinated imine, **221**, 191
a novel sodium template approach for preparing tetraimine macrocyles of 2,6-diformyl-4-methylphenol and diamino derivatives, **223**, 169
Imine hydrogenation
a comparison of catalytic activity for imine hydrogenation using Ru ditertiary phosphine complexes, including chiral systems, **222**, 85
Inclusion complexes
the kinetics of electron-transfer reactions of the $[FeCp(CpCH_2N(CH_3)_3]^{+/2+}$ couple in the presence of cyclodextrins in aqueous media, **225**, 51
Indenyl complexes
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopenta-

dienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
Indium complexes
oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3(H_2O)_9]\cdot(CH_3\cdot C_6H_4\cdot SO_3)_8\cdot 30H_2O$, **216**, 13
indium(III) halide–3,5-di-tert-butyl-*o*-benzosemiquinone systems, **225**, 207
Infrared Raman spectroscopy
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds, **227**, 241
Infrared spectroscopy
Raman and infrared spectroscopic studies of tris triphenyl phosphine chloride complexes of transition metals, **216**, 191
spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines, **221**, 17
Insertion
synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115
Insertion reactions
insertion reaction of dimethylacetylenedicarboxylate with the head-to-tail isomer of $Pt_2I_2(\mu\text{-}Ppy_3)_2$; Ppy_3 = tris(2-pyridyl)phosphine, **217**, 209
nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305
alkylation of 2-vinylpyridine and crystal structure of bis{(acetylacetonate)(1-pyridylbutyl)nickel(II)} complex, **227**, 149
Intermolecular coupling elements
basis set effects on the direct calculation of intermolecular coupling elements for electron transfer reactions, **226**, 237
Interstitial clusters
electron transfer reactions in non-stoichiometric ceria and urania, **225**, 305
Intervalence spectra
electron transfer reactions in non-stoichiometric ceria and urania, **225**, 305
Intervalence transfer
charge type effects on the temperature dependence of intervalence transfer in ferrocyanide substituted ruthenium(III) amine and aminopolycarboxylate compounds, **224**, 189
Intramolecular electron transfer
intramolecular electron transfer from $Ru^{II}(EDTA)^{2-}$ to $Co^{III}(NH_3)_5^{3+}$ via nitrogen heterocycle bridging ligands, **225**, 129
specific ion-pairing effects in weakly exoergic intramolecular electron transfer, **225**, 269
intramolecular electron transfer between Ru(I) and Ru(III) and the heme iron of cytochrome *c* labeled with ruthenium(II) polypyridine complexes, **226**, 129
Iodide complexes
a novel tetranuclear iodoargentate(I) ion, $[Ag_4I_8]^{4-}$, with a cubane-type core, **217**, 15
synthesis and characterization of uranium triiodide tetrakis(acetonitrile), **218**, 203
Iodo complexes
photoredox chemistry of iodomercurate(II) complexes in acetonitrile, **221**, 79
Ion-pairing
outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71
Ion-pairing effect
specific ion-pairing effects in weakly exoergic intramolecular electron transfer, **225**, 269
Ion pairs
spectroscopy and photoredox chemistry of ion-paired cobalt(III) am(m)ine complexes, **226**, 285
Iridium complexes
polyfunctional phosphine ligands II. Iridium(I) complexes of the 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy) ligand. X-ray crystal structure of $[\{Ir(cod)Cl\}_2(\mu\text{-dpnapy})]$, **216**, 209
addition of carbanions to tris(trimethylphosphine)(cyclooctadiene)iridium(I) chloride: three different modes of reaction depending on the nature of the carbanion, **222**, 135
syntheses of ruthenium–iridium heterobimetallic complexes using tridentate phosphine ligands, **227**, 79
Iridium derivatives
bimolecular electron transfer at high driving forces. Photoreactions of gold(I) and iridium(I) complexes with pyridinium derivatives, **225**, 319
Iron complexes
synthesis, crystal and molecular structures, UV–Vis spectroscopy and electrochemical properties of two iron(III) phenolate complexes, **215**, 123
NMR parameters as steric probes for arylcyclopentadienyl iron complexes, **215**, 139
solvent effects on acetylacetonato iron complexes, **215**, 185
two silicon-bridged cyclopentadienyl Fe_2S_4 cluster units connected through an $Fe(III)S_6$ unit. Crystal and molecular structure of $[((CH_3)_2SiCp'_2)_2Fe_5(\mu_3\text{-}S_2)_2(\mu_4\text{-}S_2)_2(\mu_4\text{-}S_4)]FeCl_4$, **216**, 1
binuclear oxo-bridged iron(III) complexes of *N*,*N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen) and related ligands, **216**, 21
bulky substituent effects on the iron(III) complexation of 1,4,7-triazacyclononane, **216**, 89
'insulation' to lattice effects on quadrupole splitting in the Mössbauer spectra of salts of $[Fe_4S_4(Cys)_4]^{2-}$, a ferredoxin model, **217**, 3
electrochemical investigation of the electron-poor/precise (n = 5/6) complexes $[Fe_2(CO)_n(\mu\text{-}PR_2)(\mu\text{-}PR'_2)]$ (n = 5, R = R' = Bu^t; n = 6, R = R' = Ph; R = Bu^t, R' = Ph; R = Bu^t, R' = Cy). EPR study of the radical anion $[Fe_2(\mu\text{-}PBu^t_2)_2(CO)_5]$, **217**, 29
the anomalous EPR spectra of the iron(III) dichalcogenocarbamates, **217**, 101
stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L = *N*,*N'*-[(pyridine-2,6-diyl)bis(methylene)]bis[proline] (promp) and *N*,*N'*-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73
a new class of dinuclear compounds: the synthesis and X-ray structural characterization of tris(μ-diphenylformamidinato)diiron, **219**, 7
transition metal complexes with sulfur ligands Part CII. Changes in configuration and reactivity caused by alkyl substituents R in $[Fe(L)('N_RS_4')]$ complexes (L = CO, NO^+, NO, PMe_3, N_2H_4; R = CH_3, $CH_2CH_2CO_2CH_3$, $CH_2CH_2CO_2^-$), **219**, 75
preparation, properties and coordination behaviour of planar or tridimensional compartmental Schiff bases, **219**, 135
equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199
^1H NMR analysis of some η^6-(substituted aryl phenylsulfonylacetonitrile)-η^5-cyclopentadienyliron cations, **219**, 221

preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m.n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107
a study of the reactivity of (methyl 2-acetamidoacrylate)-tricarbonyliron(0) leading to a novel synthesis of β,β,β-trialkyl α-amino acids, **220**, 137
reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu\text{-dppm})]$ and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3'}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu\text{-dppm})]\cdot Et_2O$, **220**, 201
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305
activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene, **221**, 133
conversion of cationic phosphite complexes into phosphonate complexes with selective deamination on the coordinating phosphorus. Reaction of $[(\eta^5\text{-}C_5H_5)L_2Fe\{P(NC_4H_8)_n(OMe)_{3-n}\}]^+$ (L=CO, PMe_3) with KOH to afford $(\eta^5\text{-}C_5H_5)L_2Fe\text{-}\{P(O)(NC_4H_8)_{n-1}(OMe)_{3-n}\}$, **222**, 123
Mössbauer spectroscopy of iron dextran: comparison of solid and frozen solution, **223**, 9
synthesis and reactions of the novel sulfonium-methylidene complex $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(H)(SMe_2)\}]SO_3CF_3$, **223**, 31
a one-pot synthesis of cyclopropanes from aromatic aldehydes and styrene via iron carbene complexes, **223**, 159
divalent iron formamidinato complexes: a highly distorted dinuclear compound, **224**, 5
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2(\text{'}S_4\text{'})]$ and $[Fe(CO)(\text{'}S_5\text{'})]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ($\text{'}S_4\text{'}^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); $\text{'}S_5\text{'}^{2-}$ = 2,2′-bis(2-mercaptophenylthio)diethylsulfide(2−)), **224**, 45
transition metal complexes with sulfur ligands CIII. $[(\mu\text{-}S_2)\{Fe(\mu\text{-}\text{'}S_4\text{'})\}_2]$, a novel [2Fe–2S] cluster with octahedral low-spin $[Fe^{II}S_6]$ centers ($\text{'}S_4\text{'}^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **224**, 35
transition metal complexes with sulfur ligands CVI. Phosphine and azido $[Fe(L)(\text{'}N_HS_4\text{'})]$ complexes; structural characterization of the key complex $[Fe(\text{'}N_HS_4\text{'})]\cdot THF$ (L= PMe_3, PBu_3, PMe_2Ph, $PMePh_2$, N_3^-; $\text{'}N_HS_4\text{'}^{2-}$ = dianion of 2,2′-bis(2-mercaptophenylthio)diethylamine), **224**, 61
rotation and orientation of axially coordinated imidazoles in low-spin ferric porphyrin complexes, **224**, 113
transition-metal silyl complexes 51. Preparation of the mixed silyl/stannyl complexes $(\pi\text{-}C_5H_5)Fe(CO)(SnPh_3)(SiR_3)H$, **224**, 177
electrochemistry of nitrite reductase model compounds 5. Electrochemistry and spectroelectrochemistry of iron porphinone, porphindione and isobacteriochlorin complexes, **225**, 57
the use of pressure-tuning spectroscopy to distinguish between one- and two-electron transfer processes, **225**, 89
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)\text{-}Fe_4S_5](PF_6)_n$ (n=1 and 2) ($Cp'=\eta^5\text{-}C_5Me_5$). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285
the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of $[Fe_4N(CO)_{11}PPh_3)]$, **226**, 1
valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-}DBQ)_2$ (M=Mn, Fe, Co) series, **226**, 91
photochemical and spectroscopic studies of complexes of iron(III) with citric acid and other carboxylic acids, **226**, 117
reaction of low-valent iron porphyrins with alkyl containing supporting electrolytes, **226**, 195
electron transfer quenching of the excited MLCT state of Ru(II) in the double complex salts $[Ru(bpy)_3]_2[M(CN)_6]Cl\cdot 8H_2O$ (M=Co and Fe), **226**, 203
free radical-mediated electron transfer in organometallic complexes: homolysis and alkyl group crossover reactions for alkyliron(II) porphyrins, **226**, 231
the construction of molecular systems capable of photoinduced multielectron charge transfer: a photochemical analysis of the reactivity of $[(CN)_5Fe^{II}\text{–}(CN)\text{–}Pt^{IV}(L)_4\text{–}(NC)\text{–}Fe^{II}(CN)_5]^{4-}$ (L=NH_3, ethylenediamine), **226**, 251
heteronuclear metal cluster complexes with a new coordination mode of the $Fe_2S_2(CO)_6$ unit. Synthesis, structure and possible reaction pathway of the first Fe–Cu–S cluster compound, $[Fe_6Cu_5S_6(CO)_{18}(PPh_3)_2]$, **227**, 119
metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207

Iron–sulfur complexes
redox behavior of the iron–sulfur cluster $[Fe_4Cp_4S_5][PF_6]_2$ in protic organic solvents and aqueous micellar solutions, **226**, 341

Irradiation
synthesis, structure and solid state polymerization of diaqua-bis(propynoato)magnesium, **222**, 339

Isobacteriochlorin complexes
electrochemistry of nitrite reductase model compounds 5. Electrochemistry and spectroelectrochemistry of iron porphinone, porphindione and isobacteriochlorin complexes, **225**, 57

Isocyanide complexes
pressure and concentration dependent formation of oligomers of tetrakis(*p*-methylphenylisocyanide)rhodium(I), **216**, 245
mercury and platinum mixed cluster having a prismatic structure, $[HgPt_6(2,6\text{-}Me_2C_6H_3NC)_{12}]$, **217**, 121
solid-state isomerization of ruthenium(II) isocyanide complexes, **217**, 181
infrared spectroelectrochemistry of $[Rh(TM4)_4M(CO)_5]_2^{2+}$ (TM4=2,5-diisocyano-2,5-dimethylhexane; M=Re, Mn): electron-transfer-promoted metal–metal bond cleavage and formation, **226**, 61

Isomerization
solid-state isomerization of ruthenium(II) isocyanide complexes, **217**, 181
non-isothermal spectrophotometric kinetics applied to inorganic reactions, **221**, 31

Isothiocyanato complexes
isothiocyanato complexes of rhenium II. Synthesis, characterization and structures of $ReN(NCS)_2(Me_2PhP)_3$ and $Re(NS)(NCS)_2(Me_2PhP)_3$, **216**, 223
isothiocyanato complexes of rhenium III. Synthesis and characterization of $[ReN(NCS)_2(Ph_3P)_2]$ and $[ReN(NCS)_2(CH_3CN)(Ph_3P)_2]$. X-ray crystal structure of $[ReN(NCS)_2(CH_3CN)(Ph_3P)_2]\cdot CH_3CN$, **224**, 193

Ketimido complexes

synthesis of stable tail-to-tail-conjugated primary enamines containing hetarene substituents, **222**, 193
Ketone complexes
nucleophilic addition of water to coordinated di-(2-pyridyl)ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK \cdot H)^+$-$[\{ReOCl_2(DPK \cdot OH)\}_2Cl]$, **217**, 141
Ketones
gold in organic synthesis Part 2. Preparation of benzyl-alkyl and -arylketones via C–C coupling, **220**, 1
labeling studies of some carbonylation reactions of styrene with cationic palladium complexes, **220**, 273
hydration of conjugated dienes to produce ketones catalyzed by ruthenium complexes, **222**, 225
Kinetics
hydrolytic cleavage of peptides by palladium(II) complexes is enhanced as coordination of peptide nitrogen to palladium(II) is suppressed, **217**, 21
stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L=*N*,*N'*-[(pyridine-2,6-diyl)bis-(methylene)]bis[proline] (promp) and *N*,*N'*-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73
effect of substituting sulfur for oxygen on the heterogeneous electron transfer kinetics of oxomolybdenum(V) hydrotris-(3,5-dimethyl-1-pyrazolyl)borate complexes, **225**, 1
dependence of electron transfer kinetics of the ferrocene/ferrocenium couple on the viscosity in ambient temperature chloroaluminate ionic liquids, **225**, 9
the kinetics of electron-transfer reactions of the $[FeCp(CpCH_2N(CH_3)_3]^{+/2+}$ couple in the presence of cyclodextrins in aqueous media, **225**, 51
volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95
redox reactions between oxomolybdenum(IV) and tetratolylporphinatoiron(III) complexes, **226**, 259
Kinetics and mechanism
metal complexes of benzodiazepines. Kinetic properties of bromazepam toward square planar dimethyl sulfoxide complexes of platinum(II) and palladium(II), **215**, 41
synthesis and hydrolysis of an ester of the 'one ring open' hydrolysis product of the anticancer drug 1,2-bis(3,5-dioxopiperazin-l-yl)propane, 'Razoxane', **215**, 55
the complexation of divalent metal ions by the cryptands 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.8.2]eicosane, -[8.8.5]tricosane and -[8.8.8]hexacosane in aqueous solution, **215**, 79
kinetics and mechanism of the phosphate-catalyzed heterolysis of the metal–carbon σ bond of α-hydroxyalkyl–chromium(III) complexes. Effects of the non-participating ligands, temperature and pressure, **215**, 173
unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(I) complex $[LCuBr]_2$ (L=*N*,*N'*-diethylethylenediamine) by dioxygen in methylene chloride from −51 to 30 °C, **217**, 109
ternary Pt(II)–amino acid–nucleotide complexes: kinetics of formation, **218**, 11
novel metal thiolates: $[Mn_2(SC_6H_3\{SiMe_3\}_2)_4(C_4H_8O)]$, a binuclear manganese thiolate complex with tetrahedral and trigonal-planar metal coordination, **219**, 1
equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199
the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9
the decomposition of peroxomonosulfate induced by manganese(II) in acid solution, **221**, 25
non-isothermal spectrophotometric kinetics applied to inorganic reactions, **221**, 31
steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207
arene migration in ruthenium clusters: a kinetic study of the isomerisation of $Ru_5C(CO)_{12}(\mu_2\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$ to $Ru_5C(CO)_{12}(\eta^6\text{-}C_6H_6)$, **222**, 299
electron transfer 122. Reductions of an N_4-coordinated complex of silver(III), **225**, 83
kinetics and mechanism of the ferrate oxidation of hydrazine and monomethylhydrazine, **225**, 145
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157
comparison of the rates of substitution in $[Ru(NH_3)_5H_2O]^{3+}$ and $[Os(NH_3)_5H_2O]^{3+}$ by hexacyano complexes: substitution coupled to electron transfer, **225**, 173
the reduction of pentaammine(phenanthroline-2-carboxamido-*N*)cobalt(III) by titanium(III) and vanadium(II), **225**, 245
mesoferriheme regeneration from its hemoprotein enzyme compound I analog: absorption and kinetic properties of one- and two-electron oxidation products, **225**, 255
electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297
intramolecular electron transfer between Ru(I) and Ru(III) and the heme iron of cytochrome *c* labeled with ruthenium(II) polypyridine complexes, **226**, 129
electron transfer reduction of cobalt tetraphenylporphyrin by hydroquinone dianions and alkylation with alkyl halides, **226**, 145
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179
the synthesis, X-ray structure and hydrolysis kinetics of chloro(2-aminomethylpyridine)(triamine)chromium(III) salts, **227**, 11
substitution kinetics of some tetracarbonyl(η^2-alkene)osmium complexes, **227**, 215
thermal decomposition of cobalt carbonyl complexes in viscous media, **227**, 233
kinetics and mechanism of the methanolysis of acetylcobalt tetracarbonyl, **227**, 297
Kinetics of reduction
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151

Lactone complexes
the influence of aluminum trichloride on a configuratively labile lactone-bridged biaryl: quantum chemical calculations and optical spectroscopy, **222**, 247
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
Lanthanide complexes
systematics of some properties of hexamolybdotellurate(VI) salt hydrates with di- and trivalent metals, $M_x[TeMo_6O_{24}] \cdot nH_2O$, **217**, 93
stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N'*,*N''*,*N'''*-tetraacetate complexes, **221**, 165
synthesis, structure and stability of complexes of lanthanide nitrates with $[(MeO)_2P(O)]_2C(OH)Ph$ and the isomeric $(MeO)_2P(O)OCHPhP(O)(OMe)_2$, **223**, 43
Lanthanide shift reagent
an europium(III) complex as an efficient catalyst for the Michael reaction of α,β-enones with ketene silyl acetals: LIS-NMR analysis for the transition state through complexation

between europium(III) catalyst and enones, **222**, 377
Lead complexes
synthesis and characterization of lead(II)–semicarbazone complexes. Crystal structures of dinitrato di-2-pyridylketone semicarbazone lead(II) and dichloro cyclohexane-1,2-dione bis(semicarbazone) dimethylformamide lead(II), **215**, 85
azacryptand host for lead: NMR and structural studies, **218**, 5
use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323
Lead ions
metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201
Ligand binding
effect of aromatic–aromatic interaction on ligand binding to zinc porphyrins, **224**, 157
Light-induced exchange
light induced exchange energy transfer reactions of micelle forming Ru(II) diimine complexes, **225**, 275
Liquid crystal
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
Lithium complexes
lithium coordination to amino acids and peptides. Synthesis, spectroscopic characterization and structure determination of lithium complexes of neutral and anionic glycine and diglycine, **218**, 121
structures of isomeric substituted 14-crown-4 ethers and their LiSCN complexes, **223**, 125
Lithium compounds
benzotriazole stabilized lithium intermediates as a route to the elaboration of N-substituents in amides, **220**, 67
Loop-current effect
a comparison of the loop-current effect of silicon phthalocyanine and silicon naphthalocyanine rings on their axial ligands, **218**, 41
Low-valent complexes
reaction of low-valent iron porphyrins with alkyl containing supporting electrolytes, **226**, 195
Luminescence
luminescent europium(III) and terbium(III) ions encapsulated in a 2-aminoethoxy or carbamoyloxy substituted calixarene host, **227**, 293
Luminescence quenching
oxidative quenching of luminescence from copper metallothionein, **226**, 275

Macrocates
photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251
Macrocycle complexes
a novel sodium template approach for preparing tetraimine macrocyles of 2,6-diformyl-4-methylphenol and diamino derivatives, **223**, 169
Macrocyclic ligand complexes
redox reactions of an Mo(V) tetrasulfophthalocyanine, **215**, 27
spectroscopic studies on copper(II) complexes of chiral cyclens: $[CuN_4Cl]$ chromophores varying from square pyramidal to trigonal bipyramidal stereochemistry, **215**, 109
bulky substituent effects on the iron(III) complexation of 1,4,7-triazacyclononane, **216**, 89
synthesis, spectral properties and redox behaviour of oxovanadium(IV) complexes with tetraaza[14]annulenes, **216**, 217
heterodinuclear Ni(II)M(II) (M=Pb, Mn, Fe, Co, Ni, Cu, Zn) complexes of a phenol-based dinucleating macrocycle with dissimilar 4- and 5-coordination sites, **218**, 27
liquid matrix induced processes in fast atom bombardment mass spectrometry of polyazacrown transition metal complexes, **219**, 85
solution studies of monovalent metal complex ions of the bibracchial lariat ether 7,16-bis(2-methoxyethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane, **219**, 217
methane as the product of reaction of methyl-coenzyme-M with monovalent nickel complexes in aqueous solutions. A model for the in vivo activity of cofactor F_{430}, **227**, 1
equilibrium studies of 1,2-diaminobenzene and 3,4-diaminobenzoate anion with dinuclear cobalt(II) 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane, **227**, 49
outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71
Macrocyclic pseudopeptide
coordination abilities of amide oxygens in a 24-membered ring pseudopeptide toward several transition metal ions in acetonitrile, **223**, 121
Macropolygons
metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207
Macropolyhedra
metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207
Magnesium complexes
synthesis, crystal structure and thermal stability of the $MgCl_2$ formamide adduct, **216**, 261
synthesis, structure and solid state polymerization of diaquabis(propynoato)magnesium, **222**, 339
Magnesium compounds
magnesium bromide in Grignard reagent formation, **222**, 365
Magnetism
$[\{Ni(3,2,3\text{-tet})(\mu\text{-NCO})\}_n](ClO_4)_n$: structural characterization of the first monodimensional nickel(II)–cyanato system with a description of its ferromagnetic coupling, **216**, 5
a polymeric two-dimensional mixed-metal network. Crystal structure and magnetic properties of $\{[P(Ph)_4][MnCr(ox)_3]\}_n$, **216**, 65
a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7
preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex, **218**, 109
crystal structure and magnetic properties of the first 1D nickel(II) complex with bridging thiocyanato ligands in *cis* position: $\{catena\text{-}(\mu_{N,S}\text{-NCS})[Ni(en)_2]\}(PF_6)$, **218**, 185
crystal structure and magnetic property of a 2D infinite layered copper(II) complex with bridging *trans*-oxamidate and pyrimidine ligands, **224**, 171
Main group elements
charge and electron transfer from metal-to-carbon bonds of main group organometallics MR_n (M=Al, Ga, Zn) to aromatic N-heterocycles: colored precursor compounds and radical complex formation, **225**, 23
Maleoyl complexes
the development of a quinone α-anion synthon. Utilization of a maleoylcobalt complex as a quinone surrogate and a dominant role for ligand effects, **222**, 235
Manganese complexes

a polymeric two-dimensional mixed-metal network. Crystal structure and magnetic properties of $\{[P(Ph)_4]$-$[MnCr(ox)_3]\}_n$, **216**, 65
coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with $-SiMe_2-$ or $-TiCp_2-$ bridges. Structures of $[(OC)_3Mn(C_5Br_4-)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4-)]_2TiCp_2$, **218**, 173
novel metal thiolates: $[Mn_2(SC_6H_3\{SiMe_3\}_2)_4(C_4H_8O)]$, a binuclear manganese thiolate complex with tetrahedral and trigonal-planar metal coordination, **219**, 1
preparation, properties and coordination behaviour of planar or tridimensional compartmental Schiff bases, **219**, 135
coordination polymers of Mn(II) with the ligand pyrazine-2,3,5,6-tetracarboxylic acid, **219**, 161
variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of $[Cu(pdmg)Cu(bipy)(H_2O)_2](ClO_4)_2 \cdot H_2O$, **219**, 179
photochemical reactions of transition metal organyl complexes with olefins Part 10. Light-induced formal [5 + 2] cycloadditions at manganese, **220**, 77
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
the synthesis and reactions of A-ring aromatic steroid complexes of manganese tricarbonyl, **220**, 297
the decomposition of peroxomonosulfate induced by manganese(II) in acid solution, **221**, 25
an investigation of electron transfer properties of $(Cp)Mn(CO)_3$ and substituted Cp derivatives, **221**, 85
nickel(II) and manganese(II) complexes of substituted phenanthroline ligands, **221**, 99
manganese and tungsten carbene complex mediated intramolecular Diels–Alder reactions, **222**, 291
di-manganese carbonyl compounds containing bis(dicyclohexylphosphino)methane (dcpm) ligation, **224**, 105
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)$-η^5-C_6H_6}$Mn(CO)_3$], **224**, 147
synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-}DBQ)_2$ (M = Mn, Fe, Co) series, **226**, 91
one-equivalent oxidative charge storage on an $[Mn_2O_2]^{3+}$ core: synthesis, crystal structure and resonance Raman spectra of $[Mn_2O_2(pbz)_4]^{n+}$ (n = 3, 4), **227**, 33
Mass spectrometry
an electrospray mass spectrometric study of methylmercury(II) nitrogen base derivatives and their ligand exchange reactions, **215**, 179
complexes of tetradentate β-keto enamine Schiff bases: an electrospray mass spectrometric study, **216**, 75
Mercuric ion complexes
interaction of cyanopentaamminechromium(III) with mercuric ion. Electrochemical, spectral and preparative study of adduct formation and linkage isomerism, **216**, 113
Mercury complexes
an electrospray mass spectrometric study of methylmercury(II) nitrogen base derivatives and their ligand exchange reactions, **215**, 179
mercury and platinum mixed cluster having a prismatic structure, $[HgPt_6(2,6\text{-}Me_2C_6H_3NC)_{12}]$, **217**, 121
complexes of mercuric halides with the tripod ligand np_3 ($=N(CH_2CH_2PPh_2)_3$). Molecular structure of $[(np_3)HgI]I \cdot 0.5C_2H_5OH$, **217**, 155
photoredox chemistry of iodomercurate(II) complexes in acetonitrile, **221**, 79
alkyne hydration using Pt(II) catalysts, **222**, 317
positive and negative ion electrospray mass spectrometric studies of some amino acids and glutathione, and their interactions with alkali metal ions and methylmercury(II), **223**, 103
multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137
preparation, structural and physical studies of mercury(II) halide complexes with the N,N′-chelating biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline, **227**, 129
synthesis and structural analysis of *trans*-$Cp(CO)_2(PPh_3)$-WHgCl, **227**, 145
Mesoferriheme regeneration
mesoferriheme regeneration from its hemoprotein enzyme compound I analog: absorption and kinetic properties of one- and two-electron oxidation products, **225**, 255
Metal cluster topology
metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207
Metal complexes
principal component analysis of the structures of the 1,2-diaminobenzene derivatives chelated to metal ions: correlation between structural parameters and redox behavior, **215**, 219
steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21
metal complexes of some 2-nitrosoanilides, **223**, 71
charge and electron transfer from metal-to-carbon bonds of main group organometallics MR_n (M = Al, Ga, Zn) to aromatic N-heterocycles: colored precursor compounds and radical complex formation, **225**, 23
electron transfer in the electrochemistry of metals, metal compounds and metal complexes, **226**, 99
quenching of a polypyridyl–ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M = Mo, W; L = tris(3,5-dimethylpyrazolyl)hydroborate), **226**, 171
metal cluster topology 16. Macropolygons and macropolyhedra in coinage metal iron carbonyl cluster anions and related compounds, **227**, 207
Metal compounds
electron transfer in the electrochemistry of metals, metal compounds and metal complexes, **226**, 99
Metal hydrides
direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285
Metal ion complexes
the complexation of divalent metal ions by the cryptands 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.8.2]eicosane, -[8.8.5]tricosane and -[8.8.8]hexacosane in aqueous solution, **215**, 79
positive and negative ion electrospray mass spectrometric studies of some amino acids and glutathione, and their interactions with alkali metal ions and methylmercury(II), **223**, 103

synthesis and characterization of metal complexes with *N,N″*-bis(2-hydroxybenzyl)-diethylenetriamine-*N,N′,N″*-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **223**, 109

stability of metal ion complexes of *N,N′*-bis(2-hydroxybenzyl)-ethylenediamine-*N,N′*-diacetic acid, **224**, 151

Metallacyclophane complexes

preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m.n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107

Metalloproteins

chemical and electrochemical approaches to the investigation of redox reactions of simple electron transfer metalloproteins, **226**, 293

Metallosupramolecular chemistry

a new functionalised oligopyridine ligand containing ferrocene as a ball-bearing spacer for metallosupramolecular chemistry, **224**, 11

Metal–metal bond energies

direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285

Metal–metal interactions

metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201

Metals

electron transfer in the electrochemistry of metals, metal compounds and metal complexes, **226**, 99

Metal thiolates

novel metal thiolates: $[Mn_2(SC_6H_3\{SiMe_3\}_2)_4(C_4H_8O)]$, a binuclear manganese thiolate complex with tetrahedral and trigonal-planar metal coordination, **219**, 1

Methanolysis

kinetics and mechanism of the methanolysis of acetylcobalt tetracarbonyl, **227**, 297

Methylacetoacetate complexes

intermediates in the palladium-catalysed reaction of 1,3-dienes Part 8. The reaction of palladium–butadiene complexes with ethyl methylacetoacetate, **222**, 179

Methyl complexes

the equilibrium between acetyl- and methylcobalt tetracarbonyl, **227**, 211

Micelle complexes

light induced exchange energy transfer reactions of micelle forming Ru(II) diimine complexes, **225**, 275

Michael reactions

steric and electronic tuning of Michael addition reactions induced by pentacarbonyl metal fragments, **222**, 207

an europium(III) complex as an efficient catalyst for the Michael reaction of α,β-enones with ketene silyl acetals: LIS-NMR analysis for the transition state through complexation between europium(III) catalyst and enones, **222**, 377

Mixed-ligand complexes

spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines, **221**, 17

Mixed-ligand tetrairon–sulfur cluster

syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)\text{-}Fe_4S_5](PF_6)_n$ ($n=1$ and 2) ($Cp'=\eta^5$-C_5Me_5). Structural change of the clusters accompanying electron transfer reactions, **225**, 229

Mixed-metal carbonyl clusters

Solution structures of cobalt–rhodium clusters: the identification of a new hexanuclear cobalt–rhodium species, **227**. 187

Mixed salt complexes

a mixed-metal salt comprised of metal–metal bonded dinuclear ions: structure and properties of $[Rh_2(OAc)_2(MeCN)_6]\text{-}[Re_2Cl_8]$, **217**, 79

Mixed-valence complexes

synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121

properties of the mixed-valence binuclear complex ion, $[(NH_3)_5Ru^{III}\text{–}NC\text{–}Os^{II}(CN)_5]$, **223**, 37

mixed valence state associated with halogen migration in diruthenocenylmethane and its related compounds, **225**, 103

solvent trapped valency in the [bis(pentaammineruthenium)-(μ-1,4-dicyanamidobenzene)] trication, **225**, 123

electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297

synthesis, electrochemistry and photoexcited-state properties of dinuclear ruthenium complexes bridged by 2,6′-bis(2-pyridyl)-2,2′:6,2″-thiazolo[4,5-*d*]-benzothiazole, **226**, 17

solvent, electrolyte and solute shape effects on optical electron transfer in mixed-valence ruthenium ammine dimers, **226**, 137

Mixed-valence systems

the influence of spin-forbidden monomer excitations on spin-allowed electron transfer and electron-localized states of mixed-valence and single-valence dimeric systems, **226**, 33

MOCVD application

a novel route to the second-generation alkaline-earth metal precursors for metal-organic chemical vapour deposition: one-step synthesis of $M(hfa)_2\cdot$tetraglyme (M = Ba, Sr, Ca and Hhfa = 1,1,1,5,5,5-hexafluoro-2,4-pentanedione), **224**, 203

Molecular oxygen

optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283

activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene, **221**, 133

Molecular recognition

a novel amino acid-binding receptor based on weak non-covalent ligand–ligand interactions, **216**, 249

Molecular structure

EXAFS studies of a chiral rhenium lactone complex and its precursors including multiple scattering calculations, **222**, 27

Molybdate complexes

coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy, **221**, 69

Molybdenum cluster metallates

ionic cluster dithiophosphinates $[Mo_3S_4(R_2PS_2)_3py_3]^+[MI_3]^-$ (M = Zn·py, Cd·py, Hg), **216**, 177

Molybdenum complexes

preparation and structural characterization of $Rh_2(O_2CCPh_3)_4(EtOH)_2$, $Ru_2(O_2CCPh_3)_4(H_2O)\text{-}(EtOH)\cdot 2EtOH$ and $Mo_2(O_2CCPh_3)_4\cdot 3CH_2Cl_2$, **215**, 9

redox reactions of an Mo(V) tetrasulfophthalocyanine, **215**, 27

synthesis and characterization of Keggin derivatives containing an $[Mo(NO)]^{3+}$ unit: $(n\text{-}Bu_4N)_4[PM_{11}O_{39}\{Mo(NO)\}]$ (M = Mo, W), **215**, 61

the unusual crystallographic disorder of M_2 units in $M_2Cl_4(PEt_3)_4$ (M = Re, Mo), **215**, 103

preparation and characterization of $[(LL)Cl_2Mo]_2(\mu\text{-}SPr)_2$ compounds with Pr = n-propyl and LL = $PrSCH_2CH_2SPr$ and $Et_2PCH_2CH_2PEt_2$. Further examples of C–S bond cleavageand oxidative addition across an Mo–Mo quadruple bond, **215**, 191

oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3\text{-}(H_2O)_9]\text{-}(CH_3\cdot C_6H_4\cdot SO_3)_8\cdot 30H_2O$, **216**, 13

spectroscopic investigation of dichloro and hydrazido(2−) derivatives of bis(dithiocarbamato)dioxomolybdenum(VI) compounds. Crystal and molecular structure of bis(diisobutyldithiocarbamato)(*N*,*N*-dimethylhydrazido(2−)-*N'*)-oxomolybdenum(VI), **217**, 61

systematics of some properties of hexamolybdotellurate(VI) salt hydrates with di- and trivalent metals, $M_x[TeMo_6O_{24}]\cdot nH_2O$, **217**, 93

molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e = Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph = Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter, **218**, 9

structural characterization of octahedral metal complexes of $[MX_3(py)_3]$ type with three pyridines as revealed by ^2H NMR spectra, **218**, 179

synthesis and characterization of molybdenum and tungsten nitrite complexes of the type $[M(NO_2)_2(CO)_2(PPh_3)_2]$, **218**, 195

dimolybdenum(II) and diruthenium(II) complexes with 2-substituted 7-methyl-1,8-naphthyridines as bridging ligands, **219**, 23

the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes $\eta^5\text{-}RC_5H_4(CO)_2M(\mu\text{-}R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93

synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121

preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305

N^1,N^7-expeditious dialkylation of cyclen (1,4,7,10-tetraazacyclododecane). An astonishing reactivity of cyclen tricarbonyl molybdenum and chromium complexes, **220**, 347

molybdenum complexes with sterically-hindered thio-carboxylate ligands. Electrochemical properties of the anionic complex bis(2,2-diphenyl-2-mercaptoethanoate)dioxomolybdate(VI) in protic solvents, **221**, 117

synthesis and X-ray structural determination of pentamethylcyclopentadienyl dichloro oxo molybdenum, **221**, 147

carbonyl carbene coupling on cationic η^2-carbene complexes of molybdenum and tungsten, **222**, 77

extrusion of molecular clusters from solid-state materials: synthesis by application of γ-irradiation. Molecular and crystal structure of $(H_9O_4)(Et_4N)[Mo_3S_7Br_6]$, **223**, 5

synthesis and characterization of the new peroxo complex aquaoxodiperoxoimidazolemolybdenum(VI), **223**, 173

phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81

effect of substituting sulfur for oxygen on the heterogeneous electron transfer kinetics of oxomolybdenum(V) hydrotris-(3,5-dimethyl-1-pyrazolyl)borate complexes, **225**, 1

electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157

transition metal complexes with sulfur ligands Part CVII. Complexes of the [Mo(NO)('S_4')] fragment with 16, 17 and 18 valence electrons ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **225**, 163

electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297

crystal structure and solid-state fluorescence of an oxomolybdenum(V)–benzylviologen electron donor–acceptor salt, **226**, 25

^{95}Mo NMR spectroscopy

phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81

Mössbauer spectroscopy

'insulation' to lattice effects on quadrupole splitting in the Mössbauer spectra of salts of $[Fe_4S_4(Cys)_4]^{2-}$, a ferredoxin model, **217**, 3

Mössbauer spectroscopy of iron dextran: comparison of solid and frozen solution, **223**, 9

Multidentate ligand complexes

an ethyl–cobalt complex with a buckled equatorial ligand, **221**, 35

metal complexes of 5-acetyl-2,2'-pyridylthiophene aroylhydrazones. Crystal structure of a cobalt(II) derivative, **223**, 97

synthesis and characterization of metal complexes with *N*,*N''*-bis(2-hydroxybenzyl)-diethylenetriamine-*N*,*N'*,*N''*-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **223**, 109

fluorine-substituted tetraazaannulene complexes: syntheses and characterizations, **223**, 187

synthesis, spectra and electrochemical behaviour of biomimetic copper(II) complexes with CuN_5 and CuN_6 chromophores, **224**, 19

electron transfer properties of ReO(ECD), **225**, 323

Multi metal redox system

use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323

Multinuclear NMR

multinuclear (^{31}P, ^{77}Se, ^{113}Cd, ^{199}Hg) magnetic resonance, electrospray mass spectrometric and electrochemical studies on the reactions of $M(S_2P\{OEt\}_2)_2$ (M = Cd, Hg) with potentially bidentate mixed Group 15/Group 16 and Group 16 donor ligands, **224**, 137

Neighbouring-group effect

chele- and anticheleselectivity IV. Reaction-accelerating neighboring-group effects in the cross-coupling of vinylbromides with alkyl-transition metal reagents, **220**, 85

N-heterocycle complexes

synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115

Nickel

EXAFS investigation on nickel substituted Cu,Zn bovine superoxide dismutase, **216**, 121

Nickel complexes

$[\{Ni(3,2,3\text{-}tet)(\mu\text{-}NCO)\}_n](ClO_4)_n$: structural characterization of the first monodimensional nickel(II)–cyanato system with a description of its ferromagnetic coupling, **216**, 5

octahedral μ-oxalato–nickel(II) dinuclear complexes with water and tridentate amines as blocking ligands: magnetostructural correlations, **216**, 139

preparation and properties of a metal dithiolene conductor, partially oxidized salt of tetra(n-butyl)ammonium bis(5,6-dithio-benzo[*d*]-1,3-dithiole-2-thione) nickelate, $(n\text{-}Bu_4N)_{0.29}\text{-}[Ni(dmbit)_2]$, **216**, 147

geometrical and optical isomers of the dinickel complexes of two chiral ligands of the N,N′-disubstituted oxamide type: 1D and 2D NMR study, **216**, 237
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
heterodinuclear Ni(II)M(II) (M = Pb, Mn, Fe, Co, Ni, Cu, Zn) complexes of a phenol-based dinucleating macrocycle with dissimilar 4- and 5-coordination sites, **218**, 27
crystal structure and magnetic properties of the first 1D nickel(II) complex with bridging thiocyanato ligands in *cis* position: {*catena*-($\mu_{N,S}$-NCS)[Ni(en)$_2$]}(PF_6), **218**, 185
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands 2. Crystal and molecular structure of *N,N′*-1,2-ethane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II), *N,N′*-1,2-*cis*-cyclohexane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II) and *N,N′*-1,2-benzene-1,2-diyl-bis(3,5-dichlorosalicylideneiminate)nickel(II), **219**, 43
variation of the exchange interaction in oximato-bridged $Cu^{II}M^{II}$ dimers (M = Cu, Ni, Mn). Crystal structure of [Cu(pdmg)Cu(bipy)(H_2O)$_2$](ClO_4)$_2$·H_2O, **219**, 179
spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines, **221**, 17
nickel(II) and manganese(II) complexes of substituted phenanthroline ligands, **221**, 99
the effects of counterion and solvent on the reactivity of nickel acylate complexes, **222**, 165
use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323
fluorine-substituted tetraazaannulene complexes: syntheses and characterizations, **223**, 187
predicting the effect of oxidative doping on the conductivities of metal–tetrakis(dimethylphosphino)benzene coordination polymers from the electrochemical properties of their related bimetallic complexes, **225**, 15
methane as the product of reaction of methyl-coenzyme-M with monovalent nickel complexes in aqueous solutions. A model for the in vivo activity of cofactor F_{430}, **227**, 1
synthesis, crystal structure and characterization of nickel(0) acrylonitrile complexes with a bidentate N-donor ligand, **227**, 137
alkylation of 2-vinylpyridine and crystal structure of bis{(acetylacetonate)(1-pyridylbutyl)nickel(II)} complex, **227**, 149
structures of a monomeric and a dimeric Ni(II) complex containing 2-acetylpyrrole, **227**, 159
the synthesis and crystal structure of ethylenedinitrilotetraacetamidoxime nickel(II) sulfate trihydrate, **227**, 171

Niobium complexes
synthesis of some dinuclear niobium chloro alkoxy carboxylates [$Nb_2Cl_4(OEt)_4(O_2CR)_2$], and the X-ray crystal and molecular structure of the compound with R = Ph, **227**, 99
a new type of face-sharing bioctahedral triply bonded diniobium cluster (PyH)[$Nb_2(\mu$-Cl)$_2(\mu$-THT)$Cl_3(Py)_3$](THF)-(C_6H_6)$_{0.5}$, made by a designed synthesis, **227**, 191

Nitration reaction
direct nitration of aryl groups σ-bound to ruthenium(II), **220**, 261

Nitrido complexes
mixed-ligand complexes of rhenium II. Synthesis and characterization of [ReN(X)(Me_2PhP)$_2$(R_2tcb)] complexes (X = I, N_3, SCN, CN; R_2tcb^- = *N*-(*N,N*-dialkyl- thiocarbamoylbenzamidinate)). X-ray crystal structure of [ReN(N_3)-(Me_2PhP)$_2$(Et_2tcb)], **215**, 159
mixed-ligand complexes of rhenium III. Synthesis, characterisation and structures of [ReN(Me_2PhP)$_2$(mnt)] and [ReN(Me_2PhP)(2,6-DMTP)(morphtcb)] (Me_2PhP = dimethylphenylphosphine; 2,6-$DMTP^-$ = 2,6-dimethylthiophenolate; $morphtcb^-$ = *N*-(morpholinylthiocarbonyl)benzamidinate), **216**, 31
isothiocyanato complexes of rhenium III. Synthesis and characterization of [ReN($NCS)_2$(Ph_3P)$_2$] and [ReN($NCS)_2$(CH_3CN)(Ph_3P)$_2$]. X-ray crystal structure of [ReN($NCS)_2$(CH_3CN)(Ph_3P)$_2$]·CH_3CN, **224**, 193
the redox behaviour of the cluster anion $[Fe_4N(CO)_{12}]^-$. Electron transfer chain catalytic substitution reactions. Crystal structure of [$Fe_4N(CO)_{11}PPh_3$)], **226**, 1
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25

Nitrile complexes
uranium hexafluoride: laboratory scale synthesis, coordination behaviour towards nitriles and Raman spectra, **215**, 5
molecular and crystal structures of *cis*-Pt(DMSO)(C_2H_5CN)Cl_2 and Cl(DMSO)Pt(μ-N(CH_3)CHO)$_2$Pt(DMSO)Cl, **216**, 163
new polypyrazolylborate chemistry of ruthenium(II) complexes with weakly coordinating organonitrile ligands, **219**, 3
synthesis of 5,6-dihydro-4*H*-1,3-oxazines from neutral and cationic platinum(II) nitrile complexes. X-ray structure of *trans*-[Pt(CF_3){N=C(Ph)O$CH_2CH_2CH_2$}(PPh_3)$_2$]BF_4, **220**, 21
a comparison of catalytic activity for imine hydrogenation using Ru ditertiary phosphine complexes, including chiral systems, **222**, 85
reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-[$PtCl_2${N(H)=C(Ph)NCH_2CH_2}$_2$], **222**, 327

Nitrite complexes
synthesis and characterization of molybdenum and tungsten nitrite complexes of the type [M(NO_2)$_2$(CO)$_2$(PPh_3)$_2$], **218**, 195

Nitro complexes
direct nitration of aryl groups σ-bound to ruthenium(II), **220**, 261
ligand nature of coordinated NO_2^- in the oxidation reaction of Ru(II) complexes, $[Ru(NO_2)(OH_2)(py)_{4-2n}(bpy)_n]^+$ (n = 0, 1, 2), and their related complexes, **225**, 111

Nitronyl complexes
a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7

Nitrosoalkane complexes
nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305

Nitrosoanilide complexes
metal complexes of some 2-nitrosoanilides, **223**, 71

Nitrosoarene complexes
nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305

Nitrosyl bending
synthesis, molecular structure and electrochemical investigation of the 1,2,5-thiadiazole-3,4-dithiolate-substituted complex Cp*Ru(NO)(tdas). Evidence for nitrosyl bending during reduction, **226**, 267

Nitrosyl complexes
synthesis and characterization of Keggin derivatives containing an $[Mo(NO)]^{3+}$ unit: (n-Bu_4N)$_4$[$PM_{11}O_{39}${Mo(NO)}] (M = Mo, W), **215**, 61
transition metal complexes with sulfur ligands Part CII. Changes in configuration and reactivity caused by alkyl substituents R in [Fe(L)('N_RS_4')] complexes (L = CO, NO^+,

NO, PMe_3, N_2H_4; R = CH_3, $CH_2CH_2CO_2CH_3$, $CH_2CH_2CO_2^-$), **219**, 75
activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene, **221**, 133
transition metal complexes with sulfur ligands Part CVII. Complexes of the [Mo(NO)('S_4')] fragment with 16, 17 and 18 valence electrons ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **225**, 163
ligand substitution at 19-electron organometallic centers. Electrocatalytic CO substitution reactions of (methylcyclopentadienyl)$Mn(CO)_2NO^+$ and (indenyl)$Mn(CO)_2NO$, **226**, 53
quenching of a polypyridyl–ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M = Mo, W; L = tris(3,5-dimethylpyrazolyl)hydroborate), **226**, 171
Nitroxide complexes
a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7
NMR multinuclear
1,1-organoboration of tri-1-alkynyltin compounds: novel triorganotin cations, stannoles, 3-stannolenes and 1-stanna-4-bora-2,5-cyclohexadienes, **220**, 161
NMR spectroscopy
coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy, **221**, 69
analysis of $[(dien)Pd]^{2+}$ binding to uracil and azauracils by proton NMR spectroscopy, **223**, 131
effect of aromatic–aromatic interaction on ligand binding to zinc porphyrins, **224**, 157
NMR study
azacryptand host for lead: NMR and structural studies, **218**, 5
rotation and orientation of axially coordinated imidazoles in low-spin ferric porphyrin complexes, **224**, 113
^{15}N NMR
nitrogen-15 NMR coordination shifts of β-alanine and glycine in cobalt(III) complexes, **217**, 213
^{14}N NMR spectroscopy
phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81
Non-linear optics
synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289
Non-linear response effect
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
Non-stoichiometric compounds
electron transfer reactions in non-stoichiometric ceria and urania, **225**, 305
Nucleobase complexes
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-MeU})_2]\cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles, **218**, 117
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: preparation and X-ray structure of $[(en)Pd(1\text{-MeT})_2Na_2](NO_3)_2\cdot H_2O$ (1-MeT = 1-methylthymine anion), **227**, 5
Nucleoside complexes
synthesis of water-soluble (tri(hydroxymethyl)phosphine)gold(I) complexes containing a nucleoside ligand, **217**, 201
Nucleotide complexes
ternary Pt(II)–amino acid–nucleotide complexes: kinetics of formation, **218**, 11

Octahedral complexes
structural characterization of octahedral metal complexes of $[MX_3(py)_3]$ type with three pyridines as revealed by ^2H NMR spectra, **218**, 179
the first isolated antineoplastic Ru(IV) complex: synthesis and structure of $[Cl_2$(1,2-cyclohexanediaminotetraacetate)Ru]$\cdot 2H_2O$, **224**, 15
Olefin complexes
three-coordinate Pt(0) η^2-complexes: electrophilic hydrogen attack through oxidative-addition of protic acids, **219**, 169
photochemical reactions of transition metal organyl complexes with olefins Part 10. Light-induced formal [5+2] cycloadditions at manganese, **220**, 77
stereochemical investigation of cationic olefin complexes of platinum(II) containing chiral diamines: a sequence of four asymmetric centres (N, C, C and N) in the chelate ring, **227**, 261
Oligopyridine ligand complexes
a new functionalised oligopyridine ligand containing ferrocene as a ball-bearing spacer for metallosupramolecular chemistry, **224**, 11
Optical electron transfer
solvent, electrolyte and solute shape effects on optical electron transfer in mixed-valence ruthenium ammine dimers, **226**, 137
Optical spectroscopy
the influence of aluminum trichloride on a configuratively labile lactone-bridged biaryl: quantum chemical calculations and optical spectroscopy, **222**, 247
Organoboration
1,1-organoboration of tri-1-alkynyltin compounds: novel triorganotin cations, stannoles, 3-stannolenes and 1-stanna-4-bora-2,5-cyclohexadienes, **220**, 161
Organometallic complexes
organometallic complexes of ruthenium(IV) with bidentate oxygen and nitrogen donor ligands, **218**, 81
Organosilicon compounds
synthesis, properties and reactions of sila-functional α-heteroatom-substituted organosilicon compounds, **220**, 129
Organotin complexes
cyclic bis(amino)organotin cations, stabilized by π-coordination and new spirocyclic stannole derivatives, **216**, 51
diorganotin(IV) derivatives of salicylaldehydethiosemicarbazone. The crystal structure of dimethyl- and diphenyl(salicylaldehydethiosemicarbazonato)tin(IV), **216**, 169
synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacetylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacetylpyridine bis(thiosemicarbazonato)}tin(IV) bis(dimethylformamide) solvate, **221**, 61
Organozinc reagents
influence of bulky substituents on the regioselective group-transfer reactions of diorganozinc compounds with *N,N'*-bis(2,6-di-isopropylphenyl)-1,4-diaza-1,3-butadiene, **220**, 55
Organyl complexes
photochemical reactions of transition metal organyl complexes with olefins Part 10. Light-induced formal [5+2] cycloadditions at manganese, **220**, 77
Orotato complexes
synthesis, characterization and X-ray crystal structure of ethylenediamine(orotato)palladium(II), **221**, 173
Orthometalation
orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of

$Rh_2(O_2CCF_3)_2[(C_6H_4)PPh_2]_2 \cdot (PPh_3)_2 \cdot 2(C_7H_8)$, **218**, 189
Orthophosphate complexes
phosphate complexation of oxovanadium(IV). Evidence of bidentate chelation of orthophosphate, **215**, 225
Osmium complexes
synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121
regio- and stereoselective dimerization of 1-alkynes catalyzed by an Os(II) complex, **220**, 5
preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m.n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107
properties of the mixed-valence binuclear complex ion, $[(NH_3)_5Ru^{III}–NC–Os^{II}(CN)_5]$, **223**, 37
comparison of the rates of substitution in $[Ru(NH_3)_5H_2O]^{3+}$ and $[Os(NH_3)_5H_2O]^{3+}$ by hexacyano complexes: substitution coupled to electron transfer, **225**, 173
inter-chromophore electronic interactions in ligand-bridged polynuclear complexes: a comparative study of various bridging ligands, **226**, 213
substitution kinetics of some tetracarbonyl(η^2-alkene)osmium complexes, **227**, 215
Outer-sphere coordination
outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71
Oxalato complexes
octahedral μ-oxalato–nickel(II) dinuclear complexes with water and tridentate amines as blocking ligands: magnetostructural correlations, **216**, 139
Oxamidate complexes
crystal structure and magnetic property of a 2D infinite layered copper(II) complex with bridging *trans*-oxamidate and pyrimidine ligands, **224**, 171
Oxazine complexes
synthesis of 5,6-dihydro-4*H*-1,3-oxazines from neutral and cationic platinum(II) nitrile complexes. X-ray structure of *trans*-$[Pt(CF_3)\{N{=}C(Ph)OCH_2CH_2CH_2\}(PPh_3)_2]BF_4$, **220**, 21
Oxidation
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
the oxidation of $[Co(edta)]^{2-}$ by $[Co(phen)_3]$, **225**, 75
kinetics and mechanism of the ferrate oxidation of hydrazine and monomethylhydrazine, **225**, 145
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157
Oxidation potential
synthesis, properties and reactions of sila-functional α-heteroatom-substituted organosilicon compounds, **220**, 129
Oxidation reaction
ligand nature of coordinated NO_2^- in the oxidation reaction of Ru(II) complexes, $[Ru(NO_2)(OH_2)(py)_{4-2n}(bpy)_n]^+$ ($n = 0$, 1, 2), and their related complexes, **225**, 111
Oxidative quenching
oxidative quenching of luminescence from copper metallothionein, **226**, 275
Oxo complexes
synthesis and characterization of Keggin derivatives containing an $[Mo(NO)]^{3+}$ unit: $(n\text{-}Bu_4N)_4[PM_{11}O_{39}\{Mo(NO)\}]$ (M = Mo, W), **215**, 61
phosphate complexation of oxovanadium(IV). Evidence of bidentate chelation of orthophosphate, **215**, 225
oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3\text{-}(H_2O)_9]\text{-}(CH_3 \cdot C_6H_4 \cdot SO_3)_8 \cdot 30H_2O$, **216**, 13
binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen) and related ligands, **216**, 21
synthesis, spectral properties and redox behaviour of oxovanadium(IV) complexes with tetraaza[14]annulenes, **216**, 217
spectroscopic investigation of dichloro and hydrazido(2−) derivatives of bis(dithiocarbamato)dioxomolybdenum(VI) compounds. Crystal and molecular structure of bis(diisobutyldithiocarbamato)(*N,N*-dimethylhydrazido(2−)-*N'*)-oxomolybdenum(VI), **217**, 61
systematics of some properties of hexamolybdotellurate(VI) salt hydrates with di- and trivalent metals, $M_x[TeMo_6O_{24}] \cdot nH_2O$, **217**, 93
synthesis and characterization of symmetric and unsymmetric oxo-bridged trinuclear chromium benzoate complexes: crystal and molecular structure of $[Cr_3O(O_2CPh)_6(py)_3]ClO_4$, **217**, 171
hydrothermal synthesis and crystal and molecular structure of a three-dimensional vanado-arsonate $(NH_4)_3\text{-}[(VO)(V_2O_3)(AsO_4)_2(HAsO_4)]$, exhibiting both $\{V–O–V\}_\infty$ chains and isolated $\{V_2O_3\}$ units, **218**, 59
synthesis and characterization of oxorhenium(V)–catecholate complexes. Crystal and molecular structures of $(CH_3)_4N[ReO(O_2C_6H_4)_2]$ and $(CH_3)_4N[ReO\text{-}(PPh_3)(O_2C_6H_4)_2] \cdot CH_3OH$, **218**, 157
bis(2-mercaptopyridine-*N*-oxide)oxovanadium(IV): synthesis, structure and its conversion to the dichloro complex, **219**, 213
molybdenum complexes with sterically-hindered thio-carboxylate ligands. Electrochemical properties of the anionic complex bis(2,2-diphenyl-2-mercaptoethanoate)dioxomolybdate(VI) in protic solvents, **221**, 117
synthesis and X-ray structural determination of pentamethylcyclopentadienyl dichloro oxo molybdenum, **221**, 147
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
the reactions of thiolate ligands with rhenium hydrides Part 1. The syntheses and structures of $[ReO(SC_6H_3\text{-}2,6\text{-}Me_2)_3\text{-}(PPh_3)]$ and $[Re(SC_6H_3\text{-}2,6\text{-}Me_2)_3(PPh_2H)(PPh_3)]$, **223**, 63
thermodynamics of complexation of the uranyl(VI) ion with benzoate. The crystal structure of sodium tris(benzoato) dioxouranate dihydrate, $Na[(PhCO_2)_3UO_2] \cdot 2H_2O$, **223**, 151
synthesis, characterization and crystal structures of two *cis*-dioxo vanadium(V) complexes of monoanionic tridentate Schiff base ligands, **223**, 193
effect of substituting sulfur for oxygen on the heterogeneous electron transfer kinetics of oxomolybdenum(V) hydrotris-(3,5-dimethyl-1-pyrazolyl)borate complexes, **225**, 1
synthesis and electrochemical properties of oxo-bridged manganese dimers incorporating alkali and alkaline earth cations, **225**, 191
electron transfer properties of ReO(ECD), **225**, 323
crystal structure and solid-state fluorescence of an oxomolybdenum(V)–benzylviologen electron donor–acceptor salt, **226**, 25
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25

one-equivalent oxidative charge storage on an $[Mn_2O_2]^{3+}$ core: synthesis, crystal structure and resonance Raman spectra of $[Mn_2O_2(pbz)_4]^{n+}$ ($n=3$, 4), **227**, 33

spectroscopic studies of the *trans*-$[VOCl_2(H_2O)_2]$ chromophore in its hydrogen bonding adduct with 18-crown-6, **227**, 91

Oxocyclophanes

preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m.n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107

Oxomolybdenum complexes

redox reactions between oxomolybdenum(IV) and tetratolylporphinatoiron(III) complexes, **226**, 259

Oxygenate compounds

rhodium-catalyzed synthesis of 2(5*H*)-furanones from terminal alkynes and non-substituted alkynes under water-gas shift reaction conditions, **220**, 45

Oxygen carrier

a 'calix[4]arened' porphyrin as a new host and an oxygen carrier model, **224**, 1

Palladium complexes

cyclometallation of *N*,*N*-dimethylbenzo[*b*]furan-2-carbothio (and seleno) amides with palladium(II), ruthenium(II) and rhodium(III), **215**, 91

arylation of alkenes by the palladium(II) acetate–dialkyl sulfide system, **216**, 253

synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129

cyclopalladated *p*-azoxyanisole complexes. Synthesis and structure of {[bis(2-phenylpyridine)][4′-(methoxyphenyl-*NNO*-azoxy-N^2)-4-methoxyphenyl-2-ato]palladium(II)}-(tetrafluoroborate), **218**, 211

spectroscopic studies on complex formation and non-covalent interactions in ternary palladium(II) systems involving spermidine and 2,3-diaminoproprionate or 2,4-diaminobutyrate, **219**, 107

asymmetric catalysis 87. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands, **220**, 63

synthesis of η^3-allyl–Pd complexes and subsequent formation of N-heterocycles via the reaction of a cyclometallated compound with conjugated dienes, **220**, 115

ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155

bite angle dependence of the rate of reductive elimination from diphosphine palladium complexes, **220**, 249

synthesis of symmetric and unsymmetric 1,4-bis(*p*-R-phenylethynyl)benzenes via palladium/copper catalyzed cross-coupling and comments on the coupling of aryl halides with terminal alkynes, **220**, 289

synthesis, characterization and X-ray crystal structure of ethylenediamine(orotato)palladium(II), **221**, 173

palladium-assisted formation of carbon–carbon bonds Part 2. Stoichiometric synthesis of spirocyclic compounds. X-ray structure of a π-allylic palladium intermediate, **222**, 1

formation of an allyl–tin bond in η^3-allyl(trichlorostannyl)palladium(II) complexes, **222**, 21

strain, silyl and steric effects on the regioselectivity of palladium(0) catalyzed allyl esters reduction as alternative to the Wittig reaction, **222**, 37

intermediates in the palladium-catalysed reaction of 1,3-dienes Part 8. The reaction of palladium–butadiene complexes with ethyl methylacetoacetate, **222**, 179

synthesis and structure of new chiral ferrocenylphosphines for asymmetric catalysis, **222**, 213

palladium complex catalysed synthesis of sulfinic acids, sulfinic acid esters, sulfonic acids and *S*-alkyl alkanethiosulfonates, **222**, 381

analysis of $[(dien)Pd]^{2+}$ binding to uracil and azauracils by proton NMR spectroscopy, **223**, 131

pyrazolyl carbon and proton NMR assignments for transition-metal poly(1-pyrazolyl)borates. Syntheses and NMR spectral studies of the (η^2-BR_2Pz_2) (Pz = 1-pyrazolyl) palladium and platinum complexes, **224**, 131

predicting the effect of oxidative doping on the conductivities of metal–tetrakis(dimethylphosphino)benzene coordination polymers from the electrochemical properties of their related bimetallic complexes, **225**, 15

simultaneous binding of soft and hard metals to a pyrimidine nucleobase: preparation and X-ray structure of $[(en)Pd(1\text{-}MeT)_2Na_2](NO_3)_2 \cdot H_2O$ (1-MeT = 1-methylthymine anion), **227**, 5

synthesis and characterization of a bidentate chelating diisonitrile ligand with two thioethereal sulfurs in a bridging group and its copper(I), rhodium(I) and palladium(II) complexes, **227**, 113

Pb(II)Au(I) dicyanide complex

light-induced electron transfer in lead(II)gold(I) dicyanide, **226**, 345

Peltier effect

thermometric determination of electrochemical Peltier heat (thermal effect associated with electron transfer) of some redox couples, **226**, 69

Pentacoordinate complexes

the synthesis, structure and hydrolytic activity of a functional pentacoordinate zinc complex, **219**, 205

Peptide complexes

bis(2-diphenylphosphinoethyl)phenylphosphineruthenium(II) complexes of amino acids and dipeptides, **217**, 51

lithium coordination to amino acids and peptides. Synthesis, spectroscopic characterization and structure determination of lithium complexes of neutral and anionic glycine and diglycine, **218**, 121

ternary complexes of *cis*- and *trans*-$Pt(NH_3)_2Cl_2$ (*cis*-, *trans*-DDP) with 9-methylguanine (9-MeG), the dipeptides glycylglycine (glygly), glycyl-L-alanine (glyala), glycyl-L-2-aminobutyric acid (gly-2-aba), glycyl-L-norvaline (glynval), glycyl-L-norleucine (glynleu), and of *trans*-$Pt(NH_3)_2Cl_2$ with Na-L-acetylhistidine, **227**, 17

Peptide hydrolysis

hydrolytic cleavage of peptides by palladium(II) complexes is enhanced as coordination of peptide nitrogen to palladium(II) is suppressed, **217**, 21

Perfluoroaryl complexes

synthesis of bis- or tris(pentafluorophenyl) thallium(III) complexes with bidentate ligands. X-ray crystal structure of $[Tl(C_6F_5)_2(acac)\{(O)Ph_2PCH_2PPh_2(O)\}]$, **215**, 229

Perhalocyclopentadienyl complexes

coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with $-SiMe_2-$ or $-TiCp_2-$ bridges. Structures of $[(OC)_3Mn(C_5Br_4-)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4-)]_2TiCp_2$, **218**, 173

Peroxo complexes

unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(I) complex $[LCuBr]_2$ (L = *N*,*N*′-diethylethylenediamine) by dioxygen in methylene chloride from −51 to 30 °C, **217**, 109

synthesis and characterization of the new peroxo complex aquaoxodiperoxoimidazolemolybdenum(VI), **223**, 173
Peroxo sulfate complexes
the decomposition of peroxomonosulfate induced by manganese(II) in acid solution, **221**, 25
Phenanthroline complexes
nickel(II) and manganese(II) complexes of substituted phenanthroline ligands, **221**, 99
Phenolate complexes
synthesis, crystal and molecular structures, UV–Vis spectroscopy and electrochemical properties of two iron(III) phenolate complexes, **215**, 123
Phenolic ligands
stability of metal ion complexes of *N,N'*-bis(2-hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid, **224**, 151
Phosphaalkyne complexes
cyclodimerisation and addition reactions of $Bu^tC{\equiv}P$ at a cobalt(I) centre, **222**, 13
Phosphate complexes
crystal and molecular structures of [{*exo*- and *endo*-$(RO)_2P(O)$-η^5-C_6H_6}$Mn(CO)_3$], **224**, 147
Phosphido complexes
electrochemical investigation of the electron-poor/precise ($n=5/6$) complexes $[Fe_2(CO)_n(\mu\text{-}PR_2)(\mu\text{-}PR'_2)]$ ($n=5$, $R=R'=Bu^t$; $n=6$, $R=R'=Ph$; $R=Bu^t$, $R'=Ph$; $R=Bu^t$, $R'=Cy$). EPR study of the radical anion $[Fe_2(\mu\text{-}PBu^t_2)_2(CO)_5]$, **217**, 29
Phosphine complexes
phosphine and phosphine oxide adducts of vanadium(IV) chloride: synthesis and structural studies, **215**, 47
reactions of phosphine–boron trihalide adducts with carbonylbis(triethylphosphine)rhodium(I) halides, **215**, 67
Raman and infrared spectroscopic studies of tris triphenyl phosphine chloride complexes of transition metals, **216**, 191
polyfunctional phosphine ligands II. Iridium(I) complexes of the 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy) ligand. X-ray crystal structure of [{Ir(cod)Cl}$_2$(μ-dpnapy)], **216**, 209
synthesis of water-soluble (tri(hydroxymethyl)phosphine)gold(I) complexes containing a nucleoside ligand, **217**, 201
bromo derivatives of amine and phosphine complexes of cyanodihydroborane. Synthesis and reactivity, **218**, 21
preparation and crystal structure of *anti*-(η^3:η^5-azulene)-pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics, **218**, 143
some new but-2-yne phosphine complexes of tungsten(II), **219**, 99
gold in organic synthesis Part 2. Preparation of benzyl-alkyl and -arylketones via C–C coupling, **220**, 1
the importance of phosphine-to-rhodium ratios in enantioselective hydroborations, **220**, 93
a comparison of catalytic activity for imine hydrogenation using Ru ditertiary phosphine complexes, including chiral systems, **222**, 85
transition metal complexes with sulfur ligands CVI. Phosphine and azido [Fe(L)('N_HS_4')] complexes; structural characterization of the key complex [Fe('N_HS_4')]·THF (L= PMe_3, PBu_3, PMe_2Ph, $PMePh_2$, N_3^-; 'N_HS_4'$^{2-}$ = dianion of 2,2'-bis(2-mercaptophenylthio)diethylamine), **224**, 61
Phosphinogallane complexes
trimethylgallium based phosphinogallanes. Synthesis and molecular structure of $[Me_2Ga{-}P(SiMe_3)_2]_2$, **216**, 267
Phosphite complexes
synthesis and X-ray structure of [acenaphthene–chromium(0)-dicarbonyl-tri(2,3,5-trimethylphenyl)phosphite], **219**, 209
conversion of cationic phosphite complexes into phosphonate complexes with selective deamination on the coordinating phosphorus. Reaction of $[(\eta^5\text{-}C_5H_5)L_2Fe\{P(NC_4H_8)_n(OMe)_{3-n}\}]^+$ (L=CO, PMe_3) with KOH to afford $(\eta^5\text{-}C_5H_5)L_2Fe\text{-}\{P(O)(NC_4H_8)_{n-1}(OMe)_{3-n}\}$, **222**, 123
Phosphonate complexes
conversion of cationic phosphite complexes into phosphonate complexes with selective deamination on the coordinating phosphorus. Reaction of $[(\eta^5\text{-}C_5H_5)L_2Fe\{P(NC_4H_8)_n(OMe)_{3-n}\}]^+$ (L=CO, PMe_3) with KOH to afford $(\eta^5\text{-}C_5H_5)L_2Fe\text{-}\{P(O)(NC_4H_8)_{n-1}(OMe)_{3-n}\}$, **222**, 123
Phosphoryl complexes
synthesis, structure and stability of complexes of lanthanide nitrates with $[(MeO)_2P(O)]_2C(OH)Ph$ and the isomeric $(MeO)_2P(O)OCHPhP(O)(OMe)_2$, **223**, 43
Photochemical reaction
light-induced electron transfer in lead(II)gold(I) dicyanide, **226**, 345
Photochemistry
photochemical reactions of transition metal organyl complexes with olefins Part 10. Light-induced formal [5+2] cycloadditions at manganese, **220**, 77
reactivity of allene at phosphine-bridged di-iron centres: X-ray crystal structures of $[Fe_2(CO)_5\{\mu\text{-}\sigma,\eta^3\text{-}C(O)C(CH_2)_2\}(\mu\text{-}dppm)]$ and $[Fe_2(CO)_4\{\mu\text{-}\eta^3,\eta^{3'}\text{-}(CH_2)_2C_2(CH_2)_2\}(\mu\text{-}dppm)]\cdot Et_2O$, **220**, 201
ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands, **221**, 55
photoredox chemistry of iodomercurate(II) complexes in acetonitrile, **221**, 79
synthesis of α-hydroxy acid derivatives by the photochemical reaction of *O*-silylchromium(0) carbene complexes and nucleophiles, **222**, 261
the synthesis, and UV–Vis, electrochemical, photochemical and intervalence characterization of tetraammine and tris chelated ruthenium(II) complexes bound to the bridging ligand dipyrido(2,3-*a*;2',3'-*h*)phenazine (dpop), **224**, 27
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2'-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
bimolecular electron transfer at high driving forces. Photoreactions of gold(I) and iridium(I) complexes with pyridinium derivatives, **225**, 319
photochemical and spectroscopic studies of complexes of iron(III) with citric acid and other carboxylic acids, **226**, 117
spectroscopy and photoredox chemistry of ion-paired cobalt(III) am(m)ine complexes, **226**, 285
Photoinduced electron transfer
photoinduced electron transfer reaction between $[Cu(dmp)P_2]^{+\text{or}-}$ (P=PPh_3 or $PPh_2(m\text{-}C_6H_4SO_3^-)$ and viologen derivatives, **225**, 261
electron transfer quenching of the excited MLCT state of Ru(II) in the double complex salts $[Ru(bpy)_3]_2[M(CN)_6]Cl\cdot 8H_2O$ (M=Co and Fe), **226**, 203
the construction of molecular systems capable of photoinduced multielectron charge transfer: a photochemical analysis of the reactivity of $[(CN)_5Fe^{II}{-}(CN){-}Pt^{IV}(L)_4{-}(NC){-}Fe^{II}(CN)_5]^{4-}$ (L=NH_3, ethylenediamine), **226**, 251
Photoinduced intramolecular electron transfer
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
Photoluminescence studies
light-induced electron transfer in lead(II)gold(I) dicyanide, **226**, 345
Photooxidation

simultaneous photooxidation of $[Ru(bpy)_2Cl_2]$ and photoreduction of $[Ru(bpy)_2Cl_2]^+$ in several solvent systems, **226**, 247
Photophysics
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2′-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251
Photoredox
spectroscopy and photoredox chemistry of ion-paired cobalt(III) am(m)ine complexes, **226**, 285
Photoredox reactions
photoredox behavior of a trinuclear Ru(III),Ru(II),Co(III) complex induced by metal-to-metal charge transfer excitations, **225**, 327
Photoreduction
photoinduced electron transfer reaction between $[Cu(dmp)P_2]^{+or-}$ (P = PPh_3 or $PPh_2(m\text{-}C_6H_4SO_3^-)$ and viologen derivatives, **225**, 261
simultaneous photooxidation of $[Ru(bpy)_2Cl_2]$ and photoreduction of $[Ru(bpy)_2Cl_2]^+$ in several solvent systems, **226**, 247
Phthalato complexes
antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex, **218**, 167
Phthalocyanine complexes
redox reactions of an Mo(V) tetrasulfophthalocyanine, **215**, 27
a comparison of the loop-current effect of silicon phthalocyanine and silicon naphthalocyanine rings on their axial ligands, **218**, 41
equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199
tTBuPcCrCl$_2$H a sparingly soluble tetra-t-butyl-phthalocyaninato-chloro-chromium complex, **224**, 185
electron transfer in surfactant films on electrodes; copper phthalocyaninetetrasulfonate–didodecyldimethylammonium bromide, **226**, 159
Picrate complexes
synthesis and molecular structure of two crystalline forms of hydrated cerium(III) picrate, **221**, 169
Piperidine binding
equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199
Piperidine complexes
antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex, **218**, 167
Platinaborane complexes
ten-vertex polyhedral mixed diheteromonometallaborane chemistry. Directed synthesis of *arachno*-9,6,8-platinathiacarbadecaboranes, **218**, 1
Platinum blue complexes
aggregation of platinum–uridine blue as a function of concentration in aqueous solution by small angle X-ray scattering, **216**, 37
Platinum complexes
cyclometallated derivatives of platinum(II) derived from 1,4-benzodiazepin-2-ones. Crystal and molecular structure of Pt(L)(HL)Cl (HL = 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2*H*-1,4-benzodiazepin-2-one, DIAZEPAM), a molecule containing a neutral and a deprotonated 1,4-benzodiazepin-2-one, **215**, 17
metal complexes of benzodiazepines. Kinetic properties of bromazepam toward square planar dimethyl sulfoxide complexes of platinum(II) and palladium(II), **215**, 41
synthesis and characterization of platinum(II)–thiolate complexes. Crystal and molecular structures of *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)Cl$ and *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)_2$, **216**, 83
molecular and crystal structures of *cis*-$Pt(DMSO)(C_2H_5CN)Cl_2$ and $Cl(DMSO)Pt(\mu\text{-}N(CH_3)CHO)_2Pt(DMSO)Cl$, **216**, 163
mercury and platinum mixed cluster having a prismatic structure, $[HgPt_6(2,6\text{-}Me_2C_6H_3NC)_{12}]$, **217**, 121
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
molecular mechanical and quantum chemical study on the species involved in the hydrolysis of *cis*-diamminedichloroplatinum(II) and substituted bis(ethylenediamine)-dichloroplatinum(II) complexes Part I. Reactants and products, **217**, 159
insertion reaction of dimethylacetylenedicarboxylate with the head-to-tail isomer of $Pt_2I_2(\mu\text{-}Ppy_3)_2$; Ppy_3 = tris(2-pyridyl)-phosphine, **217**, 209
ternary Pt(II)–amino acid–nucleotide complexes: kinetics of formation, **218**, 11
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-}MeU)_2]\cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles, **218**, 117
preparation and structure of $[PhPt(OCO_2H)(PEt_3)_2]$ and $[PhPt(OH_2)(PEt_3)_2]BF_4$, **218**, 199
new methods for synthesis of platinum(II) dimethyl sulfide complexes, **219**, 155
three-coordinate Pt(0) η^2-complexes: electrophilic hydrogen attack through oxidative-addition of protic acids, **219**, 169
synthesis and X-ray crystal structure of *cis*-1,4-diaminocyclohexanetetrachloroplatinum(IV): a new antitumor agent, **219**, 193
synthesis of 5,6-dihydro-4*H*-1,3-oxazines from neutral and cationic platinum(II) nitrile complexes. X-ray structure of *trans*-$[Pt(CF_3)\{N{=}C(Ph)OCH_2CH_2CH_2\}(PPh_3)_2]BF_4$, **220**, 21
non-isothermal spectrophotometric kinetics applied to inorganic reactions, **221**, 31
binuclear complexes from 1,8-substituted anthracene derivatives. The crystal structure of [{μ-[1,8-anthracenedicarboxaldehydebis(dimethylhydrazone)]}tetrachlorobis(η^2-ethylene)di-platinum], **221**, 151
trimetallic complexes of the tripod ligand 1,1,1-tris(diphenylphosphinomethyl)ethane Part I. Homotrimetallic *cis,cis,cis* and *cis,trans,cis* complexes of the type $[(PtX_2\text{-}\eta\text{-}tripod)_2PtX_2]$ (X = Cl, I and CH_3), **221**, 187
alkyne hydration using Pt(II) catalysts, **222**, 317
reactions of aziridine with platinum(II) nitriles. Formation of (aziridino)amidines and 2-imidazolines and X-ray structure of *trans*-$[PtCl_2\{N(H){=}C(Ph)NCH_2CH_2\}_2]$, **222**, 327
chemistry of π-complexes derived from $[(Ph_3P)_2Pt(\eta^3\text{-}CH_2CCPh)](O_3SCF_3)$. Interconversion between η^3-alkoxoallyl and η^3-oxoallyl complexes and between η^3-aminoallyl and η^3-iminoallyl complexes, **223**, 1
binuclear platinum(II) complexes of 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4) containing various bridging ligands as spacers between the P4 coordination units, **223**, 13
pyrazolyl carbon and proton NMR assignments for transition-metal poly(1-pyrazolyl)borates. Syntheses and NMR spectral studies of the (η^2-BR_2Pz_2) (Pz = 1-pyrazolyl) palladium and platinum complexes, **224**, 131
predicting the effect of oxidative doping on the conductivities of metal–tetrakis(dimethylphosphino)benzene coordination polymers from the electrochemical properties of their related bimetallic complexes, **225**, 15

electron transfer in *trans*-[$Pt(PPh_3)_2(-C{\equiv}C-Fc)_2$] and related compounds, **225**, 35

the use of pressure-tuning spectroscopy to distinguish between one- and two-electron transfer processes, **225**, 89

metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201

the construction of molecular systems capable of photoinduced multielectron charge transfer: a photochemical analysis of the reactivity of $[(CN)_5Fe^{II}-(CN)-Pt^{IV}(L)_4-(NC)-Fe^{II}(CN)_5]^{4-}$ (L = NH_3, ethylenediamine), **226**, 251

ternary complexes of *cis*- and *trans*-$Pt(NH_3)_2Cl_2$ (*cis*-, *trans*-DDP) with 9-methylguanine (9-MeG), the dipeptides glycylglycine (glygly), glycyl-L-alanine (glyala), glycyl-L-2-aminobutyric acid (gly-2-aba), glycyl-L-norvaline (glynval), glycyl-L-norleucine (glynleu), and of *trans*-$Pt(NH_3)_2Cl_2$ with Na-L-acetylhistidine, **227**, 17

organoplatinum(II) complexes containing disubstituted dithioxamides: evidence for an S,S′ Pt coordinated neutral dithioxamide acting as an anion binding agent, **227**, 63

thiopyridyl triazine derivatives and their platinum complexes: a new class of potential antitumor agents, **227**, 175

stereochemical investigation of cationic olefin complexes of platinum(II) containing chiral diamines: a sequence of four asymmetric centres (N, C, C and N) in the chelate ring, **227**, 261

^{31}P NMR spectroscopy

ionic cluster dithiophosphinates $[Mo_3S_4(R_2PS_2)_3py_3]^+[MI_3]^-$ (M = Zn·py, Cd·py, Hg), **216**, 177

Poly(1-oxo-2-phenyltrimethylene)

labeling studies of some carbonylation reactions of styrene with cationic palladium complexes, **220**, 273

Polyacetylene

ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35

Polyazacrown ligand complexes

liquid matrix induced processes in fast atom bombardment mass spectrometry of polyazacrown transition metal complexes, **219**, 85

Polychalcogenide complexes

synthesis, structure and properties of the polychalcogenides $[M_4Te_{12}]^{4-}$ (M = Cd, Hg), **224**, 163

Polycyanometallate complexes

outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71

Polydentate ligand complexes

binuclear oxo-bridged iron(III) complexes of *N,N′*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen) and related ligands, **216**, 21

nucleophilic addition of water to coordinated di-(2-pyridyl)ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK\cdot H)^+$-$[\{ReOCl_2(DPK\cdot OH)\}_2Cl]$, **217**, 141

complexes of mercuric halides with the tripod ligand np_3 ($=N(CH_2CH_2PPh_2)_3$). Molecular structure of $[(np_3)HgI]I\cdot 0.5C_2H_5OH$, **217**, 155

stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L = *N,N′*-[(pyridine-2,6-diyl)bis-(methylene)]bis[proline] (promp) and *N,N′*-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73

new heptacoordinated tin complexes of 2,6-diacetylpyridine-bis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of [MeSnCl(Hdaptsc)]Cl·MeOH and [MeSnCl(H_2dapsc)]$Cl_2\cdot 2H_2O$, **218**, 139

organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of $[(\eta^6\text{-}C_6Me_6)Ru\{\mu\text{-}P(O)(OMe)_2\}(\mu\text{-}Pz)_2Re(CO)_3]$ (Me = methyl, Pz = pyrazolate), **219**, 67

reactions of the polynuclear chain complex $[Cu(L)(H_2O)]_n$ (H_2L is 5-[(2′-carboxyphenyl)azo]-1,3-dimethylbarbituric acid) with imidazole. Crystal structures of the dinuclear and mononuclear derivatives and EPR study of the dimer–monomer equilibrium in solution, **219**, 127

the synthesis, structure and hydrolytic activity of a functional pentacoordinate zinc complex, **219**, 205

ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands, **221**, 55

trimetallic complexes of the tripod ligand 1,1,1-tris-(diphenylphosphinomethyl)ethane Part I. Homotrimetallic *cis,cis,cis* and *cis,trans,cis* complexes of the type $[(PtX_2\text{-}\eta\text{-tripod})_2PtX_2]$ (X = Cl, I and CH_3), **221**, 187

novel didentate 2,2′:6′,2″-terpyridine complexes of ruthenium(II), **223**, 177

electron transfer 122. Reductions of an N_4-coordinated complex of silver(III), **225**, 83

Polydentate phosphine ligand complexes

binuclear platinum(II) complexes of 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4) containing various bridging ligands as spacers between the P4 coordination units, **223**, 13

Polydentate sulfur ligand complexes

transition metal complexes with sulfur ligands Part CVII. Complexes of the [Mo(NO)('S_4')] fragment with 16, 17 and 18 valence electrons ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **225**, 163

Polyfunctional ligand complexes

polyfunctional phosphine ligands II. Iridium(I) complexes of the 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy) ligand. X-ray crystal structure of $[\{Ir(cod)Cl\}_2(\mu\text{-dpnapy})]$, **216**, 209

synthesis, properties and molecular structure of copper(II) and cobalt(II) 1,2-bis(pyrazol-1-ylmethyl)benzene complexes, **223**, 139

Polyhaloaryl complexes

polyhalophenylsilver(I) complexes, **223**, 161

Polymer complexes

coordination polymers of Mn(II) with the ligand pyrazine-2,3,5,6-tetracarboxylic acid, **219**, 161

Polymeric compounds

$[Rh_2(O_2CCH_3)_4TCNE]_x$ polymers: isomers with either 1,1- or *trans*-1,2-TCNE bridges, **221**, 1

Polymerization

ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35

Polymolybdate complexes

synthesis and characterization of Keggin derivatives containing an $[Mo(NO)]^{3+}$ unit: $(n\text{-}Bu_4N)_4[PM_{11}O_{39}\{Mo(NO)\}]$ (M = Mo, W), **215**, 61

Polynuclear complexes

reactions of the polynuclear chain complex $[Cu(L)(H_2O)]_n$ (H_2L is 5-[(2′-carboxyphenyl)azo]-1,3-dimethylbarbituric acid) with imidazole. Crystal structures of the dinuclear and mononuclear derivatives and EPR study of the dimer–monomer equilibrium in solution, **219**, 127

photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251

inter-chromophore electronic interactions in ligand-bridged polynuclear complexes: a comparative study of various bridg-

ing ligands, **226**, 213
Polyoxomolybdate complexes
phenylimido derivatives of $[Mo_6O_{19}]^{2-}$: syntheses, X-ray structures, vibrational, electrochemical, ^{95}Mo and ^{14}N NMR studies, **224**, 81
Polypyrazolylborate complexes
new polypyrazolylborate chemistry of ruthenium(II) complexes with weakly coordinating organonitrile ligands, **219**, 3
Polypyridine complexes
photophysical properties of mono-, di- and tetranuclear copper(I)–polypyridine complexes, **225**, 251
intramolecular electron transfer between Ru(I) and Ru(III) and the heme iron of cytochrome *c* labeled with ruthenium(II) polypyridine complexes, **226**, 129
Polypyridyl complexes
quenching of a polypyridyl–ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M = Mo, W; L = tris(3,5-dimethylpyrazolyl)hydroborate), **226**, 171
Porphindione complexes
electrochemistry of nitrite reductase model compounds 5. Electrochemistry and spectroelectrochemistry of iron porphinone, porphindione and isobacteriochlorin complexes, **225**, 57
Porphinone complexes
electrochemistry of nitrite reductase model compounds 5. Electrochemistry and spectroelectrochemistry of iron porphinone, porphindione and isobacteriochlorin complexes, **225**, 57
Porphyrin
a 'calix[4]arened' porphyrin as a new host and an oxygen carrier model, **224**, 1
Porphyrin complexes
preparation and dioxygen binding property of a new zeolite encapsulated cobalt tetramethylporphin complex, **217**, 135
synthesis, characterization and X-ray crystal structure of the benzenedithiolatohafnium(IV) porphyrin complex, **221**, 51
rotation and orientation of axially coordinated imidazoles in low-spin ferric porphyrin complexes, **224**, 113
effect of aromatic–aromatic interaction on ligand binding to zinc porphyrins, **224**, 157
electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215
electron transfer reduction of cobalt tetraphenylporphyrin by hydroquinone dianions and alkylation with alkyl halides, **226**, 145
reaction of low-valent iron porphyrins with alkyl containing supporting electrolytes, **226**, 195
free radical-mediated electron transfer in organometallic complexes: homolysis and alkyl group crossover reactions for alkyliron(II) porphyrins, **226**, 231
Potentiometric titration
a potentiometric study on the complexation of Ag(I) with various N-methyl and C-methyl substituted ethylenediamines in 1 M NO_3, **224**, 97
Pressure-tuning spectroscopy
the use of pressure-tuning spectroscopy to distinguish between one- and two-electron transfer processes, **225**, 89
Propynoato complexes
synthesis, structure and solid state polymerization of diaquabis(propynoato)magnesium, **222**, 339
Protonation
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2('S_4')]$ and $[Fe(CO)('S_5')]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ($'S_4'^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); $'S_5'^{2-}$ = 2,2′-bis(2-mercaptophenylthio)diethylsulfide(2−)), **224**, 45
Proton transfer reactions
direct solution calorimetric measurements of enthalpies of proton and electron transfer reactions for transition metal complexes. Thermochemical study of metal–hydride and metal–metal bond energies, **227**, 285
Pseudopeptide complexes
coordination abilities of amide oxygens in a 24-membered ring pseudopeptide toward several transition metal ions in acetonitrile, **223**, 121
Pulse radiolysis
reduction of hexaazacyclophane complexes of Co(II) and Cu(II) by $^{\bullet}CH_2OH$ and e_{sol}^-; a pulse radiolysis study, **226**, 151
Purine complexes
dirhenium(III) complexes with *N*,*N*-dimethyladenine and 7-azaindole, **216**, 131
synthesis and crystal structure of the μ_2-{tris[bis(diphenylphosphine)methane]}-μ_3-3-methyl-8-ethylxanthine-*N*,*O*,*O*]-μ_3-chloro-triangle-tricopper(I)-water complex exhibiting a novel oxopurine coordination mode, **227**, 43
Pyrazine complexes
the electronic structure of pentaammine(pyrazine) ruthenium(II) and (III): the metal–ligand π conjugation and its implications in electron delocalization, **226**, 43
Pyrazolylborate
pyrazolyl carbon and proton NMR assignments for transition-metal poly(1-pyrazolyl)borates. Syntheses and NMR spectral studies of the (η^2-BR_2Pz_2) (Pz = 1-pyrazolyl) palladium and platinum complexes, **224**, 131
Pyridine complexes
tTBuPcCrCl$_2$H a sparingly soluble tetra-t-butyl-phthalocyaninato-chloro-chromium complex, **224**, 185
Pyridine derivative complexes
crystal and molecular structure of the solvate of bis(2,6-bis(1′-methylbenzimidazol-2′-yl)pyridine)cobalt(II) dihexafluorophosphate with 4-methyl-1,3-dioxolan-2-on, **219**, 11
Pyridinium derivatives
bimolecular electron transfer at high driving forces. Photoreactions of gold(I) and iridium(I) complexes with pyridinium derivatives, **225**, 319
Pyrimidine complexes
crystal structure and magnetic property of a 2D infinite layered copper(II) complex with bridging *trans*-oxamidate and pyrimidine ligands, **224**, 171

Quantum chemical calculations
the influence of aluminum trichloride on a configuratively labile lactone-bridged biaryl: quantum chemical calculations and optical spectroscopy, **222**, 247
Quantum mechanical calculations
hemocyanin model compounds; a quantum mechanical calculation of geometry-dependent exchange interaction, **221**, 141
Quantum mechanical study
molecular mechanical and quantum chemical study on the species involved in the hydrolysis of *cis*-diamminedichloroplatinum(II) and substituted bis(ethylenediamine)dichloroplatinum(II) complexes Part I. Reactants and products, **217**, 159
Quinone complexes
the development of a quinone α-anion synthon. Utilization of a maleoylcobalt complex as a quinone surrogate and a dominant role for ligand effects, **222**, 235

Radical complexes

a seven-spin cluster formed by an alkyl nitronyl nitroxide biradical and copper(II): crystal structure and magnetic properties, **217**, 7

Raman spectroscopy
raman and infrared spectroscopic studies of tris triphenyl phosphine chloride complexes of transition metals, **216**, 191

Reagent dependent
chemoselective functionalization of zirconacyclopentenes, **220**, 319

Redox couples
thermometric determination of electrochemical Peltier heat (thermal effect associated with electron transfer) of some redox couples, **226**, 69

Redox potentials
a spectroelectrochemical method for evaluating factors which regulate the redox potential of hemoglobins, **226**, 187

Redox properties
synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II), **221**, 125

Redox reactions
photoredox chemistry of iodomercurate(II) complexes in acetonitrile, **221**, 79
transition metal complexes with sulfur ligands Part CVII. Complexes of the [Mo(NO)('S_4')] fragment with 16, 17 and 18 valence electrons ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **225**, 163
redox reactions between oxomolybdenum(IV) and tetratolylporphinatoiron(III) complexes, **226**, 259
chemical and electrochemical approaches to the investigation of redox reactions of simple electron transfer metalloproteins, **226**, 293

Reduction
the reduction of pentaammine(phenanthroline-2-carboxamido-*N*)cobalt(III) by titanium(III) and vanadium(II), **225**, 245
electron transfer reduction of cobalt tetraphenylporphyrin by hydroquinone dianions and alkylation with alkyl halides, **226**, 145
reduction of hexaazacyclophane complexes of Co(II) and Cu(II) by $^{\cdot}CH_2OH$ and e_{sol}^-; a pulse radiolysis study, **226**, 151

Reduction of carbon dioxide
electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285

Reduction of oxygen
electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285

Reductive cleavage
strain, silyl and steric effects on the regioselectivity of palladium(0) catalyzed allyl esters reduction as alternative to the Wittig reaction, **222**, 37

Reductive coupling of iodobenzenes
use of aluminium as an electron pool. Reductive coupling of iodobenzenes promoted by electron transfer in an Ni/Pb/Al multi redox system, **222**, 323

Reductive elimination
bite angle dependence of the rate of reductive elimination from diphosphine palladium complexes, **220**, 249

Regioselection
ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155

Regioselective group transfer
influence of bulky substituents on the regioselective group-transfer reactions of diorganozinc compounds with *N*,*N*′-bis(2,6-di-isopropylphenyl)-1,4-diaza-1,3-butadiene, **220**, 55

Regioselectivity
alkyne hydration using Pt(II) catalysts, **222**, 317

Rhenium complexes
the unusual crystallographic disorder of M_2 units in $M_2Cl_4(PEt_3)_4$ (M = Re, Mo), **215**, 103
mixed-ligand complexes of rhenium II. Synthesis and characterization of [ReN(X)(Me_2PhP)$_2$(R_2tcb)] complexes (X = I, N_3, SCN, CN; R_2tcb^- = *N*-(*N*,*N*-dialkylthiocarbamoylbenzamidinate)). X-ray crystal structure of [ReN(N_3)(Me_2PhP)$_2$(Et_2tcb)], **215**, 159
mixed-ligand complexes of rhenium III. Synthesis, characterisation and structures of [ReN(Me_2PhP)$_2$(mnt)] and [ReN(Me_2PhP)(2,6-DMTP)(morphtcb)] (Me_2PhP = dimethylphenylphosphine; 2,6-$DMTP^-$ = 2,6-dimethylthiophenolate; $morphtcb^-$ = *N*-(morpholinylthiocarbonyl)benzamidinate), **216**, 31
dirhenium(III) complexes with *N*,*N*-dimethyladenine and 7-azaindole, **216**, 131
isothiocyanato complexes of rhenium II. Synthesis, characterization and structures of ReN(NCS)$_2$(Me_2PhP)$_3$ and Re(NS)(NCS)$_2$(Me_2PhP)$_3$, **216**, 223
a mixed-metal salt comprised of metal–metal bonded dinuclear ions: structure and properties of [Rh_2(OAc)$_2$(MeCN)$_6$]-[Re_2Cl_8], **217**, 79
nucleophilic addition of water to coordinated di-(2-pyridyl)ketone (DPK) in rhenium(V) complexes. Synthesis and crystal structure of the adduct $(DPK\cdot H)^+$-[{$ReOCl_2$(DPK·OH)}$_2$Cl], **217**, 141
synthesis and characterization of oxorhenium(V)–catecholate complexes. Crystal and molecular structures of $(CH_3)_4N[ReO(O_2C_6H_4)_2]$ and $(CH_3)_4N[ReO(PPh_3)(O_2C_6H_4)_2]\cdot CH_3OH$, **218**, 157
exchange of azine ligands in *fac*-Re(CO)$_3$(4-cyanopyridine)$_2$Cl and *fac*-Re(CO)$_3$(quinoline)$_2$Cl, **221**, 161
EXAFS studies of a chiral rhenium lactone complex and its precursors including multiple scattering calculations, **222**, 27
insertion of NH into the rhenium–carbon bonds of a Fischer-type rhenacyclobutadiene. Preparation and characterization of azarhenacyclic complexes, **222**, 199
the reactions of thiolate ligands with rhenium hydrides Part 1. The syntheses and structures of [ReO(SC_6H_3-2,6-Me_2)$_3$(PPh_3)] and [Re(SC_6H_3-2,6-Me_2)$_3$(PPh_2H)(PPh_3)], **223**, 63
isothiocyanato complexes of rhenium III. Synthesis and characterization of [ReN(NCS)$_2$(Ph_3P)$_2$] and [ReN(NCS)$_2$(CH_3CN)(Ph_3P)$_2$]. X-ray crystal structure of [ReN(NCS)$_2$(CH_3CN)(Ph_3P)$_2$]·CH_3CN, **224**, 193
cage escape yields for photoinduced bimolecular electron transfer reactions of Re(I) complexes, **225**, 41
electron transfer properties of ReO(ECD), **225**, 323
electron-transfer activation of the aminocarbyne and the hydrogen isocyanide complexes *trans*-[ReCl(CNH_n)($Ph_2PCH_2CH_2PPh_2$)$_2$][BF_4]$_{n-1}$ (*n* = 2 or 1). Interconversion of coordinated CNH_2 and CNH, **226**, 9
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25

Rhodium
solution structures of cobalt–rhodium clusters: the identification of a new hexanuclear cobalt–rhodium species, **227**, 187

Rhodium carboxamidate complexes
dirhodium(II) tetrakis[*N*,*N*-dimethyl-2-pyrrolidone-5(*S*)-carboxamide]. Structural effects on enantioselection in metal car-

bene transformations, **220**, 193
Rhodium complexes
preparation and structural characterization of $Rh_2(O_2CCPh_3)_4(EtOH)_2$, $Ru_2(O_2CCPh_3)_4(H_2O)(EtOH)\cdot 2EtOH$ and $Mo_2(O_2CCPh_3)_4\cdot 3CH_2Cl_2$, **215**, 9
reactions of phosphine–boron trihalide adducts with carbonylbis(triethylphosphine)rhodium(I) halides, **215**, 67
cyclometallation of *N*,*N*-dimethylbenzo[*b*]furan-2-carbothio (and seleno) amides with palladium(II), ruthenium(II) and rhodium(III), **215**, 91
evidence of the interaction between steric and electronic influence in rhodoximes and cobaloximes. Synthesis of $pyRh(DH)_2I$ and X-ray structure of $pyRh(DH)_2Cl$, $pyCo(DH)_2Cl$ and $pyRh(DH)_2I$, **216**, 125
pressure and concentration dependent formation of oligomers of tetrakis(*p*-methylphenylisocyanide)rhodium(I), **216**, 245
a mixed-metal salt comprised of metal–metal bonded dinuclear ions: structure and properties of $[Rh_2(OAc)_2(MeCN)_6][Re_2Cl_8]$, **217**, 79
a mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates, **218**, 89
orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of $Rh_2(O_2CCF_3)_2[(C_6H_4)PPh_2]_2\cdot(PPh_3)_2\cdot 2(C_7H_8)$, **218**, 189
rhodium-catalyzed synthesis of 2(5*H*)-furanones from terminal alkynes and non-substituted alkynes under water-gas shift reaction conditions, **220**, 45
the importance of phosphine-to-rhodium ratios in enantioselective hydroborations, **220**, 93
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$, **221**, 109
reaction of primary silanes with dinuclear rhodium hydride complexes: silane coupling reactions, **222**, 345
synthesis and X-ray analysis of the dirhodium(II,II) carboxylate complex $Rh_2(O_2CCH_3)_4(formH)_2$ (formH = *N*,*N*′-di-*p*-tolylformamidine), **223**, 145
infrared spectroelectrochemistry of $[Rh(TM4)_4M(CO)_5]_2^{2+}$ (TM4 = 2,5-diisocyano-2,5-dimethylhexane; M = Re, Mn): electron-transfer-promoted metal–metal bond cleavage and formation, **226**, 61
synthesis and characterization of a bidentate chelating diisonitrile ligand with two thioethereal sulfurs in a bridging group and its copper(I), rhodium(I) and palladium(II) complexes, **227**, 113
Rhodium compounds
$[Rh_2(O_2CCH_3)_4TCNE]_x$ polymers: isomers with either 1,1- or *trans*-1,2-TCNE bridges, **221**, 1
Rhodoxime complexes
evidence of the interaction between steric and electronic influence in rhodoximes and cobaloximes. Synthesis of $pyRh(DH)_2I$ and X-ray structure of $pyRh(DH)_2Cl$, $pyCo(DH)_2Cl$ and $pyRh(DH)_2I$, **216**, 125
Ring opening
reactions of benzocyclobutene chromium complexes with carbon, nitrogen and oxygen nucleophiles: nucleophilic addition and unexpected proximal ring opening reactions, **220**, 175
Ruthenium amine complexes
a spectroelectrochemical method for evaluating factors which regulate the redox potential of hemoglobins, **226**, 187
Ruthenium complexes
cyclometallation of *N*,*N*-dimethylbenzo[*b*]furan-2-carbothio (and seleno) amides with palladium(II), ruthenium(II) and rhodium(III), **215**, 91
synthesis and fluxional behaviour of (cyclopentadienyl) and (pentamethylcyclopentadienyl)ruthenium(II) complexes with hemilabile ether-phosphines. ^{31}P DNMR spectroscopic studies and line shape analysis, **215**, 165
pyrazine-mediated antiferromagnetic intermolecular exchange in mixed-valent diruthenium tetracarboxylates, **215**, 203
bis(2-diphenylphosphinoethyl)phenylphosphineruthenium(II) complexes of amino acids and dipeptides, **217**, 51
solid-state isomerization of ruthenium(II) isocyanide complexes, **217**, 181
synthesis and characterization of phosphane-substituted hydroxyruthenocenes: crystal structure of $[Ru(\eta^5\text{-}C_5H_4PPh_3)(\eta^5\text{-}C_5H_4OH)]PF_6$, **217**, 203
electrochemistry of organometallic halide complexes III. Oxidation of $[C_6Me_6RuCl_2]_2$, **218**, 33
organometallic complexes of ruthenium(IV) with bidentate oxygen and nitrogen donor ligands, **218**, 81
new polypyrazolylborate chemistry of ruthenium(II) complexes with weakly coordinating organonitrile ligands, **219**, 3
dimolybdenum(II) and diruthenium(II) complexes with 2-substituted 7-methyl-1,8-naphthyridines as bridging ligands, **219**, 23
organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of $[(\eta^6\text{-}C_6Me_6)Ru\{\mu\text{-}P(O)(OMe)_2\}(\mu\text{-}Pz)_2Re(CO)_3]$ (Me = methyl, Pz = pyrazolate), **219**, 67
ruthenium complex catalyzed polymerization of OH or COOH group containing alkynes to give functionalized poly(acetylene)s, **220**, 35
preparation, properties and reactions of metal-containing heterocycles Part LXXXIX. Metalla[*n*]- and metalla[*m*,*n*]-orthocyclophanes as mediators for the synthesis of cyclic ketones, **220**, 107
direct nitration of aryl groups σ-bound to ruthenium(II), **220**, 261
π-facial selectivities in the coordination of an optically pure fused cyclopentadienyl ligand to arene ruthenium moieties. NMR spectral and structural characterization of a single diastereomer of $[(PCp)Ru(Me_6C_6)]PF_6$, **221**, 41
ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands, **221**, 55
synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$, **221**, 109
synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II), **221**, 125
the reaction of $CpRu(PPh_3)_2^+$ with trimethylenesulfide. Synthesis and molecular and crystal structure of $[CpRu(PPh_3)_2(SC_3H_6)]CF_3SO_3$, **221**, 157
a comparison of catalytic activity for imine hydrogenation using Ru ditertiary phosphine complexes, including chiral systems, **222**, 85
oxidation of *cis*- and *trans*-pinane with RuO_4 generated in situ, **222**, 115
selective transformations of alkynols catalyzed by ruthenium complexes, **222**, 155
hydration of conjugated dienes to produce ketones catalyzed by ruthenium complexes, **222**, 225
arene migration in ruthenium clusters: a kinetic study of the isomerisation of $Ru_5C(CO)_{12}(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$ to $Ru_5C(CO)_{12}(\eta^6\text{-}C_6H_6)$, **222**, 299

properties of the mixed-valence binuclear complex ion, $[(NH_3)_5Ru^{III}$–NC–$Os^{II}(CN)_5]$, **223**, 37
an improved synthesis of Ru(BINAP) type complexes, **223**, 165
novel didentate 2,2′:6′,2″-terpyridine complexes of ruthenium(II), **223**, 177
the first isolated antineoplastic Ru(IV) complex: synthesis and structure of $[Cl_2$(1,2-cyclohexanediaminotetraacetate)Ru]·$2H_2O$, **224**, 15
the synthesis, and UV–Vis, electrochemical, photochemical and intervalence characterization of tetraammine and tris chelated ruthenium(II) complexes bound to the bridging ligand dipyrido(2,3-*a*;2′,3′-*h*)phenazine (dpop), **224**, 27
electrochemical behavior and X-ray crystal structure of the unusual dimeric ruthenium(cyclooctadiene) complex, (tri-μ-chloro)(chloro)(acetonitrile)bis(η^4-cyclooctadiene)-diruthenium(II), **224**, 125
charge type effects on the temperature dependence of intervalence transfer in ferrocyanide substituted ruthenium(III) amine and aminopolycarboxylate compounds, **224**, 189
electrochemical, photophysical and photochemical properties of a hexanuclear ruthenium(II) bis(2,2′-bipyridyl) complex containing a tris(pyrazyltriazole)benzene ligand, **225**, 67
mixed valence state associated with halogen migration in diruthenocenylmethane and its related compounds, **225**, 103
ligand nature of coordinated NO_2^- in the oxidation reaction of Ru(II) complexes, $[Ru(NO_2)(OH_2)(py)_{4-2n}(bpy)_n]^+$ ($n=0$, 1, 2), and their related complexes, **225**, 111
solvent trapped valency in the [bis(pentaammineruthenium)-(μ-1,4-dicyanamidobenzene)] trication, **225**, 123
intramolecular electron transfer from $Ru^{II}(EDTA)^{2-}$ to $Co^{III}(NH_3)_5^{3+}$ via nitrogen heterocycle bridging ligands, **225**, 129
comparison of the rates of substitution in $[Ru(NH_3)_5H_2O]^{3+}$ and $[Os(NH_3)_5H_2O]^{3+}$ by hexacyano complexes: substitution coupled to electron transfer, **225**, 173
electrocatalysts for the four-electron reduction of dioxygen based on adsorbed cobalt tetrapyridylporphyrin molecules linked by aquaammine complexes of ruthenium(II), **225**, 215
light induced exchange energy transfer reactions of micelle forming Ru(II) diimine complexes, **225**, 275
photoredox behavior of a trinuclear Ru(III),Ru(II),Co(III) complex induced by metal-to-metal charge transfer excitations, **225**, 327
synthesis, electrochemistry and photoexcited-state properties of dinuclear ruthenium complexes bridged by 2,6′-bis(2-pyridyl)-2,2′:6,2″-thiazolo[4,5-*d*]-benzothiazole, **226**, 17
the electronic structure of pentaammine(pyrazine) ruthenium(II) and (III): the metal–ligand π conjugation and its implications in electron delocalization, **226**, 43
photoinduced intramolecular electron transfer in bimetallic donor–acceptor assemblies, **226**, 79
forbidden π–σ donor–acceptor electronic coupling in linked transition metal complexes: contrasting behavior of ruthenium(II) donors with ruthenium(III) and cobalt(III) acceptors, **226**, 109
intramolecular electron transfer between Ru(I) and Ru(III) and the heme iron of cytochrome *c* labeled with ruthenium(II) polypyridine complexes, **226**, 129
solvent, electrolyte and solute shape effects on optical electron transfer in mixed-valence ruthenium ammine dimers, **226**, 137
quenching of a polypyridyl–ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M=Mo, W; L=tris(3,5-dimethylpyrazolyl)hydroborate), **226**, 171
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179
electron transfer quenching of the excited MLCT state of Ru(II) in the double complex salts $[Ru(bpy)_3]_2[M(CN)_6]Cl\cdot 8H_2O$ (M=Co and Fe), **226**, 203
inter-chromophore electronic interactions in ligand-bridged polynuclear complexes: a comparative study of various bridging ligands, **226**, 213
simultaneous photooxidation of $[Ru(bpy)_2Cl_2]$ and photoreduction of $[Ru(bpy)_2Cl_2]^+$ in several solvent systems, **226**, 247
syntheses of ruthenium–iridium heterobimetallic complexes using tridentate phosphine ligands, **227**, 79
the role of $H_2Ru(CO)_2(PBu_3)_2$ in the activation of alkynes and alkenes, **227**, 247

Ruthenocenylmethane complexes
mixed valence state associated with halogen migration in diruthenocenylmethane and its related compounds, **225**, 103

Salt complexes
the preparation, properties and crystal structure of a salt containing the hexabromochromate(III) anion, **227**, 167

Schiff base complexes
complexes of tetradentate β-keto enamine Schiff bases: an electrospray mass spectrometric study, **216**, 75
preparation, properties and coordination behaviour of planar or tridimensional compartmental Schiff bases, **219**, 135
direct electrochemical synthesis of tin(IV) complexes of 2-(2-mercaptoethyl)iminomethyl-phenols; the molecular structure of bis{2-(2-mercaptoethyl)iminomethyl-5-bromo-phenoxy}-tin(IV), **223**, 87
synthesis, characterization and crystal structures of two *cis*-dioxo vanadium(V) complexes of monoanionic tridentate Schiff base ligands, **223**, 193
structures of a monomeric and a dimeric Ni(II) complex containing 2-acetylpyrrole, **227**, 159

Schiff base ligand complexes
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands 2. Crystal and molecular structure of *N*,*N*′-1,2-ethane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II), *N*,*N*′-1,2-*cis*-cyclohexane-1,2-diyl-bis(2-hydroxyacetophenonylideneiminate)nickel(II) and *N*,*N*′-1,2-benzene-1,2-diyl-bis(3,5-dichlorosalicylideneiminate)nickel(II), **219**, 43

Selenido complexes
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129

Semicarbazone complexes
synthesis and characterization of lead(II)–semicarbazone complexes. Crystal structures of dinitrato di-2-pyridylketone semicarbazone lead(II) and dichloro cyclohexane-1,2-dione bis(semicarbazone) dimethylformamide lead(II), **215**, 85
cobalt(III) complexes with 2-acetyl- and 2-formylpyridine ^4N-methylthiosemicarbazones, **216**, 229

Semiquinone complexes
valence tautomerism for catechol/semiquinone complexes of the *trans*-M(Bupy)$_2$(3,6-DBQ)$_2$ (M=Mn, Fe, Co) series, **226**, 91

Silane complexes
reactions of $HCCo_3(CO)_9$ with silanes; synthesis and electrochemistry of $X[SiMe_2CCo_3(CO)_9]_2$ (X=O, 1,4-C_6H_4), **224**, 73

Silane coupling reactions
reaction of primary silanes with dinuclear rhodium hydride complexes: silane coupling reactions, **222**, 345

Silicon complexes

two silicon-bridged cyclopentadienyl Fe_2S_4 cluster units connected through an Fe(III)S_6 unit. Crystal and molecular structure of $[((CH_3)_2SiCp'_2)_2Fe_5(\mu_3\text{-}S_2)_2(\mu_4\text{-}S_2)_2(\mu_4\text{-}S_4)]FeCl_4$, **216**, 1
a comparison of the loop-current effect of silicon phthalocyanine and silicon naphthalocyanine rings on their axial ligands, **218**, 41
Silicon compounds
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145
Silver complexes
the crystal structure of a chelate silver(I) complex: $\{Ag[Ph_2P(CH_2)_2SCH_2CH_3]_2\}ClO_4$, **215**, 199
a novel tetranuclear iodoargentate(I) ion, $[Ag_4I_8]^{4-}$, with a cubane-type core, **217**, 15
solution studies of monovalent metal complex ions of the bibracchial lariat ether 7,16-bis(2-methoxyethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane, **219**, 217
π-bonded alkene and arene complexes of silver(I): an electrospray mass spectrometric study, **220**, 99
polyhalophenylsilver(I) complexes, **223**, 161
syntheses, spectroscopy and crystal structure of several binuclear silver(I) cryptates, **223**, 181
a potentiometric study on the complexation of Ag(I) with various N-methyl and C-methyl substituted ethylenediamines in 1 M NO_3, **224**, 97
electron transfer 122. Reductions of an N_4-coordinated complex of silver(III), **225**, 83
Silyl complexes
coordination chemistry of perhalogenated cyclopentadienes and alkynes XIV. Synthesis of dinuclear ring-bridged cymantrenes with $-SiMe_2-$ or $-TiCp_2-$ bridges. Structures of $[(OC)_3Mn(C_5Br_4-)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4-)]_2TiCp_2$, **218**, 173
silicon-containing carbene complexes 16. Intramolecular agostic stabilization versus nucleophilic addition to the 16-electron carbene complex $(CO)_4(L)W{=}C(NMe_2)SiPh_2Me$, **220**, 73
transition-metal silyl complexes 51. Preparation of the mixed silyl/stannyl complexes $(\pi\text{-}C_5H_5)Fe(CO)(SnPh_3)(SiR_3)H$, **224**, 177
Single-valence systems
the influence of spin-forbidden monomer excitations on spin-allowed electron transfer and electron-localized states of mixed-valence and single-valence dimeric systems, **226**, 33
Solid-state fluorescence
crystal structure and solid-state fluorescence of an oxomolybdenum(V)–benzylviologen electron donor–acceptor salt, **226**, 25
Solid state polymerization
synthesis, structure and solid state polymerization of diaquabis(propynoato)magnesium, **222**, 339
Solution study
Zn(II) complexes with thiopyrimidine derivatives: solution study, synthesis and crystal structure of a zig-zag chain zinc(II) complex with the ligand 4,6-dimethyl-2-thiopyrimidine, **221**, 177
Solvato complexes
non-isothermal spectrophotometric kinetics applied to inorganic reactions, **221**, 31
Spectral overlap law
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185
Spectroelectrochemistry
synthesis, electrochemistry and photoexcited-state properties of dinuclear ruthenium complexes bridged by 2,6′-bis(2-pyridyl)-2,2′:6,2″-thiazolo[4,5-*d*]-benzothiazole, **226**, 17
infrared spectroelectrochemistry of $[Rh(TM4)_4M(CO)_5]_2^{2+}$ (TM4 = 2,5-diisocyano-2,5-dimethylhexane; M = Re, Mn): electron-transfer-promoted metal–metal bond cleavage and formation, **226**, 61
a spectroelectrochemical method for evaluating factors which regulate the redox potential of hemoglobins, **226**, 187
Spectrophotometric titration
outer-sphere coordination of polycyanometallate anions with polyammonium macrocycles: a spectrophotometric study, **227**, 71
Spectroscopic studies
main group metal halide complexes with sterically hindered thioureas XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds, **218**, 133
spectroscopic studies on complex formation and non-covalent interactions in ternary palladium(II) systems involving spermidine and 2,3-diaminoproprionate or 2,4-diaminobutyrate, **219**, 107
spectroscopic studies of the *trans*-$[VOCl_2(H_2O)_2]$ chromophore in its hydrogen bonding adduct with 18-crown-6, **227**, 91
Spectroscopy
a study of the reactivity and structure of cyclic α,β-unsaturated Fischer-type carbene complexes, **220**, 233
photochemical and spectroscopic studies of complexes of iron(III) with citric acid and other carboxylic acids, **226**, 117
Spermidine complexes
spectroscopic studies on complex formation and non-covalent interactions in ternary palladium(II) systems involving spermidine and 2,3-diaminoproprionate or 2,4-diaminobutyrate, **219**, 107
Spin-allowed electron transfer
the influence of spin-forbidden monomer excitations on spin-allowed electron transfer and electron-localized states of mixed-valence and single-valence dimeric systems, **226**, 33
Spin-forbidden excitation
the influence of spin-forbidden monomer excitations on spin-allowed electron transfer and electron-localized states of mixed-valence and single-valence dimeric systems, **226**, 33
Spontaneous self-organization
spontaneous formation of a 1D-coordination polymer with helix structure starting from (*S*)-pyroglutamic acid and copper(II) acetate, **222**, 5
Stability constants
solution studies of monovalent metal complex ions of the bibracchial lariat ether 7,16-bis(2-methoxyethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane, **219**, 217
stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate complexes, **221**, 165
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21
coordination abilities of amide oxygens in a 24-membered ring pseudopeptide toward several transition metal ions in acetonitrile, **223**, 121
a potentiometric study on the complexation of Ag(I) with various N-methyl and C-methyl substituted ethylenediamines in 1 M NO_3, **224**, 97
stability of metal ion complexes of *N*,*N*′-bis(2-hydroxybenzyl)-ethylenediamine-*N*,*N*′-diacetic acid, **224**, 151
Stannyl complexes
transition-metal silyl complexes 51. Preparation of the mixed silyl/stannyl complexes $(\pi\text{-}C_5H_5)Fe(CO)(SnPh_3)(SiR_3)H$, **224**, 177
Stereochemistry

a unified view of inorganic stereochemistry and stereochemical changes, **219**, 187
stereochemical investigation of cationic olefin complexes of platinum(II) containing chiral diamines: a sequence of four asymmetric centres (N, C, C and N) in the chelate ring, **227**, 261
Stereoselective synthesis
synthesis, structure, dynamics and first atropisomer-selective cleavage of the chromium tricarbonyl complex of a lactone-bridged biaryl, **222**, 255
Stereoselectivity
stereoselectivity in reactions of metal complexes Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L=*N*,*N*′-[(pyridine-2,6-diyl)bis(methylene)]bis[proline] (promp) and *N*,*N*′-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes, **218**, 73
stereoselective aldol addition reactions of Fischer carbene complexes via electronic tuning of the metal center for enolate reactivity, **220**, 215
Steric effects
influence of bulky substituents on the regioselective group-transfer reactions of diorganozinc compounds with *N*,*N*′-bis(2,6-di-isopropylphenyl)-1,4-diaza-1,3-butadiene, **220**, 55
the steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions, **221**, 9
strain, silyl and steric effects on the regioselectivity of palladium(0) catalyzed allyl esters reduction as alternative to the Wittig reaction, **222**, 37
Steroid complexes
the synthesis and reactions of A-ring aromatic steroid complexes of manganese tricarbonyl, **220**, 297
Styryl compounds
electrophilic addition to styrylsilanes: sequential carbon–carbon bond forming reactions, **220**, 145
Substituent dependent
chemoselective functionalization of zirconacyclopentenes, **220**, 319
Substituent independent
chemoselective functionalization of zirconacyclopentenes, **220**, 319
Substituted ruthenocene complexes
synthesis and characterization of phosphane-substituted hydroxyruthenocenes: crystal structure of $[Ru(\eta^5\text{-}C_5H_4PPh_3)(\eta^5\text{-}C_5H_4OH)]PF_6$, **217**, 203
Succinate
labeling studies of some carbonylation reactions of styrene with cationic palladium complexes, **220**, 273
Sulfide complexes
preparation and characterization of $[(LL)Cl_2Mo]_2(\mu\text{-}SPr)_2$ compounds with Pr=n-propyl and LL=$PrSCH_2CH_2SPr$ and $Et_2PCH_2CH_2PEt_2$. Further examples of C–S bond cleavage and oxidative addition across an Mo–Mo quadruple bond, **215**, 191
the reaction of $CpRu(PPh_3)_2^+$ with trimethylenesulfide. Synthesis and molecular and crystal structure of $[CpRu(PPh_3)_2(SC_3H_6)]CF_3SO_3$, **221**, 157
Sulfido complexes
oxo- and sulfido-bridged sandwich cubane-type molybdenum–indium mixed-metal cluster. Synthesis and X-ray structure of $[(H_2O)_9Mo_3S_3OInOS_3Mo_3\text{-}(H_2O)_9]\text{-}(CH_3\cdot C_6H_4\cdot SO_3)_8\cdot 30H_2O$, **216**, 13
Sulfonate complexes
structures of layered metal sulfonate salts: trends in coordination behavior of alkali, alkaline earth and transition metals, **216**, 101
Sulfonium-methylidene complexes
synthesis and reactions of the novel sulfonium-methylidene complex $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(H)(SMe_2)\}]SO_3CF_3$, **223**, 31
Sulfur complexes
'insulation' to lattice effects on quadrupole splitting in the Mössbauer spectra of salts of $[Fe_4S_4(Cys)_4]^{2-}$, a ferredoxin model, **217**, 3
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157
syntheses and structures of mixed-ligand tetrairon–sulfur clusters, $[Cp'_2(Ph_2C_2S_2)_2Fe_4S_4](PF_6)$ and $[Cp'_3(Ph_2C_2S_2)Fe_4S_5](PF_6)_n$ ($n=1$ and 2) ($Cp'=\eta^5\text{-}C_5Me_5$). Structural change of the clusters accompanying electron transfer reactions, **225**, 229
electron transfer 120. Reductions of the cuboidal mixed-valence molybdenum/sulfur cluster, $[Mo_4S_4(H_2O)_{12}]$, **225**, 297
heteronuclear metal cluster complexes with a new coordination mode of the $Fe_2S_2(CO)_6$ unit. Synthesis, structure and possible reaction pathway of the first Fe–Cu–S cluster compound, $[Fe_6Cu_5S_6(CO)_{18}(PPh_3)_2]$, **227**, 119
Sulfur ligand complexes
transition metal complexes with sulfur ligands CIII. $[(\mu\text{-}S_2)\{Fe(\mu\text{-}'S_4')\}_2]$, a novel [2Fe–2S] cluster with octahedral low-spin $[Fe^{II}S_6]$ centers ('$S_4'^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **224**, 35
transition metal complexes with sulfur ligands CVI. Phosphine and azido $[Fe(L)('N_HS_4')]$ complexes; structural characterization of the key complex $[Fe('N_HS_4')]\cdot THF$ (L=PMe_3, PBu_3, PMe_2Ph, $PMePh_2$, N_3^-; '$N_HS_4'^{2-}$ = dianion of 2,2′-bis(2-mercaptophenylthio)diethylamine), **224**, 61
Superoxide dismutase
EXAFS investigation on nickel substituted Cu,Zn bovine superoxide dismutase, **216**, 121
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151
Surfactant film
electron transfer in surfactant films on electrodes; copper phthalocyaninetetrasulfonate–didodecyldimethylammonium bromide, **226**, 159
Synthetic estrogens
enantioselective synthesis of ferrocene analogs of hexestrol and estradiol; recognition towards estradiol receptors, **222**, 51

Technetium complexes
reactions of the technetium(V) phenylimido complex $[TcX_3(NPh)(PPh_3)_2]$ with aromatic thiolate ligands (where X=Cl, Br), **218**, 97
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25
Tellurido complexes
synthesis and cyclic voltammetry of trinuclear selenido and tellurido clusters of nickel(II), palladium(II) and platinum(II) with 1,2-bis(diphenylphosphino)ethane and crystal structure of the tellurido cluster of platinum(II), **217**, 129
Tellurium complexes
systematics of some properties of hexamolybdotellurate(VI) salt hydrates with di- and trivalent metals, $M_x[TeMo_6O_{24}]\cdot nH_2O$, **217**, 93
synthesis, structure and properties of the polychalcogenides $[M_4Te_{12}]^{4-}$ (M=Cd, Hg), **224**, 163
Terbium complexes
luminescent europium(III) and terbium(III) ions encapsulated in a 2-aminoethoxy or carbamoyloxy substituted calixarene host, **227**, 293

Terpyridine complexes
novel didentate 2,2′:6′,2″-terpyridine complexes of ruthenium(II), **223**, 177
volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95
Tertiary phosphine complexes
the unusual crystallographic disorder of M_2 units in $M_2Cl_4(PEt_3)_4$ (M = Re, Mo), **215**, 103
Tetraazaannulene complexes
fluorine-substituted tetraazaannulene complexes: syntheses and characterizations, **223**, 187
Tetraazamacrocycle complexes
N^1,N^7-expeditious dialkylation of cyclen (1,4,7,10-tetraazacyclododecane). An astonishing reactivity of cyclen tricarbonyl molybdenum and chromium complexes, **220**, 347
Tetracyanoethylene compounds
$[Rh_2(O_2CCH_3)_4TCNE]_x$ polymers: isomers with either 1,1- or *trans*-1,2-TCNE bridges, **221**, 1
Tetranuclear complexes
di- and tetranuclear gold(II) complexes with dithiocarbamate and related ligands. X-ray structure of $[Au_2(\mu\text{-}CH_2PPh_2CH_2)_2(S_2CNMe_2)_2]$, **223**, 55
Tetratolylporphinatoiron(III) complexes
redox reactions between oxomolybdenum(IV) and tetratolylporphinatoiron(III) complexes, **226**, 259
Thallium complexes
synthesis of bis- or tris(pentafluorophenyl) thallium(III) complexes with bidentate ligands. X-ray crystal structure of $[Tl(C_6F_5)_2(acac)\{(O)Ph_2PCH_2PPh_2(O)\}]$, **215**, 229
dithiocarbamates of dimethylthallium(III). Crystal structure of dimethyl(di-n-propyldithiocarbamato)thallium(III), **216**, 15
Thermal decomposition
thermal decomposition of cobalt carbonyl complexes in viscous media, **227**, 233
Thermodynamics
equilibrium and kinetic study of piperidine binding to phthalocyaninatoiron(II) in dimethyl sulfoxide, **219**, 199
thermodynamics of complexation of the uranyl(VI) ion with benzoate. The crystal structure of sodium tris(benzoato) dioxouranate dihydrate, $Na[(PhCO_2)_3UO_2]\cdot 2H_2O$, **223**, 151
volume profile analysis for intermolecular electron transfer between cytochrome *c* and $Co(terpy)_2$, **225**, 95
Thermometry
thermometric determination of electrochemical Peltier heat (thermal effect associated with electron transfer) of some redox couples, **226**, 69
Thiocarboxylato complexes
molybdenum complexes with sterically-hindered thio-carboxylate ligands. Electrochemical properties of the anionic complex bis(2,2-diphenyl-2-mercaptoethanoate)dioxomolybdate(VI) in protic solvents, **221**, 117
Thiocyanato complexes
crystal structure and magnetic properties of the first 1D nickel(II) complex with bridging thiocyanato ligands in *cis* position: $\{catena\text{-}(\mu_{N,S}\text{-}NCS)[Ni(en)_2]\}(PF_6)$, **218**, 185
Thioether complexes
transition metal complexes with sulfur ligands CIV. Protonation and alkylation of thiolate donors of $[Fe(CO)_2(\text{'}S_4\text{'})]$ and $[Fe(CO)(\text{'}S_5\text{'})]$: syntheses and properties of Fe(II) complexes with open-chain thioether ligands ($\text{'}S_4\text{'}^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−); $\text{'}S_5\text{'}^{2-}$ = 2,2′-bis(2-mercaptophenylthio)diethylsulfide(2−)), **224**, 45
Thiolate complexes
synthesis and characterization of platinum(II)–thiolate complexes. Crystal and molecular structures of *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)Cl$ and *cis*-$Pt(Ph_3P)_2(SC_6H_2\text{-}2,4,6\text{-}iPr_3)_2$, **216**, 83
reactions of the technetium(V) phenylimido complex $[TcX_3(NPh)(PPh_3)_2]$ with aromatic thiolate ligands (where X = Cl, Br), **218**, 97
Thiolato complexes
the reactions of thiolate ligands with rhenium hydrides Part 1. The syntheses and structures of $[ReO(SC_6H_3\text{-}2,6\text{-}Me_2)_3(PPh_3)]$ and $[Re(SC_6H_3\text{-}2,6\text{-}Me_2)_3(PPh_2H)(PPh_3)]$, **223**, 63
Thione complexes
main group metal halide complexes with sterically hindered thioureas XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds, **218**, 133
Thiopyridyl triazine complexes
thiopyridyl triazine derivatives and their platinum complexes: a new class of potential antitumor agents, **227**, 175
Thiopyrimidine complexes
Zn(II) complexes with thiopyrimidine derivatives: solution study, synthesis and crystal structure of a zig-zag chain zinc(II) complex with the ligand 4,6-dimethyl-2-thiopyrimidine, **221**, 177
Thiosemicarbazone complexes
diorganotin(IV) derivatives of salicylaldehydethiosemicarbazone. The crystal structure of dimethyl- and diphenyl-(salicylaldehydethiosemicarbazonato)tin(IV), **216**, 169
new heptacoordinated tin complexes of 2,6-diacetylpyridine-bis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of $[MeSnCl(Hdaptsc)]Cl\cdot MeOH$ and $[MeSnCl(H_2dapsc)]Cl_2\cdot 2H_2O$, **218**, 139
synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacetylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacetylpyridine bis(thiosemicarbazonato)}tin(IV) bis(dimethylformamide) solvate, **221**, 61
synthesis, spectroscopic and structural characterization of methyl pyruvate- and pyridoxal-hydrazinopyruvoylthiosemicarbazones, **223**, 77
Thiourea compounds
main group metal halide complexes with sterically hindered thioureas XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds, **218**, 133
Thiourea-functionalized xerogels
formation of an anchored copper(II) complex on a thiourea-functionalized silica gel by *in situ* modification of the tethered ligating function, **221**, 183
Tin alkyne complexes
hydrozirconation/transmetalation of acetylenic stannanes. New 1,1-dimetallo reagents, **220**, 41
Tin complexes
cyclic bis(amino)organotin cations, stabilized by π-coordination and new spirocyclic stannole derivatives, **216**, 51
diorganotin(IV) derivatives of salicylaldehydethiosemicarbazone. The crystal structure of dimethyl- and diphenyl-(salicylaldehydethiosemicarbazonato)tin(IV), **216**, 169
synthesis, characterization and crystal structure of $(C_3H_5N_2)_2[Sn_2(NO_3)_4\text{-}(\mu\text{-}OH)_2Me_4]$, a di-$\mu$-hydroxo-bridged compound with heptacoordinated tin(IV), **216**, 257
equilibrium and spectroscopic studies of diethyltin(IV) complexes formed with carbohydrate derivatives of thiazolidine-4-carboxylic acid, **218**, 65
new heptacoordinated tin complexes of 2,6-diacetylpyridine-bis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of $[MeSnCl(Hdaptsc)]Cl\cdot MeOH$ and

[MeSnCl(H_2dapsc)]$Cl_2 \cdot 2H_2O$, **218**, 139
ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155
1,1-organoboration of tri-1-alkynyltin compounds: novel triorganotin cations, stannoles, 3-stannolenes and 1-stanna-4-bora-2,5-cyclohexadienes, **220**, 161
synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacetylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacetylpyridine bis(thiosemicarbazonato)}tin(IV) bis(dimethylformamide) solvate, **221**, 61
formation of an allyl–tin bond in η^3-allyl(trichlorostannyl)palladium(II) complexes, **222**, 21
direct electrochemical synthesis of tin(IV) complexes of 2-(2-mercaptoethyl)iminomethyl-phenols; the molecular structure of bis{2-(2-mercaptoethyl)iminomethyl-5-bromo-phenoxy}-tin(IV), **223**, 87

Tin ions
metal–metal interactions of aqueous lead(II) and tin(II) ions with the ground and excited states of tetrakis(μ-diphosphito)diplatinate(II), **225**, 201

Titanacyclobutene complexes
nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305

Titanium complexes
designed binaphthyl-derived titanium complexes: a new type of asymmetric catalyst for the carbonyl-ene reaction with glyoxylate, **222**, 71
the preparation of chiral titanium reagents: a comparison of new and known ligands, **222**, 95
carbon dioxide fixation by $Cp_2(\eta^3$-allyl)Ti complexes generated from various dienes, **222**, 145
nitrosoarene and nitrosoalkane insertion reactions of titanacyclobutenes, **222**, 305
early/late bimetallic complexes: MCo_2 (M = Ti, Zr) derivatives, **227**, 201

Transition metal complexes
complexes of tetradentate β-keto enamine Schiff bases: an electrospray mass spectrometric study, **216**, 75
structures of layered metal sulfonate salts: trends in coordination behavior of alkali, alkaline earth and transition metals, **216**, 101
Raman and infrared spectroscopic studies of tris triphenyl phosphine chloride complexes of transition metals, **216**, 191
transmetalation of targets (μ-Y)$N_4Cu_2^{I}Cu_2^{II}Cl_4$ and (μ-Y,μ-O)$N_4Cu_4Cl_4$ (Y = 3,4,5,6-tetrachlorocatecholate) with $M(NS)_2$ reagents, **217**, 85
estrogen derivatives of transition metal complexes for analytical detection enhancement. Part II, **218**, 207
influence of pendant cyanoalkyl side-arms on the stabilities of metal ion complexes of monoaza- and diaza-18-crown-6 ethers in methanol, **219**, 31
liquid matrix induced processes in fast atom bombardment mass spectrometry of polyazacrown transition metal complexes, **219**, 85
a novel reaction of the cyano ligand opening an organometallic route to 4-amino imidazoles: four component condensation (4CC) with isocyanide, aldehyde and amine, **222**, 275
electron transfer reactivity of cuboidal heterometallic Mo_3MS_4 clusters in aqueous acidic solutions, **225**, 157

Transition metal ion complexes
coordination abilities of amide oxygens in a 24-membered ring pseudopeptide toward several transition metal ions in acetonitrile, **223**, 121

Transmetalation
transmetalation of targets (μ-Y)$N_4Cu_2^{I}Cu_2^{II}Cl_4$ and (μ-Y,μ-O)$N_4Cu_4Cl_4$ (Y = 3,4,5,6-tetrachlorocatecholate) with $M(NS)_2$ reagents, **217**, 85
hydrozirconation/transmetalation of acetylenic stannanes. New 1,1-dimetallo reagents, **220**, 41

Triazole ligand complexes
synthesis and X-ray structure of the dinuclear μ-5,5′-diamino-3,3′-bis-1,2,4-triazolato(1−)-bis(diethylenetriaminecopper(II)) triperchlorate, [{Cu(dien)}$_2$Hdabt]$(ClO_4)_3$, **227**, 181

Tridentate ligand complexes
neutral transition metal complexes with the tridentate ligand 4-(5-methyl-4-imidazolyl)-3-thiabutanoic acid. A series of isostructural octahedral compounds, **215**, 151
transition metal compounds of the tridentate pyrazole substituted amine ligand bis(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine (ddae). X-ray structures of [Co(ddae)$(NO_3)_2$], [Cu(ddae)$(NO_3)(H_2O)$](NO_3) and [Cu(ddae)$(Cl)_2$]$\cdot C_2H_5OH$, **216**, 43
zinc(II) and cadmium(II) complexes of the potentially tridentate ligands 2-[[2-pyridinylmethyl)amino]methyl]phenol (HSALAMP) and 2-[[[2-(2-pyridinyl)ethyl]amino]-methyl]phenol (HSALAEP). X-ray crystal structures of the [Zn(SALAMP)(NO_3)]$_2$ and the [Cd(SALAEP)(NO_3)]$_2$ dimers, **219**, 55

Tridentate phosphine complexes
syntheses of ruthenium–iridium heterobimetallic complexes using tridentate phosphine ligands, **227**, 79

Trifluoroacetate complexes
orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of $Rh_2(O_2CCF_3)_2$-[$(C_6H_4)PPh_2]_2 \cdot (PPh_3)_2 \cdot 2(C_7H_8)$, **218**, 189

Triiodide complexes
the structure of $(CH_3)_3SI_3$. Comparison between the structure in the solid and liquid state, **215**, 33

Trimetallic complexes
trimetallic complexes of the tripod ligand 1,1,1-tris(diphenylphosphinomethyl)ethane Part I. Homotrimetallic *cis,cis,cis* and *cis,trans,cis* complexes of the type [(PtX_2-η-tripod)$_2PtX_2$] (X = Cl, I and CH_3), **221**, 187

Trinuclear complexes
synthesis and characterization of symmetric and unsymmetric oxo-bridged trinuclear chromium benzoate complexes: crystal and molecular structure of $[Cr_3O(O_2CPh)_6(py)_3]ClO_4$, **217**, 171
synthesis and crystal structure of the μ_2-{tris[bis-(diphenylphosphine)methane]}-μ_3-3-methyl-8-ethylxanthine-*N,O,O*]-μ_3-chloro-triangle-tricopper(I)-water complex exhibiting a novel oxopurine coordination mode, **227**, 43

Triply bonded complexes
a new type of face-sharing bioctahedral triply bonded diniobium cluster (PyH)[$Nb_2(\mu$-Cl$)_2(\mu$-THT$)Cl_3(Py)_3$]-(THF)$(C_6H_6)_{0.5}$, made by a designed synthesis, **227**, 191

Tripodal ligand complexes
crystal structure of a binuclear vanadium(III) complex with a new tripodal ligand, [V_2Cl_4(tped)$(EtOH)_2$]$\cdot$2EtOH, **224**, 199

Tripod ligand complexes
organometallic chelating ligands. Synthesis of a new anionic tripod like ligand with an N,N′,O-donor set. X-ray crystal structure of [(η^6-C_6Me_6)Ru{μ-P(O)$(OMe)_2$}(μ-Pz$)_2$Re$(CO)_3$] (Me = methyl, Pz = pyrazolate), **219**, 67

Trivalent ion complexes
stabilities of 1,2-diethyl-3-hydroxy-4-pyridinone chelates of divalent and trivalent metal ions, **223**, 21

Tungstate complexes

coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy, **221**, 69
Tungsten complexes
evidence of the $W(O)(S_2)_2$ core as an intermediate in the acidification of WS_4^{2-}. Structural characterization of $W(O)(S_2)_2(bpy)$ and $W(O)(S_2)_2(phen)$, **216**, 201
synthesis and characterization of molybdenum and tungsten nitrite complexes of the type $[M(NO_2)_2(CO)_2(PPh_3)_2]$, **218**, 195
the study of isolobal displacement reactions. Synthesis and structures of the heterobimetallic μ-alkyne cluster complexes η^5-$RC_5H_4(CO)_2M(\mu$-$R^1C_2R^2)Co(CO)_3$ (M = Mo, W; R = $CH_3C(O)$, CH_3O_2C), **219**, 93
some new but-2-yne phosphine complexes of tungsten(II), **219**, 99
synthesis and characterisation of cyanide bridged heterobinuclear complexes based on Group VI octacyanometalate(IV) and pentaammineosmium(III) ions: a comparison with Group VIII hexacyano analogues, **219**, 121
silicon-containing carbene complexes 16. Intramolecular agostic stabilization versus nucleophilic addition to the 16-electron carbene complex $(CO)_4(L)W{=}C(NMe_2)SiPh_2Me$, **220**, 73
hydroformylation of alkenes and alkynes using a heterobinuclear Rh–W catalyst, **220**, 187
preparation of η^1-1,3-dienyl, η^1-1,2-dienyl and η^3-cyclobutenone complexes via reactions of transition-metal carbonyl containing anions with allenic electrophiles, **220**, 305
bicyclic carbo- and heterocycles from an allylidene complex and cyclic 1,3-dienes by tandem cyclopropanation/Cope rearrangement, **220**, 327
investigation of the dithiocarbamate-induced coupling of allylidene and carbonyl ligands on a tungsten center, **220**, 335
carbonyl carbene coupling on cationic η^2-carbene complexes of molybdenum and tungsten, **222**, 77
manganese and tungsten carbene complex mediated intramolecular Diels–Alder reactions, **222**, 291
synthesis and structural analysis of *trans*-$Cp(CO)_2(PPh_3)WHgCl$, **227**, 145
Two-state delineation
relationship between four-state delineation and two-state delineation in electron transfer reactions and excitation transfer, **225**, 185

Ultrasound
ultrasound-promoted palladium-catalyzed carbonyl allylation by allylic alcohols with tin(II) chloride in non-polar solvents, **220**, 155
Unsaturated N_2S_2 ligand
synthesis and characterization of neutral oxorhenium(V) and nitridotechnetium(V) complexes with a tetradentate N_2S_2 unsaturated ligand derived from dithiocarboxylic acid, **227**, 25
Uracil complexes
simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-MeU})_2]\cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles, **218**, 117
analysis of $[(dien)Pd]^{2+}$ binding to uracil and azauracils by proton NMR spectroscopy, **223**, 131
Urania compounds
electron transfer reactions in non-stoichiometric ceria and urania, **225**, 305
Uranium complexes
uranium hexafluoride: laboratory scale synthesis, coordination behaviour towards nitriles and Raman spectra, **215**, 5
synthesis and characterization of uranium triiodide tetrakis(acetonitrile), **218**, 203
uranium compounds as catalysts for aldolisation reactions, **222**, 91
thermodynamics of complexation of the uranyl(VI) ion with benzoate. The crystal structure of sodium tris(benzoato) dioxouranate dihydrate, $Na[(PhCO_2)_3UO_2]\cdot 2H_2O$, **223**, 151
Uridine complexes
aggregation of platinum–uridine blue as a function of concentration in aqueous solution by small angle X-ray scattering, **216**, 37

Valence tautomerism
valence tautomerism for catechol/semiquinone complexes of the *trans*-$M(Bupy)_2(3,6\text{-DBQ})_2$ (M = Mn, Fe, Co) series, **226**, 91
Vanadium complexes
phosphine and phosphine oxide adducts of vanadium(IV) chloride: synthesis and structural studies, **215**, 47
phosphate complexation of oxovanadium(IV). Evidence of bidentate chelation of orthophosphate, **215**, 225
synthesis, spectral properties and redox behaviour of oxovanadium(IV) complexes with tetraaza[14]annulenes, **216**, 217
hydrothermal synthesis and crystal and molecular structure of a three-dimensional vanado-arsonate $(NH_4)_3[(VO)(V_2O_3)(AsO_4)_2(HAsO_4)]$, exhibiting both $\{V\text{–}O\text{–}V\}_\infty$ chains and isolated $\{V_2O_3\}$ units, **218**, 59
bis(2-mercaptopyridine-*N*-oxide)oxovanadium(IV): synthesis, structure and its conversion to the dichloro complex, **219**, 213
synthesis, characterization and crystal structures of two *cis*-dioxo vanadium(V) complexes of monoanionic tridentate Schiff base ligands, **223**, 193
crystal structure of a binuclear vanadium(III) complex with a new tripodal ligand, $[V_2Cl_4(tped)(EtOH)_2]\cdot 2EtOH$, **224**, 199
spectroscopic studies of the *trans*-$[VOCl_2(H_2O)_2]$ chromophore in its hydrogen bonding adduct with 18-crown-6, **227**, 91
Vinylbromides
chele- and anticheleselectivity IV. Reaction-accelerating neighboring-group effects in the cross-coupling of vinylbromides with alkyl-transition metal reagents, **220**, 85
Vinyl-terpyridine complexes
electrocatalytic reduction of CO_2 and O_2 with electropolymerized films of vinyl-terpyridine complexes of Fe, Ni and Co, **225**, 285
Viologen derivatives
photoinduced electron transfer reaction between $[Cu(dmp)P_2]^{+\text{or}-}$ (P = PPh_3 or $PPh_2(m\text{-}C_6H_4SO_3^-)$) and viologen derivatives, **225**, 261
Voltammetric techniques
synthesis, molecular structure and electrochemical investigation of the 1,2,5-thiadiazole-3,4-dithiolate-substituted complex Cp*Ru(NO)(tdas). Evidence for nitrosyl bending during reduction, **226**, 267
Volume of activation
volumes of activation for β-elimination and related reactions of chromium(III)–alkyl complexes in aqueous solutions, **227**, 57

Water oxidation
dynamical investigations of the catalytic mechanisms of water oxidation by the $[(bpy)_2Ru(OH_2)]_2O^{4+}$ ion, **226**, 179

X-ray diffraction
optically active β-ketoiminato manganese(III) complexes as efficient catalysts in enantioselective aerobic epoxidation of unfunctionalized olefins, **220**, 283
X-ray diffraction analysis

synthesis, molecular structure and electrochemical investigation of the 1,2,5-thiadiazole-3,4-dithiolate-substituted complex Cp*Ru(NO)(tdas). Evidence for nitrosyl bending during reduction, **226**, 267
X-ray scattering
aggregation of platinum–uridine blue as a function of concentration in aqueous solution by small angle X-ray scattering, **216**, 37

Zeolite complexes
preparation and dioxygen binding property of a new zeolite encapsulated cobalt tetramethylporphin complex, **217**, 135
Zinc
stereoselective electron transfer between Cu(II) superoxide dismutase and Λ- and Δ-[Fe(pdta)], **225**, 151
Zinc complexes
the synthesis and crystal structure of $[Cr(acacen)py_2][ZnCl_3py]$, **217**, 195
main group metal halide complexes with sterically hindered thioureas XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds, **218**, 133
zinc(II) and cadmium(II) complexes of the potentially tridentate ligands 2-[[2-pyridinylmethyl)amino]methyl]phenol (HSALAMP) and 2-[[[2-(2-pyridinyl)ethyl]amino]-methyl]phenol (HSALAEP). X-ray crystal structures of the $[Zn(SALAMP)(NO_3)]_2$ and the $[Cd(SALAEP)(NO_3)]_2$ dimers, **219**, 55
the synthesis, structure and hydrolytic activity of a functional pentacoordinate zinc complex, **219**, 205
Zn(II) complexes with thiopyrimidine derivatives: solution study, synthesis and crystal structure of a zig-zag chain zinc(II) complex with the ligand 4,6-dimethyl-2-thiopyrimidine, **221**, 177
effect of aromatic–aromatic interaction on ligand binding to zinc porphyrins, **224**, 157
Zirconacyclopentene complexes
chemoselective functionalization of zirconacyclopentenes, **220**, 319
Zirconium complexes
a tris-(μ_2-I) face-sharing dizirconium(III) complex, $[1,4\text{-}Zr_2I_7(PEt_3)_2]^-$; the first such dizirconium species, **216**, 9
synthesis and structure of $Zr_2Cl_4(\eta^6\text{-}C_6H_5PMe_2)_2(PMe_2Ph)_2$, an arene complex of zirconium(II), **217**, 187
alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls, **218**, 47
hydrozirconation/transmetalation of acetylenic stannanes. New 1,1-dimetallo reagents, **220**, 41
chemoselective functionalization of zirconacyclopentenes, **220**, 319
synthesis of stable tail-to-tail-conjugated primary enamines containing hetarene substituents, **222**, 193
the $Zr_6Cl_{12}(PMe_2Ph)_6$ molecule revisited: a directed synthesis, **223**, 93
early/late bimetallic complexes: MCo_2 (M = Ti, Zr) derivatives, **227**, 201
Zirconocene complexes
synthesis of stable tail-to-tail-conjugated primary enamines containing hetarene substituents, **222**, 193
Zwitterion alkynyl complexes
1,1-organoboration of tri-1-alkynyltin compounds: novel triorganotin cations, stannoles, 3-stannolenes and 1-stanna-4-bora-2,5-cyclohexadienes, **220**, 161